Material Safety Data Sheet (ANSI form)

Section1 : Chemical Product and Company Identification				
Product Name General Use MSDS Number Company Name Department Address Telephone Number Telefax Number E-mail	: Print Cartridge Magenta SP C820DNHA : The Image Formation of Printing Machine or Copier : 821028 : Ricoh Americas Corporation : : 5 Dedrick Place, West Caldwell, NJ 07006 : 1-973-882-2000 or 1-973-882-5218 (For product information) or 1-800-336-6737 (For emergencies) : 1-973-882-3959 : environmentinfo@ricoh-usa.com			

Section2 : Composition, Information on Ingredients

Ingredients	Chemical	Contents	ACGIH	(TLV)		OSHA	(PEL)
CAS No./Common Name	Formula	(%)	TWA	STEL	С	TWA	С
Confidential Polyester Resin	Confidential	50-90	N.A	N.A	N.A	N.A	N.A
Confidential Wax	Confidential	<10	2mg/m3	N.A	N.A	N.A	N.A
67990-05-0 Organic Pigment	C32H25CIN4 O5	<10	not applicable	N.A	N.A	N.A	N.A
7631-86-9 Silica	O2Si	<10	10mg/m3	N.A	N.A	15mg/m3	N.A
13463-67-7 Titan Oxide	TiO2	0.1-1	10mg/m3	N.A	N.A	15mg/m3	N.A

This product does not contain any of the following substances as ingredients. And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyleters (PBDE).

Hazardous Ingredients Information Chemical Name : Titan Oxide

CAS Number	: 13463-67-7	EEC Number	: 236-675-5
OSHA Z-Tables (USA)	: 15mg/m3	ACGIH-TLV	: 10mg/m3
NTP (USA)	: Not listed	IARC Monographs	: Group 2B
Symbol (EU)	: Not listed	R-Phrase (EU)	: Not listed
DFG-MAK (GER)	: Not listed	OELs-TWA (Australia)	: 10mg/m3
California Proposition 65 (USA)	: Not listed	· · · ·	2

	<u>O a sti su 2 a l</u>	la servela del settifica sti			
	Section3 : F	lazards Identificatio	DN		
Emergency Overview					
HMIS	Health : 1	Flammabilit : 1	Reactivity : 0	PPE:See section 8	
NFPA	Health : 1	Flammabilit:1 y	Reactivity : 0		
Adverse H There a Potential He Primary Er Inhalation Skin Ingestion Environme There a Physical a There a Specific Ha Dust ex Main Symp Acute Inha Exposu Acute Ora Low ac Acute Ora Low ac Acute Skir May be Sensitizati From te allergy- Chronic Ef Slight p at 4mg/ show th normal amount Carcinoge Titaniun inhalati But ora In the a rat's lur Under a assure Also, re observe	ealth Effects ntry Routes : on ; Yes ; Yes ental Effects : are no significant are no significant lazards : xplosion (like mos otoms : alation Toxicity ure to excessive a alation Toxicity ure to excessive a alation Toxicity ure to excessive a alation Toxicity inter to excessive a alation Toxicity alation algorithm of the excessive a alation toxicity in ani- e Irritation ause slight transie n Irritation e non-irritant. ion est no apparent s -related conjuncti- ffect oulmonary fibrosis /m3 every day for hat exposure to e al use and handling its of powder. enicity m dioxide contair ion test in use of al/skin test does n animal experimen ngs clearance me a normal use pra- ed that there is no elation between no conditions Aggrav plicable tion of the Chemid	ects : hazards expected with zards : hazards expected with zards : hazards expected with st finely grained organic amount of dust may cau imal experiment. ent irritation. significant hazards are e ivitis or dermatitis.) s has been reported in r 2 years. No pulmonar excessive amounts of po g of this product as inter ned in this product is cla rat. not show carcinogenicit it with very high concer echanism (overload phe ctice, the concentration o such use. espiratory disease and logical survey. rated by Exposure	intended use. intended use. c powders) use physical irritation t expected . (Only few ca rats upon chronic inha y change was found a owder may cause dam ended, does not result assified to Group 2B or y. ntration of titanium diox enomenon)), the rat alion in should be far lower th	ases reported on incidental alation exposure to a toner t 1mg/m3. These findings hage to lungs. However, in inhalation of excessive f IARC as the result of xide (excessive burden of one showed lung tumor. han the above; and it is	

Section4 : First Aid Measures

Inhalation :

Remove from exposure into fresh air and rinse mouth with water. Seek medical advice. Skin Contact :

Wash thoroughly with soapy water.

Eye Contact :

Flush with a large amount of water until particles are removed. Seek medical advice. Ingestion :

Drink several glasses of water to dilute ingested toner. Seek medical advice.

Immediate Medical Attention :

Immediate medical attention is not required.

Section5 : Fire Fighting Measures

Flash Point (degrees centigrade Burning Rate (mm/sec) Autoignition Temperature (degr centigrade)	: 0.223 or below
Flammable Limits %	: LEL Not available UEL Not available
Extinguishing Media to Avoid : Not applicable.	
Specific Hazards :	
•	mixtures when finely dispersed in air.
Fire-Fighting Instructions / Spec	
	ethod is required. Sprinkling or fire extinguishers can be used.
Protection of Firefighters :	

Wear gloves, glasses, a mask if necessary.

Section6 : Accidental Release Measures

Personal Precautions :

Do not breathe in dust.

Environment Precautions :

Do not flush into sewers or watercourses.

Methods for Cleaning Up :

Confirm there is no source of fire and if there is a source, remove it. Sweep up spilled powder slowly and clean remainder with wet cloth.

Section7 : Handling and Storage

Handling : **Technical Measures/Precautions** Not applicable Safe Handling Advice Do not handle in areas where there is wind or draught, this may cause dust to get into eyes. Avoid breathing in dust. Storage : **Technical Measures** Not applicable Storage Conditions Keep out of reach of children. Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35degrees centigrade for a long time. Avoid direct sunlight. Packaging material Not applicable Specific Use(s) : Image formation in printing machines or copiers.



Section8 : Exposure Controls/Personal Protection

Technical measures : Use adequate ventilation Control Parameters Exposure Limit Value (1)	. None required with intended us	e.				
ÚSA OSHA PEL (TŴA)	: 15mg/m3 (Total dust)	5.0mg/m3 (Respirable fraction)				
ACGIH TLV (TWA)	: 10mg/m3 (Inhalable fraction)	3.0mg/m3 (Respirable fraction)				
DFG MAK	: 4.0mg/m3 (Total dust)	1.5mg/m3 (Respirable fraction)				
Personal Protection						
Respiratory Protections (S						
None required in normal use. If the limit of exposure concentration is exceeded, use authorised respirator.						
Eye Protection						
Put on goggles if necess	ary.					
Protective Gloves	-					
Use vinyl or rubber gloves if necessary.						
Protective Clothing or Equipment						
Wear chemical-resistant apron or other impervious clothing if necessary.						
Hygiene Measures						
Wash hands after handli	ng.					

Section9 : Physical and Chemical Properties

Appearance Physical state : Solid Form : Pow Colour : Mag	der			
Odor	: Slightly plastic odor			
pН	: Not applicable			
Boiling Point (degrees centigrade)	: Not applica	ble		
Vapor Pressure (Pa)	Not applicable			
Vapor Density (AIR=1)	: Not applicable			
Density (/ 3)	: Approx.1.2	Measuring Temp (degrees centigrade) : 25		
Formula Weight	: Not applicable			
Melting Point (degrees : (Softening point) Approx.110 centigrade)				
Decomposition temper centigrade)	ature (degrees	: Not available		
Viscosity (Pa s)	: Not applicable			
Volatile ()				
Evaporation Rate (Butyl Acetate = 1) : Not applicable				
Water Solubility (g/L) : Insoluble				
Chloroform Solubility (g/L) : Slightly soluble				

Section10 : Stability and Reactivity

Stability :

Stable Hazardous Reaction : Dust explosion, like most finely grained organic powders. Condition to Avoid : Not applicable in normal use. Materials to Avoid : Not applicable in normal use. Hazardous Polymerization : None Hazardous Decomposition or Byproducts : Decomposition products will not occur.

RICOH

Section11 : Toxicological Information
Acute Toxicity
Acute Oral Toxicity (LD50) :
5000 or over
Acute Dermal Toxicity :
Not available
Acute Inhalation Toxicity :
Not available
Local effects
Acute Skin Irritation(PII) :
1.0 or below (Rabbit) (Based on other product test results of similar ingredients.)
Acute Eye Irritation :
Not available (Based on other product test results of similar ingredients.)
Sensitization
Acute Allergenic Effects :
Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.)
Specific Effects
Carcinogenicity :
In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is
inadequate human evidence, but sufficient animal evidence.
The latter is based upon the development of lung tumors in rats receiving chronic inhalation
exposures to Titanium dioxide at levels that induce particle overload of the lung.
Use of this product, as intended, dose not result in inhalation of excessive dust.
Epidemiological study to date have not revealed any evidence of the relationbetween exposure to
titanium dioxide and diseases of the respiratory tract beyond general effects of dust.
Mutagenicity : Negative (Ames test)
Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.
Teratogenic : Not available
Section12 : Ecological Information

Mobility Persistence/Degradabilit		a are available on any adverse effects on the environment.
v	. 1101 ave	
Bioaccumulation	: Not ava	ailable
Ecotoxicity		
Acute Toxicity for Fish (LC50)	: Not classified as toxic (EU Directive 1999/45/EC)mg/l/96hr
Acute Toxicity for Daph	nia	: Not classified as toxic (EU Directive 1999/45/EC)mg/l/48hr

: Not classified as toxic (EU Directive 1999/45/EC)mg/l/72hr

Algae Inhibition Test (IC50)

(EC50)

[ANSI]

Section13 : Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements.

Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions

Do not throw the toner cartridge or toner into an open flame. Hot toner may scatter and cause burns or other damage.

Section14 : Transport Information

International Regulations

	Land Transport		
	RID/ADR	:	Not applicable
	DOT 49 CFR	:	Not applicable
	ADNR	:	Not applicable
	Sea Transport		
	IMDG Code	:	Not applicable
	Air Transport		
	ICAO-TI/IATA-DGR	:	Not applicable
	UN Number	:	Not applicable
S	pecific Precautionary ⁻	Γra	ansport Measures and Conditions
	Avoid direct sunlight	in	quality.

Section15 : Regulatory Information

Regulations **US** Information Information on the label : Not required TSCA (Toxic Substances Control Act) : This toner complies with all applicable rules and regulations under TSCA. SARA (Superfund Amendments and Reauthorization Act) Title III 313 Reportable Ingredients : Not regulated California Proposition 65 : Not regulated Canada Information WHMIS Controlled product : Not a controlled product **EU** Information Information on the label (1999/45/EC and 67/548/EEC) Symbol & Indication : Not required R-Phrase : Not required S-Phrase : Not required Special Precautions under 1999/45/EC Annex V : Not required 76/769/EEC

This product complies with applicable rules and regulations under 76/769/EEC



Section16 : Other Information

	azardous Materials Identification System [HMIS] & National Fire Protection Association					
[NFPA] Hazard Rating Systems:						
Both the HMIS and NFPA systems use number from "0" to "4" to show the degree of hazard in an uncontrolled situation:						
0=Minimum Haza	ard 1=Slight Hazard 2=Moderate Hazard 3=Serious Hazard 4=Severe Hazard					
	be used in both systems:					
	zard Red =Fire Hazard Yellow =Reactivity Hazard White =Indicate a special hazard					
	y any Personal Protective Equipment regired [PPE],					
xx(Radioactive).	y OX(oxidizer), Acid(acid), ALK(Alkali), COR(Corrosive), W(use no water),					
Literature Refere						
ANSI Z400.1-19						
ISO 11014-1						
	irective 91/155/EEC					
	ARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans,					
	Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon,					
pp149-261						
	Ilman, O.Creutzenberg, C.Dasenbrock, H.Emst, R.Kilpper, J.C.MacKenzie, P.Morrow,					
	enaka and R.Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation ats" Fundamental and Applied Toxicology 17,pp280-299					
-	ARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans,					
Vol.93"						
	ENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for					
	xposure to Titanium Dioxide DRAFT"					
ACGIH-TLV	: Threshold Limit Values for Chemical Substances and Physical Agents and					
	Biological Exposure Indices					
OSHA Z-Table						
NTP (USA)	: US Department of Health and Human Services National Toxicology					
	Program Annual Report on Carcinogens DFG-MAK GER : DFG List of MAK and BAT Value					
Symbol (EC)	: EU Directive 67/548/EEC					
91/155/ EEC	: EU Directive 91/155/ EEC					
1999/45/EC An						
76/769/EEC	: EU Directive 76/769/EEC					
EC 304/2003	: Regulation (EC) No 304/2003 of the European Parliament and of the					
	Council of 28 January 2003 concerning the export and import of dangerous					
WHMIS Contro	chemicals Iled : Canada Workplace Hazardous Information System					
product						
OELs-TWA (Au	ustralia) : Guidance Note on the Interpretation of Exposure Standards for					
(-	Atmospheric Contaminants in the Occupational Environment [NOHSC:					
	3008 (1995)]					
Abbreviations :						
OSHA PEL ACGIH-TLV	PEL (Permissible Exposure Limit) under Occupational Safety and Health Act					
ACGIN-TLV	TLV (Threshold Limit Values) under American Conference of Governmental Industrial Hygienists					
DFG-MAK	MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft					
RoHS	Restriction of the use of certain Hazardous Substances in Electrical and Electronic					
Equipment						
TWA Time Weighted Average						
IARC International Agency for Research on Cancer						
NTP	National Toxicology Program					
WHMIS NOHSC	Workplace Hazardous Information System National Occupational Health and Safety Commission Act 1985					
Disclaimer(S) :	National Occupational meatin and Salety Commission ACL 1903					
	n is furnished without warranty, expressed or implied, except that it is accurate to the best					
	knowledge of Ricoh Americas Corporation.					
	It relates only to the specific material designated herein, and does not relate to use in combination with					

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Ricoh Americas Corporation assumes no legal responsibility for use or reliance upon this information.