

	DENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE OMPANY/UNDERTAKING
Product Identifier:	OMI AN I/ONDER TAKING
Product Name:	Canon IPQ-2 Yellow Toner
Product Code:	0439B / F42-7033
Relevant Identified	Uses: Toner for electrophotographic apparatus
Details of Supplier Supplier:	of Safety Data Sheet:
Address:	
Telephone Numbe	xr:
Emergency Teleph	one Number:
Manufacturer:	Canon Inc.
Address:	30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan
SECTION 2	HAZARDS IDENTIFICATION
Emergency Overvie	ew: Yellow fine powder, slight plastic odor.
US Regulatory Stat Not classified as	tus under OSHA HCS: s hazardous.
US Label Elements	under OSHA HCS:
Signal Word:	Not required
Hazard Warning	Not required
Safety Advice:	Not required
Hazardous Com	ponent: Not required
EU Classification u Not classified as	
EU Label Elements	under 1999/45/EC:
Symbol & Indica	tion: Not required
R-Phrase:	Not required
S-Phrase:	Not required
Dangerous Com	ponent: Not required
Applicable Labe Not required	l Elements in accordance with Annex V to 1999/45/EC:
Other Hazards: No	ne



MATERIAL SAFETY DATA SHEET

SECTION 3

COMPOSITION/INFORMATION ON INGREDIENTS

Substance or Mixture: <u>Mixture</u> Ingredient(s):

Chemical Name/ Generic Name	CAS #/ EC #	Concentration/ Concentration			EU Classification according to (EC) No 1272/2008 Hazard Class/ Hazard		Note to Other
	20 "	Range (%)	Symbol/ Indication of Danger	R-Phrase ^{*1}	Hazard Class/ Category Code	Hazard Statement ^{*1}	Hazards*2
Polyester resin	Confidential	80-90	None	None	None	None	
Pigment	Confidential	5-10	None	None	None	None	
Amorphous silica	7631-86-9/ 231-545-4	1-3	None	None	None	None	(1)
Titanium dioxide	13463-67-7/ 236-675-5	< 1	None	None	None	None	(1)

*1 Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

*2 The following substance(s) is (are) marked with (1), (2) and/or (3)

(1) Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

(2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006

(3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

Carcinogen(s) Chemical Name

 CAS#
 Reference

 13463-67-7
 IARC: Gr

Titanium dioxide (<1%)

IARC: Group 2B. NTP; OSHA; Part 3 of Annex VI to Regulation (EC) No 1272/2008: Not listed.



SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately. **Skin:**

Wash with soap and water. If irritation persists, obtain medical advice.

Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

Most Important Symptoms and Effects, both Acute and Delayed:

Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

Ingestion:

Low acute toxicity. Ingestion is a minor route of entry for intended use of this product.

Skin:

May be non-irritant.

Eye:

May cause transient slight irritation.

Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

Indication of Any Immediate Medical Attention and Special Treatment Needed:

None

SECTION 5 FIRE FIGHTING MEASURES

Extinguishing Media:

Suitable Extinguishing Media:

CO2, water, dry chemicals

Unsuitable Extinguishing Media:

None

Special Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

Hazardous Combustion Products:

CO2, CO

Advice for Fire-fighters:

Wear gloves, glasses, a mask if necessary.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid breathing dust. Wash thoroughly after handling.

Environmental Precautions:

Do not wash away into sewer.

Methods and Material for Containment and Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.



SECTION 7 HANDLING AND STORAGE

Precautions for Safe Handling:

Avoid breathing dust. Wash thoroughly after handling. Use with adequate ventilation.

Conditions for Safe Storage, Including Any Incompatibilities:

Keep out of the reach of children.

Keep away from oxidizing materials.

Specific End Uses:

Toner for electrophotographic apparatus. For more information, please refer to the instruction of this product.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

USA	ACGIH TLV	EU OEL	DFG MAK
OSHA PEL			
PNOR:	PNOS:	Not established	Dust:
TWA 15 mg/m^3	TWA 10 mg/m^3		4 mg/m^3
(Total dust),	(Inhalable fraction),		(Inhalable fraction),
TWA 5 mg/m^3	TWA 3 mg/m ³		1.5 mg/m^3
(Respirable fraction)	(Respirable fraction)		(Respirable fraction
20 mppcf, 80 (mg/m ³)/%SiO ₂	Not established	Not established	Not established
TWA 15 mg/m ³ (Total dust)	TWA 10 mg/m ³	Not established	Not established
	OSHA PEL PNOR: TWA 15 mg/m ³ (Total dust), TWA 5 mg/m ³ (Respirable fraction) 20 mppcf, 80 (mg/m ³)/% SiO ₂ TWA 15 mg/m ³	OSHA PELPNOR: TWA 15 mg/m³ (Total dust), TWA 5 mg/m³ (Respirable fraction)PNOS: TWA 10 mg/m³ (Inhalable fraction), TWA 3 mg/m³ (Respirable fraction)20 mppcf, 80 (mg/m³)/%SiO2Not establishedTWA 15 mg/m³TWA 10 mg/m³	OSHA PEL PNOR: PNOS: Not established TWA 15 mg/m³ TWA 10 mg/m³ Inhalable fraction), Not established TWA 5 mg/m³ TWA 3 mg/m³ (Inhalable fraction), TWA 3 mg/m³ (Respirable fraction) TWA 3 mg/m³ Not established 20 mppcf, Not established Not established 80 (mg/m³)/%SiO2 TWA 10 mg/m³ Not established

Exposure Controls:

Engineering Controls:

No special ventilation equipment is needed under intended use of this product.

Individual Protection Measures:

Eye/Face Protection:	☐ Required ⊠ Not Required
Skin Protection:	☐ Required ☑ Not Required
Respiratory Protection	: □ Required ⊠ Not Required



SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

nformation on Basic Physical and Ch Appearance:	Yellow fine powder
Odor:	Slight plastic odor
pH:	Not applicable
Melting Point/Freezing Point (°C):	85-120 (Softening point)
Initial Boiling Point and Boiling Range (°C):	Not applicable
Flash Point(°C):	Not applicable
Evaporation Rate:	Not applicable
Flammability:	Estimate: Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids)) (See SECTION 16)
Upper/Lower Flammable or Explosive Limits:	Not applicable
Vapor Pressure:	Not applicable
Vapor Density:	Not applicable
Relative Density:	1.0-1.5
Water Solubility:	Negligible
Fat Solubility:	Partially soluble in toluene and xylene.
Partition Coefficient (n-Octanol/Wate	er): Not applicable
Auto-ignition Temperature (°C):	Not available
Decomposition Temperature (°C):	> 200
Viscosity (mPa s):	Not applicable
Explosive Properties:	Can form explosive dust-air mixtures when finely dispersed in air.
Oxidizing Properties:	Not available
Other Information:	Not available

None			
⊠ Stable □ Unstable			
None			
None			
Strong oxidizers			
Hazardous Decomposition Products: CO, CO2			



SECTION 11 TOXICOLOGICAL INFORMATION

Information on Toxicological Effects:

Acute Toxicity: Inhalation:

Not available

Ingestion:

Estimate: Rat, LD50 > 2000 mg/kg (See SECTION 16)

Corrosivity/Irritation:

Skin: Est

Estimate: Rabbit, non-irritant (See SECTION 16)

Eye:

Estimate: Rabbit, transient slight conjunctival irritation only. (See SECTION 16)

Sensitization:

Skin:

Estimate: Non-sensitizing (See SECTION 16)

Repeated Dose Toxicity:

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m^3 which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m^3 , and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m³.

These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

Carcinogenicity:

The IARC evaluated titanium dioxide as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the evidence such as development of lung tumors in rats receiving chronic inhalation exposure to powdered titanium dioxide at levels that induce particle overload of the lung.

However, there is an inhalation study of a toner containing titanium dioxide which suggested no association between toner exposure and tumor development in rats.

Mutagenicity:

Ames Test (S. typhimurium, E. coli): Negative

Toxicity for Reproduction:

Not available

Other Information:

Not available



MATERIAL SAFETY DATA SHEET

 SECTION 12
 ECOLOGICAL INFORMATION

 Toxicity:
 Estimate: Fish, 96h LL50 > 1000 mg/l (WAF)

 Estimate: Crustaceans, 48h EL50 > 1000 mg/l (WAF)
 Estimate: Algae, ErL50(0-72h) > 1000 mg/l (WAF)

 Persistence and Degradability: Not available
 Not available

 Bioaccumulative Potential:
 Not available

 Mobility in Soil:
 Not available

 Results of PBT and vPvB
 No results that the component(s) of this toner meet(s) the PBT or vPvB criteria under Regulation (EC) No 1907/2006.

Other Adverse Effects: Not available

SECTION 13 DISPOSAL CONSIDERATIONS

Waste Treatment Methods:

DO NOT put toner or toner container into fire; heated toner may cause severe burns. DO NOT shred a toner container, unless dust-explosion preventing measures are taken. Finely dispersed particles form explosive mixtures in air. Disposal should be subject to federal, state and local laws.

SECTION 14 TRANSPO	ORT INFOR	RMATION		
UN Number:	None			
UN Proper Shipping Name: None				
Transport Hazard Class: None				
Packing Group:				
Environmental Hazards:	Not classified as environmentally hazardous under UN Model Regulations and marine pollutant under IMDG Code.			
Special Precautions for Use	er: None			
< USA Information > SARA Title III §313: Chemical Name None California Proposition 65: Chemical Name None < EU Information >			Weight % Weight %	
Safety, Health and Environ	mental Regu	llations/Legislation:		
(EC) No 1907/2006: Au	thorisation:	Not regulated		
Re	estriction:	Not regulated		
(EC) No 1005/2009: <u>Not</u>	regulated			
(EC) No 850/2004: <u>Not</u>	regulated			
(EC) No 689/2008: <u>Not</u>	regulated			
Others: Non	e			

Chemical Safety Assessment under (EC) No 1907/2006: Not required



SECTION 15 REGULATORY INFORMATION (continued)

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<Revised information from the previous version>

Entirely revised

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910

- U.S. Environmental Protection Agency, 40CFR Part 372

- U.S. Consumer Product Safety Commission, 16CFR Part 1500

- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices

- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens

- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of

Chemicals to Humans

- DFG, List of MAK and BAT Values

- EU Directive 1999/45/EC

- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008

- Canada Workplace Hazardous Materials Information System

- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)

FHSA: Federal Hazardous Substances Act (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

SVHC: Substances of Very High Concern

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program (USA)

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft

TWA: Time Weighted Average

STEL: Short Term Exposure Limit

PNOR: Particulates Not Otherwise Regulated

PNOS: Particles (insoluble or poorly soluble) Not Otherwise Specified

WHMIS: Workplace Hazardous Materials Information System

NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.