0625B



MATERIAL SAFETY DATA SHEET

IC1458-0101 MSDS #: Product Code:

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Ink Tank CLI-8PM

Product Code: 0625B

Canon Inc., 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, Ph # 03-3758-2111 Manufacturer:

Supplier: Canon USA, Inc., One Canon Plaza, Lake Success, NY,11042, USA

Phone #: 1-800-OK-CANON 24 Hr. Emergency CHEMTREC #1-800-424-9300

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(S) >
---------------	---	-----

CAS # / EC #	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m ³	Not established	Not established
107-21-1 / 203-473-3	5 - 10	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m ³	TWA = 20 ppm, 52 mg/m ³ STEL = 40 ppm, 104 mg/m ³	10 ppm, 26 mg/m ³
67-63-0 / 200-661-7	1 - 3	F / R11 Xi / R36 R67	TWA = 400 ppm, 980 mg/m ³	TWA = 200 ppm, 492 mg/m ³ STEL = 400 ppm, 984 mg/m ³	Not established	200 ppm, 500 mg/m ³
7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established
	56-81-5 / 200-289-5 107-21-1 / 203-473-3 67-63-0 / 200-661-7	EC # % 56-81-5 / 200-289-5 5 - 10 107-21-1 / 203-473-3 5 - 10 67-63-0 / 200-661-7 1 - 3 7732-18-5 / 60 - 80	EC # % R-Phrase 56-81-5 / 200-289-5 5 - 10 None / None 107-21-1 / 203-473-3 5 - 10 Xn / R22 67-63-0 / 200-661-7 1 - 3 F / R11 Xi / R36 R67 7732-18-5 / 60 - 80 None / None	EC # % R-Phrase OSHA PEL 56-81-5 / 200-289-5 5 - 10 None / None / None / Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³ 107-21-1 / 203-473-3 5 - 10 Xn / R22 Not established 67-63-0 / 200-661-7 1 - 3 F / R11 Xi / R36 R67 TWA = 400 ppm, 980 mg/m³ 7732-18-5 / 60 - 80 None / None Not established	EC # % R-Phrase OSHA PEL 56-81-5 / 200-289-5 5 - 10 None / None / None / Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³ TWA = 10 mg/m³ 107-21-1 / 203-473-3 5 - 10 Xn / R22 Not established Ceiling = 100 mg/m³ 67-63-0 / 200-661-7 1 - 3 F / R11 Xi / R36 R67 TWA = 400 ppm, 980 mg/m³ TWA = 200 ppm, 492 mg/m³ STEL = 400 ppm, 984 mg/m³ 7732-18-5 / 60 - 80 None / None / None Not established Not established	EC # % R-Phrase OSHA PEL 56-81-5 / 200-289-5 5 - 10 None / None (as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³ TWA = 10 mg/m³ Not established 107-21-1 / 203-473-3 5 - 10 Xn / R22 Not established (aerosol) Ceiling = 100 mg/m³ TWA = 20 ppm, 52 mg/m³ STEL = 40 ppm, 104 mg/m³ 67-63-0 / 200-661-7 1 - 3 F / R11 Xi / R36 R67 TWA = 400 ppm, 980 mg/m³ TWA = 200 ppm, 492 mg/m³ STEL = 400 ppm, 984 mg/m³ Not established 7732-18-5 / 80 80 None / None None / None Not established Not established Not established

Date of Issue: Revised: April 22, 2005



MSDS #: IC1458-0101
Product Code: 0625B

< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing magenta liquid ink with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eve

Practically non-irritation is expected. (See SECTION 11)

Skin:

May cause mild irritation and no sensitization. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None



MSDS #: IC1458-0101
Product Code: 0625B

SECTION 5 FIRE FIG	GHTING MEASURES		
Fire Fighting Measures:			
Extinguishing Media:			
CO ₂ , water, foam or dr	y chemicals		
Unsuitable Extinguishing None	g Media:		
Special Fire Fighting Pr None	ocedures:		
Unusual Fire and Explos	ion Hazards:		
None			
Fire and Explosive Propertie	es (See also Section 9):		
Hazardous Combustion	Products:		
CO, CO ₂ , NOx and SO	X		
Other Properties:			
None			
SECTION 6 ACCIDE	NTAL RELEASE MEASURES		
Personal Precautions:			
Avoid contact with skin,	eyes and clothing.		
Environmental Precautions:			
Do not release to sewer, s	surface water or ground water.		
Method for Cleaning Up:			
Wipe off with wet cloth o	r paper.		
SECTION 7 HANDLI	ING AND STORAGE		
Handling:			
Use with adequate ventile	ation.		
Avoid contact with skin,			
In case of contact, wash	out the contaminated area immediately.		
Storage:			
	ace. Protect from sunlight.		
Keep away from heat and flame.			
Keep out of the reach of o	children.		
Specific Uses:			
Ink for Ink Jet Printer.	ease refer to the instruction of this product.		
	^		
SECTION 8 EXPOSU	JRE CONTROLS / PERSONAL PROTECTION		
Exposure Guidelines: Not established for this in	.k. (See also SECTION 2)		
Engineering Controls:			
Use adequate ventilation			
Personal Protection Equipm	ent(s):		
Respiratory Protection:			
Eye/Face Protection:	Required		
L J C, L HOU I I OVOCADII	Not Required Not Required		
Skin Protection:	Required		
	Not Required Not Required		



MSDS #: IC1458-0101
Product Code: 0625B

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES			
Appearance:	Magenta liquid		
Odor:	Slight odor		
pH:	8 - 9		
Boiling Point/Range(${}^{\circ}C$):	Not available		
Melting Point/Range(°C):	Not available		
Decomposition Temperature (°C):	Not available		
Flash Point(°C):	62.4 (Tag. Closed Cup. Combustion is not sustainable.)		
Flammable (Explosive) Limits:	Not available		
Autoignition Temperature (°C):	Not available		
Flammability:	Classified as "combustible liquid" under OSHA-HCS. Not classified as "flammable" or "combustible" under FHSA. Not classified as "flammable" under 1999/45/EC.		
Explosive Properties:	None		
Oxidizing Properties:	None		
Vapor Pressure :	Not available		
Vapor Density :	Not available		
Density / Specific Gravity:	1.0 - 1.1		
Water Solubility :	Miscible		
Fat Solubility:	Not available		
$\label{partition} \textbf{Partition Coefficient (n-Octanol/Water):}$	Not available		
Percent Volatile (%):	60 - 80		
Evaporation Rate:	Not available		
Viscosity (mPa s):	1 - 3		
SECTION 10 STABILITY AND REA	ACTIVITY		
Stability:			
Conditions to Avoid:	None		
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents		
Hazardous Decomposition Products:	CO, CO ₂ , NOx and SOx		
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur		
Conditions to Avoid:	None		



Not available

MATERIAL SAFETY DATA SHEET

IC1458-0101 MSDS #:

Product Code: 0625B **SECTION 11** TOXICOLOGICAL INFORMATION **Acute Toxicity: Inhalation:** Not available **Ingestion:** $LD_{50} > 2000 \text{ mg/kg (rat)}$ OECD Guidelines No.423 (2001) 96/54/EC Method B1 tris Eye: Practically non-irritating (rabbit) OECD Guidelines No.405 (2002) 92/69/EEC Method B5 Skin: [Data of similar composition ink] Mild irritant (rabbit) OECD Guidelines No.404 (2002) 92/69/EEC Method B4 **Sensitization:** Non-sensitizer (guinea pig) OECD Guidelines No.406 (1992) 96/54/EC Method B6 **Mutagenicity:** Ames test: Negative (S. typhimurium & E. Coli) Reproductive Toxicity: Not available Carcinogenicity: Not available Others:

Date of Issue: Revised: April 22, 2005

Page 6 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1458-0101
Product Code: 0625B

SECTION 12 E	COLOGICAL INFORMATION
Mobility:	Not available
Persistence / Degradability:	Not available
Bioaccumulation:	Not available
Ecotoxicity:	Not available
Other Adverse Effec	ts: Not available
	DISPOSAL CONSIDERATION
Method of Disposal: Disposal should be	be subject to federal, state and local laws.
SECTION 14 T	TRANSPORT INFORMATION
UN #:	None
UN Shipping Name:	None
UN Classification:	None
UN Packing Group:	None
Marine Pollutant:	☐ Yes Chemical name (wt%): ☐ No
Special Precautions:	None
	REGULATORY INFORMATION
< EU Information >	
Information on the La	
Symbol & Indicat	ion: Not required
R-Phrase: Not required	
S-Phrase:	
Not required	
Dangerous Comp None	ponent(s):
Special Precaution	ons under 1999/45/EC Annex V:
Not required	
Specific Provisions in	Relation to Protection of Man or the Environment:
76/769/EEC:	Not regulated
(EC)2037/2000:	Not regulated
(EC)304/2003:	Not regulated
Others:	None



MSDS #: IC1458-0101
Product Code: 0625B

< USA Information >

Information on the Label under FHSA:

Signal Word: Not required

Hazard warning:Not required

Safety Advice:

Not required

Hazardous Component(s):

None

SARA Title III §313:

Chemical NameWeight %"Ethylene glycol" (107-21-1)5 - 10

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

Others: This product contains a chemical substance which is being introduced under a Low Volume Chemical

Permit granted under section 21U(2) of the Industrial Chemicals (Notification and Assessment) Act

1989.

SECTION 16 OTHER INFORMATION

<R phrase list>

R11: Highly flammable.

R22: Harmful if swallowed.

R36: Irritating to eyes.

R67: Vapours may cause drowsiness and dizziness.



MSDS #: IC1458-0101
Product Code: 0625B

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.