Page 1 of 8

1042B

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1627-0202

Product Code:

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Ink Tank PGI-9GY

Product Code: 1042B

Manufacturer: Canon Inc.,30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, Ph# 03-3758-2111.

Supplier: Canon USA Inc., One Canon Plaza, Lake Success, NY 11042 USA

Phone #: 1-800-OK-CANON 24Hr. Emergency CHEMTREC 1-800-424-9300

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) > Chemical Name / Generic Name	CAS#/ EC#	Weight	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m ³	Not established	Not established
Ethylene glycol	107-21-1 / 203-473-3	5 - 10	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m³	$TWA = 20 \text{ ppm},$ 52 mg/m^3 $STEL = 40 \text{ ppm},$ 104 mg/m^3	10 ppm, 26 mg/m ³
Poly(oxy-1,2-ethanediyl), alpha.,alpha.'-[1,4-dimethyl-1,4- bis(2-methylpropyl)-2-butyne- 1,4-diyl]bis[.omegahydroxy-	9014-85-1 / Not applicable	1 - 5	Xi / R41	Not established	Not established	Not established	Not established
Carbon black	1333-86-4 / 215-609-9	< 1	None / None	$TWA = 3.5 \text{ mg/m}^3$	$TWA = 3.5 \text{ mg/m}^3$	Not established	Not established
Lactam	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established

Page 2 of 8



MATERIAL SAFETY DATA SHEET

Product Code:

MSDS #:

IC1627-0202 1042B

< Carcinogen >

Chemical Name CAS# Reference

Carbon Black 1333-86-4 IARC : Group 2B. NTP; OSHA; Annex I to 67/548/EEC : Not listed.

Except carbon black, no component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing black liquid ink with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eye:

May cause mild irritation. (See SECTION 11)

Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

Chronic Effects:

No adverse effects are expected under intended use of this product.

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eve:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None

Page 3 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1627-0202
Product Code: 1042B

SECTION 5 FIRE F	IGHTING MEASURES					
Fire Fighting Measures:						
Extinguishing Media:						
CO ₂ , water, foam or dry chemicals						
Unsuitable Extinguishi None	ng Media:					
Special Fire Fighting Procedures: None						
Unusual Fire and Expl None	osion Hazards:					
Fire and Explosive Proper	ties (See also Section 9):					
Hazardous Combustion						
	CO, CO ₂ , NOx and SOx					
Other Properties:						
None						
SECTION 6 ACCID	ENTAL RELEASE MEASURES					
Personal Precautions:						
Avoid contact with skin,	eves and clothing.					
Environmental Precaution						
	surface water or ground water.					
Method for Cleaning Up:						
Wipe off with wet cloth	or paper.					
CECTION 5 HAND	This AND STEPP ASE					
	LING AND STORAGE					
Handling:						
Use with adequate ventil						
Avoid contact with skin, In case of contact, wash	eyes and clothing. but the contaminated area immediately.					
	The tile containmated area immediately.					
Storage: Keep in a cool and dry pl	ace.					
Protect from sunlight.	ucc.					
Keep out of the reach of children.						
Specific Uses:						
Ink for Ink Jet Printer.						
For more information, please refer to the instruction of this product.						
SECTION 8 EXPOS	URE CONTROLS / PERSONAL PROTECTION					
Exposure Guidelines:						
Not established for this i	nk. (See also SECTION 2)					
Engineering Controls:						
Use adequate ventilation						
Personal Protection Equipment(s):						
Respiratory Protection						
E/E E	☑ Not Required					
Eye/Face Protection:	Required					
	☑ Not Required					
Skin Protection:	Required Not Required					
	☑ Not Required					

Page 4 of 8

1042B

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1627-0202

Product Code:

SECTION 9 PHYSICAL AND CH	HEMICAL PROPERTIES
Appearance:	Black liquid
Odor:	Slight odor
pH:	8 - 9
Boiling Point/Range(°C):	Not available
Melting Point/Range(°C):	Not available
Decomposition Temperature (${}^{\circ}C$):	Not available
Flash Point(°C):	Estimate: None
Flammable (Explosive) Limits:	Not available
Autoignition Temperature ($^{\circ}$ C):	Not available
Flammability:	Neither flammable nor combustible.
Explosive Properties:	Estimate: None
Oxidizing Properties:	Estimate: None
Vapor Pressure :	Not available
Vapor Density:	Not available
Density / Specific Gravity:	1.0 - 1.1
Water Solubility:	Miscible
Fat Solubility:	Not available
Partition Coefficient (n-Octanol/Water):	Not available
Percent Volatile (%):	60 - 80
Evaporation Rate:	Not available
Viscosity (mPa s):	1 - 5
SECTION 10 STABILITY AND R	EACTIVITY
Stability:	
Conditions to Avoid:	None
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents
Hazardous Decomposition Products:	CO, CO ₂ , NOx and SOx
Hazardous Polymerization:	☐ May Occur ▼ Will Not Occur
Conditions to Avoid:	None

Page 5 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1627-0202
Product Code: 1042B

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

Inhalation:

Not available

Ingestion:

Not available

Eye:

[Data of similar composition ink]

Mild irritant (rabbit)

OECD Guidelines No.405 (2002), 2004/73/EC Method B5

Skin:

[Data of similar composition ink]

Non-irritant (rabbit)

OECD Guidelines No.404 (2002), 2004/73/EC Method B4

Sensitization:

[Data of similar composition ink]

Non-sensitizer (mouse)

OECD Guidelines No.429 (2002), 2004/73/EC Method B42

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

Reproductive Toxicity:

Not available

Carcinogenicity:

The IARC evaluated carbon black, as a Group 2B carcinogen, for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposure to powdered carbon black at levels that induce particle overload of the lung. However, the amount of inhalation exposure to powdered carbon black is negligible under intended use of this product.

Others:

Not available

Page 6 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1627-0202
Product Code: 1042B

SECTION 12 I	ECOLOGICAL INFORMATION				
Mobility:	Not available				
Persistence / Degradability:	Not available				
Bioaccumulation:	Not available				
Ecotoxicity:	Not available				
Other Adverse Effec	cts: Not available				
Method of Disposal:	DISPOSAL CONSIDERATIONS: be subject to federal, state and local laws.				
SECTION 14	TRANSPORT INFORMATION				
UN #:	None				
UN Shipping Name:	None				
UN Classification:	None				
UN Packing Group:	None				
Marine Pollutant:	☐ Yes Chemical name (wt%): No				
Special Precautions: None					
SECTION 15 F < EU Information >	REGULATORY INFORMATION				
Information on the Label:					
Symbol & Indica	ation: Not required				
R-Phrase: Not required					
S-Phrase: Not required					
Not required	ponent(s):				
•	ions under 1999/45/EC Annex V:				
Not required					
•	n Relation to Protection of Man or the Environment:				
76/769/EEC:	Not regulated				
(EC)2037/2000:	Not regulated				
(EC)304/2003:	Not regulated				
Others:	None				

Page 7 of 8

1042B

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1627-0202

Product Code:

< USA Information >

Information on the Label under FHSA:

Signal Word: Not required

Hazard warning:

Not required

Safety Advice:

Not required

Hazardous Component(s):

Not required

SARA Title III §313:

Chemical NameWeight %"Ethylene glycol" (107-21-1)5 - 10

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<R phrase list>

R22: Harmful if swallowed.

R41: Risk of serious damage to eyes.

<Revised information from the previous version>

Section 15



MATERIAL SAFETY DATA SHEET

MSDS #: IC1627-0202
Product Code: 1042B

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.