

<b>Manufacturer:</b>	Xerox Corporation Rochester, N.Y. 14644	<b>Telephone #'s</b>	<i>Safety Information.:</i> (800) 828-6571 <i>Health Emergency:</i> (716) 422-2177 <i>Transportation Emergency(Chemtrec):</i> (800) 424 - 9300
----------------------	---	----------------------	--

### Section 1 - Product Identification

<b>Trade Names/Synonyms:</b>	5008 Series/5009 Series/5240/5260/5280/ 5307/5308/5309/5310 Copy Cartridge	<b>Part No. :</b> 9R89587, 13R50, 13R55, RX: 13R59
<b>Chemical Name:</b>	None	
<b>WHMIS Status:</b>	This is not a WHMIS controlled product.	

#### Ingredients

#### CAS#

<u>Substrate (&gt;99%):</u>		
Aluminum drum		7429-90-5
<u>Coating (&lt;1%):</u>		
Poly(methylmethacrylate)		9011-14-7
Photosensitive pigment		73276-70-7
Organic pigment		84982-68-3

### Section II - Emergency and First Aid

<b>Primary Route of Entry:</b>	<b>Symptoms of Overexposure:</b>
Skin	None
<b>Eyes:</b>	<b>Medical Conditions Generally Aggravated by Exposure:</b>
N.A.	None when used as described by product literature.
<b>Skin:</b>	<b>Additional Information:</b>
Wash with soap and water	None.
<b>Inhalation:</b>	
N.A.	
<b>Ingestion:</b>	
N.A..	

### Section III - Toxicology and Health Information

*This material has been evaluated by Xerox Corporation.*

<b>Oral LD<sub>50</sub>:</b>	>5 g/kg (rats) practically non-toxic.	<b>TLV:</b>	N.A.
<b>Dermal LD<sub>50</sub>:</b>	N.A.	<b>PEL:</b>	N.A.
<b>Inhalation LC<sub>50</sub>:</b>	N.A.	<b>STEL:</b>	N.E.
<b>Eye Irritation:</b>	Not an irritant	<b>Ceiling:</b>	N.E.
<b>Skin Sensitization:</b>	N.A.	<b>XEL<sup>1</sup>:</b>	N.A.
<b>Skin Irritation:</b>	Not an irritant		
<b>Human Patch:</b>	Non-irritating,		
<b>Mutagenicity:</b>	Non- mutagenic in Ames Assay..		
<b>Carcinogens:</b>	None present		
<b>Aquatic LC<sub>50</sub>:</b>	N.D.		
<b>Additional Information:</b>	None.		

<sup>1</sup> XEL - Xerox Exposure Limit

**Section IV - Physical Data**

<b>Appearance/Odor:</b>	Solid/odorless	<b>Softening Range:</b>	N.A.
<b>Boiling Point:</b>	N.A.	<b>Melting Point:</b>	N.A.
<b>Solubility in Water:</b>	N.A.	<b>Specific Gravity (H<sub>2</sub>O=1)</b>	N.A.
<b>Evaporation Rate:</b>	N.A.	<b>Vapor Pressure (mm Hg):</b>	N.A.
<b>Vapor Density (Air=1):</b>	N.A.	<b>pH:</b>	N.A.
<b>Volatile:</b>	N.A. % (Wgt.) N.A. % (Vol.)		

**Section V - Fire and Explosion Data**

<b>Flash Point (Method Used):</b>	N.A.	<b>Flammable Limits</b>	<b>LEL:</b> N.A.
			<b>UEL:</b> N.A.
<b>Extinguishing Media:</b>	Water, carbon dioxide, foam		
<b>Special Fire Fighting Procedures:</b>	When in a machine, treat as an electrical fire.		
<b>Fire and Explosion Hazards:</b>	Exposure to high temperatures can result in melting and pyrolysis. Fumes may cause respiratory symptoms. Delayed effects may occur up to 72 hours.		

**Section VI - Reactivity Data**

<b>Stability:</b>	Stable
<b>Hazardous Polymerization:</b>	Will Not Occur
<b>Hazardous Decomposition Products:</b>	None
<b>Incompatibility (Materials to Avoid):</b>	Organic solvents, strong acids.

**Section VII - Special Protection Information**

<b>Respiratory Protection:</b>	None required when used as intended in Xerox equipment
<b>Eye Protection:</b>	None required when used as intended in Xerox equipment
<b>Protective Gloves:</b>	None required when used as intended in Xerox equipment
<b>Other:</b>	None required when used as intended in Xerox equipment

**Section VIII - Special Precautions**

<b>Handling and Storage:</b>	Under no circumstances should pumicing compounds or mechanical abrasion be used on this photoreceptor.
<b>Conditions to Avoid:</b>	Avoid exposure to high temperatures.

**Section IX - Spill, Leak, and Disposal Procedures**

<b>For Spills or Leakage:</b>	None
<b>Waste Disposal Method:</b>	Casual disposal leading to incineration or regular landfill may be permitted. Ensure conformity with federal, state and local regulations.

**Section X - Transportation Information**

<b>DOT Proper Shipping Name:</b>	N.A. (Not Regulated)	<b>ID Number:</b>	N. A.
<b>Hazard Classification:</b>	N. A.	<b>Packing Group:</b>	N. A.