



MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identification

Product Name: Toner Type 204 DTM; Yellow
Product Number: 400319
Chemical Name: mixture
CAS Number: 0-00-0

Company Identification

Ricoh Corporation
5 Dedrick Place
West Caldwell, NJ 07006 USA
1-973-882-2000 or 1-973-882-5218 (For product information)
1-800-336-6737 (For emergencies)

GENERAL USE:

AP204.

2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT LISTING:

<u>Chemical Name</u>	<u>Amount</u>	<u>CAS Number</u>
RESIN	< 80.0 %	80100252-5001 (NJ TRS
ORGANIC PIGMENT	> 10.0 %	4531-49-1
POLYPROPYLENE WAX	> 5.0 %	9010-79-1
ORGANIC SALT	> 5.0 %	114803-11-1
SILICA	> 2.0 %	7631-86-9
SILICA	> 1.0 %	60842-32-2

MISCELLANEOUS:

All ingredients are included on the TSCA inventory list.

EXPOSURE GUIDELINES:

silica

OSHA PEL: 5 mg/m³
ACGIH TWA: 10 mg/m³

Silica

OSHA PEL: 5 mg/m³
ACGIH TWA: 10 mg/m³

3. HAZARDS IDENTIFICATION

***** EMERGENCY OVERVIEW *****
*
* Fine odorless powder (Yellow colored), water *

* insoluble. *
* *

ACUTE EYE EFFECTS:

This product presents no serious risk of chemical damage to the eyes.

ACUTE SKIN EFFECTS:

This product presents no serious risk of chemical damage to the skin.

ACUTE INHALATION EFFECTS:

Respiratory tract may be effected by exposure to large amounts of dust from this product.

ACUTE INGESTION EFFECTS:

This product may be harmful if swallowed.

4. FIRST AID MEASURES

EYE CONTACT FIRST AID:

Flush with plenty of water for a minimum of 15 minutes, and seek medical attention.

SKIN CONTACT FIRST AID:

Wash material off of skin with plenty of soap and water.

INHALATION FIRST AID:

Remove person to fresh air and seek medical attention. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

INGESTION FIRST AID:

If the material is swallowed, get immediate medical attention or advice.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

COC Flash Point: N/A
Autoignition Temperature: N/A

FLAMMABLE LIMITS IN AIR

LEL: N/A
UEL: N/A

BURNING RATE:

Not available.

FLAMMABILITY CLASSIFICATION:

Not available.

HMIS Rating - Health: 1
Flammability: 1
Reactivity: 0

NFPA Rating - Health: 1
Flammability: 1
Reactivity: 0

EXTINGUISHING MEDIA:

Dry chemicals or CO2 for small fires. Alcohol-type or all-purpose type foams for large fires.

HAZARDOUS COMBUSTION PRODUCTS:

Combustion or decomposition will generate phenol derivatives, carbon monoxide, CO2 over 300 degrees C.

FIRE FIGHTING INSTRUCTIONS:

Not provided.

FIRE FIGHTING EQUIPMENT:

Not provided.

MISCELLANEOUS:

Lower Flammable Limit (LFL): 34.5g/m3.

Minimal fire hazard. Material is self-extinguishing.

6. ACCIDENTAL RELEASE MEASURES

SPILL / LEAK PROCEDURES:

If the product is spilled, sweep up the material and recover it, or mix the spilled material with moist absorbent and shovel into suitable waste container. This material is non-hazardous under RCRA.

7. HANDLING AND STORAGE

HANDLING PRECAUTIONS:

Use protective goggles and gloves.

STORAGE REQUIREMENTS:

Keep containers tightly closed and store in a cool, well ventilated area. Storage below 35C is recommended to prevent product from caking.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS:

Use local exhaust ventilation (Use local ventilation in dusty areas).

RESPIRATORY PROTECTION:

Use a NIOSH/MSHA approved dust/mist respirator.

PROTECTIVE CLOTHING / EQUIPMENT:

Use protective goggles. Use suitable protective gloves.

MISCELLANEOUS:

Product is generally non-hazardous when not a dust or powder. Product is generally in fine granule form.

9. PHYSICAL AND CHEMICAL PROPERTIES

FORM: Powder
COLOR: Yellow
ODOR: odorless
BOILING POINT: Not applicable C
VAPOR PRESSURE: Not applicable psia
VAPOR DENSITY: Not applicable (Air = 1)
SOLUBILITY IN WATER: Insoluble
SPECIFIC GRAVITY: 1.16 @ 20C (68F) (Water = 1)
MELTING/FREEZING POINT ...: Not applicable C
PH: Not available
% VOLATILES: Not available %

10. STABILITY AND REACTIVITY

STABILITY:

Stable.

POLYMERIZATION:

Will not occur.

CHEMICAL INCOMPATIBILITIES:

Strong oxidizing agents.

CONDITIONS TO AVOID:

Not available.

HAZARDOUS DECOMPOSITION PRODUCTS:

Combustion or decomposition will generate phenol derivative, carbon dioxide and carbon monoxide over 300C.

11. TOXICOLOGICAL INFORMATION

ACUTE ORAL EFFECTS:

LD50 > 2000mg/g.

MUTAGENICITY:

Negative.

TERATOGENICITY:

Not available.

12. ECOLOGICAL INFORMATION

ECOTOXICITY:

Not available.

13. DISPOSAL CONSIDERATIONS

DISPOSAL:

Dispose of material waste in accordance with governmental regulations. Prevent release of material into natural environment.

14. TRANSPORT INFORMATION

PRODUCT LABEL ...: Toner Type 204 DTM; Yellow

15. REGULATORY INFORMATION

Canadian Disclosure List
silica (7631-86-9)

16. OTHER INFORMATION

HMIS Rating - Health: 1
Flammability: 1
Reactivity: 0

NFPA Rating - Health: 1
Flammability: 1
Reactivity: 0

PREPARED BY: David Huelbig
APPROVED BY: David Huelbig
TITLE: Safety Engineer
APPROVAL DATE: April 2, 2003
SUPERCEDES DATE ...: New
RTN NUMBER: 00002666 (Official Copy)

This information is furnished without warranty, expressed or implied,
except that it is accurate to the best knowledge of Ricoh Corporation.
The data on this sheet are related only to the specific material
designated herein. Ricoh Corporation assumes no legal responsibility for
use or reliance upon these data.

END OF MSDS
