

MSDS #: ______IC2105-0101

Product Code:

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name: Canon Ink Tank CLI-226C

Product Code: 4547B

Manufacturer: Canon Inc.,30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, Ph#03-3758-2111.

Supplier: Canon USA Inc., One Canon Park, Melville, NY, 11747, USA

Phone #: 1-800-OK-CANON 24Hr. EmergencyCHEMTREC# 1-800-424-9300

SECTION 2 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing cyan liquid ink with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting,

Eye:

May cause minimal irritation. (See SECTION 11)

Skin:

May cause mild irritation and no sensitization. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified



MSDS #: <u>IC2105-0101</u> Product Code: 4547B

< Ingredient(s) > Chemical Name /	CAS#/	Weight %	EU Symbol/	USA OSHA PEI	ACGIH TLV	EU OEL	DFG MAK
Generic Name Glycerin	56-81-5 / 200-289-5	5 - 10	R-Phrase None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m ³	Not established	Not established
Ethylene urea	120-93-4 / 204-436-4	5 - 10	Xi / R36	Not established	Not established	Not established	Not established
Substituted Phthalocyanine salt #1	Confidential	1 - 5	Xi / R41	Not established	Not established	Not established	Not established
Substituted Phthalocyanine salt #2	Confidential	1 - 5	Xi / R41 R52/53	Not established	Not established	Not established	Not established
Glycol	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Glycol	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established

< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

< PBT substance and vPvB substance >

No component of this ink is a PBT or vPvB substance under Regulation (EC) No 1907/2006.



MSDS #: _ Product Code: IC2105-0101

4547B

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None

SECTION 5 FIRE FIGHTING MEASURES

Fire Fighting Measures:

Extinguishing Media:

CO₂, water, foam or dry chemicals

Unsuitable Extinguishing Media:

None

Special Fire Fighting Procedures:

None

Unusual Fire and Explosion Hazards:

None

Fire and Explosive Properties (See also SECTION 9):

Hazardous Combustion Products:

CO, CO₂, NOx and SOx

Other Properties:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid contact with skin, eyes and clothing.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Method for Cleaning Up:

Wipe off with wet cloth or paper.

SECTION 7 HANDLING AND STORAGE

Handling:

Use with adequate ventilation.

Avoid contact with skin, eyes and clothing.

In case of contact, wash out the contaminated area immediately.

Storage:

Keep in a cool and dry place.

Protect from sunlight.

Keep out of the reach of children.

Specific Uses:

Ink for Ink Jet Printer.

For more information, please refer to the instruction of this product.

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: <u>IC2105-0101</u> Product Code: <u>4547B</u>

SECTION 8 EXPOSURE CONTR	ROLS / PERSONAL PROTECTION				
Exposure Guidelines: Not establish	ned for this ink. (See also SECTION 3)				
	e ventilation.				
Personal Protection Equipment(s): Respiratory Protection: □ Required	Not Required				
Eye/Face Protection: Required					
	·				
Skin Protection: Required Not Required SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES					
Appearance:	Cyan liquid				
Odor:	Slight odor				
pH:	7 - 10				
Boiling Point/Range(°C):	Not available				
Melting Point/Range(°C):	Not available				
Decomposition Temperature (°C):	Not available				
Flash Point(°C):	None (Estimate)				
Flammable (Explosive) Limits:	Not available				
Autoignition Temperature (${}^{\circ}C$):	Not available				
Flammability:	Neither flammable nor combustible.				
Explosive Properties:	None (Estimate)				
Oxidizing Properties:	None (Estimate)				
Vapor Pressure :	Not available				
Vapor Density:	Not available				
Density / Specific Gravity:	1.0 - 1.1				
Water Solubility:	Miscible				
Fat Solubility:	Not available				
Partition Coefficient (n-Octanol/Water): Not available					
Percent Volatile (%):	60 - 80				
Evaporation Rate:	Not available				
Viscosity (mPa s):	1-5				
SECTION 10 STABILITY AND REACTIVITY					
Stability:	☑ Stable ☐ Unstable				
Conditions to Avoid:	None				
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents				
Hazardous Decomposition Products:	CO, CO ₂ , NOx and SOx				
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur				
Conditions to Avoid:	None				

4547B



MATERIAL SAFETY DATA SHEET

MSDS #: ___ Product Code:

IC2105-0101

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

Inhalation:

Not available

Ingestion:

Not available

Eye:

Minimal irritant (rabbit)

OECD Guidelines No. 405 (2002), 2004/73/EC Method B5

Skin:

Mild irritant (rabbit)

OECD Guidelines No. 404 (2002), 2004/73/EC Method B4

Sensitization:

Non-sensitizer (mouse)

OECD Guidelines No. 429 (2002), 2004/73/EC Method B42

Mutagenicity:

Ames test: Negative (S. typhimurium & E. Coli)

Reproductive Toxicity:

Not available

Carcinogenicity:

Not available

Others:

Not available

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC2105-0101
Product Code: 4547B

SECTION 12 E	COLOGICAL INFORMATION				
Mobility:	Not available				
Persistence / Degradability:	Not available				
Bioaccumulation:	Not available				
Ecotoxicity:	Not available				
Other Adverse Effe	ects: Not available				
SECTION 13 DISPOSAL CONSIDERATIONS Method of Disposal: Disposal should be subject to federal, state and local laws.					
SECTION 14 T	TRANSPORT INFORMATION				
UN #:	None				
UN Shipping Name	: None				
UN Classification:	None				
UN Packing Group	: None				
Marine Pollutant:	☐ Yes Chemical name (wt%): ☒ No				
Special Precautions: None					
SECTION 15 REGULATORY INFORMATION					
< EU Information >					
Information on the Label:					
Symbol & Indication: Not required R-Phrase:					
Not required					
S-Phrase:					
Not required					
Dangerous Component(s): Not required					
Special Precautions under 1999/45/EC Annex V:					
Not required					
Specific Provisions in Relation to Protection of Man or the Environment:					
(EC) No 1907/2	006 Annex XVII (Restrictions): Not regulated				
(EC) No 1005/2	009: Not regulated				
(EC) No 689/20	08: Not regulated				
Others:	None				

Date of Issue: April 14, 2010

Revised:



MSDS #: <u>IC2105-0101</u> Product Code: 4547B

< USA Information >

Information on the Label under FHSA:

Signal Word: Not required

Hazard warning:

Not required

Safety Advice:

Not required

Hazardous Component(s):

Not required

SARA Title III §313:

Chemical Name Weight %

"Copper Compounds" 5 - 10 (as Cu) (< 0.35)

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: This product will not be shipped to Australia.

SECTION 16 OTHER INFORMATION

<R phrase list>

R36: Irritating to eyes.

R41: Risk of serious damage to eyes.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

<Term explanation>

Estimate: Estimate based on data of similar ink or the ingredient(s).



MSDS #: <u>IC2105-0101</u> Product Code: 4547B

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive (EC) No 1907/2006 Annex XVII (Restrictions), 1999/45/EC
- EU Regulation (EC) No 1005/2009, (EC) No 689/2008, (EC) No 1907/2006, (EC) No 1272/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA).

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

 $EU\ OEL:\ Occupational\ exposure\ limits\ at\ Community\ level\ under\ Directive\ 2004/37/EC,\ 98/24/EC,\ 91/322/EEC,\ 2000/39/EC,\ 2006/15/EC\ and\ 2009/161/EU$

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.