Page 1 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1011-0202 Product Code: 4706A / F47-3231

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon Ink Tank BCI-6C

Product Code: 4706A / F47-3231

Manufacturer: Canon Inc., 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, Ph# 03-3758-2111

Supplier: Canon USA, Inc., One Canon Plaza, Lake Success, NY, 11042, USA

Phone #: 1-800-OK-CANON 24 Hr. Emergency CHEMTREC # 1-800-424-9300

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

< Ingredient(s) >							
Chemical Name / Generic name	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	$(as mist) \\ Total dust \\ TWA = 15 mg/m^3 \\ Respirable fraction \\ TWA = 5 mg/m^3$	(as mist) TWA = 10 mg/m ³	Not established	Not established
Ethylene glycol	107-21-1 / 203-473-3	2 - 6	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m ³	TWA = 20 ppm, 52 mg/m ³ STEL = 40 ppm, 104 mg/m ³	10 ppm, 26 mg/m ³
Diethylene glycol	111-46-6 / 203-872-2	2 - 6	Xn / R22	Not established	Not established	Not established	10 ppm, 44 mg/m ³
Copper, [29H,31H-phthalocyaninato(2-)-N2 9,N30,N31,N32]-, aminosulfonyl sulfo derivs., sodium salts	90295-11-7 / 291-001-7	2 - 6	Xi / R41	Not established	Not established	Not established	Copper and its compounds Inhalable fraction 1.0 mg/m ³
Isopropyl alcohol	67-63-0 / 200-661-7	1 - 3	F / R11 Xi / R36 R67	TWA = 400 ppm, 980 mg/m ³	TWA = 200 ppm, 492 mg/m ³ STEL = 400 ppm, 984 mg/m ³	Not established	200 ppm, 500 mg/m ³
Ammonia derivative	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Lactam	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-791-2	55 - 75	None / None	Not established	Not established	Not established	Not established

Page 2 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1011-0202 Product Code: 4706A / F47-3231

< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

Ink tank containing cyan liquid ink with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eye:

May cause minimal irritation. (See SECTION 11)

Skin:

May cause mild irritation and no sensitization. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None



MATERIAL SAFETY DATA SHEET

MSDS #: IC1011-0202 Product Code: 4706A / F47-3231

SECTION 5 F	TRE FIGHTING MEASURES			
Fire Fighting Measu	res:			
Extinguishing M	edia:			
CO ₂ , water, fo	am or dry chemicals			
Unsuitable Extin	guishing Media:			
Special Fire Figh None	nting Procedures:			
Unusual Fire and None	Explosion Hazards:			
Fire and Explosive P	roperties (See also Section 9):			
Hazardous Comb				
CO, CO ₂ and I	VOx			
Other Properties	s:			
None				
SECTION 6 A	CCIDENTAL RELEASE MEASURES			
Personal Precaution	s:			
	th skin, eyes and clothing.			
Environmental Preca				
	sewer, surface water or ground water.			
Method for Cleaning				
Wipe off with we				
SECTION 7 H	IANDLING AND STORAGE			
	IANDLING AND STORAGE			
Handling:				
-	Use with adequate ventilation. Avoid contact with skin, eyes and clothing.			
	, wash out the contaminated area immediately.			
Storage:	, wash out the contaminated area immodutery.			
U	d dry place. Protect from sunlight.			
Keep away from heat and flame.				
Keep out of the re				
Specific Uses:				
Ink for Ink Jet Pri	nter.			
For more informa	tion, please refer to the instruction of this product.			
Exposure Guidelines				
	or this ink. (See also SECTION 2)			
Engineering Contro Use adequate ver				
Personal Protection				
	tection: Required			
Respiratory 110	Not Required			
Eye/Face Protect				
	Not Required Not Required			
Skin Protection:	•			
Jam I Toucholl	Not Required Not Required			

Page 4 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1011-0202 Product Code: 4706A / F47-3231

SECTION 9 PHYSICAL AND CHE	MICAL PROPERTIES		
Appearance:	Cyan liquid		
Odor:	Slight odor		
pH:	9 - 10		
Boiling Point/Range(${}^{\circ}C$):	Not available		
Melting Point/Range(°C):	Not available		
Decomposition Temperature (°C):	Not available		
Flash Point(°C):	Estimate: 55 - 57 (Tag Closed Cup. Combustion is not sustainable.)		
Flammable (Explosive) Limits:	Not available		
Autoignition Temperature ($^{\circ}$ C):	Not available		
Flammability:	Classified as "Combustible liquid" under OSHA-HCS. Not classified as "flammable" or "combustible" under FHSA. Not classified as "flammable" under 1999/45/EC.		
Explosive Properties:	None		
Oxidizing Properties:	None		
Vapor Pressure :	Not available		
Vapor Density:	Not available		
Density / Specific Gravity:	1.04 - 1.10		
Water Solubility:	Miscible		
Fat Solubility:	Not available		
$\label{partition} \textbf{Partition Coefficient (n-Octanol/Water):}$	Not available		
Percent Volatile (%):	55 - 75		
Evaporation Rate:	Not available		
Viscosity (mPa s):	2-3		
SECTION 10 STABILITY AND REA	ACTIVITY		
Stability:			
Conditions to Avoid:	None		
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents		
Hazardous Decomposition Products:	CO, CO ₂ , NOx and Ammonia		
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur		
Conditions to Avoid:	None		

Page 5 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: ___

Product Code:

IC1011-0202 4706A / F47-3231

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

Inhalation:

Not available

Ingestion:

[Data of similar composition ink] Estimate $LD_{50} > 2500$ mg/kg (rat)

OECD Guidelines No.423 (1996)

96/54/EC Method B1 tris

Eye:

[Data of similar composition ink] Minimal irritant (rabbit)

OECD Guidelines No.405 (1987)

92/69/EEC Method B5

Skin:

[Data of similar composition ink] Mild irritant (rabbit)

OECD Guidelines No.404 (1992)

92/69/EEC Method B4

Sensitization:

[Data of similar composition ink] Non sensitizer (guinea pig)

OECD Guidelines No.406 (1992)

96/54/EC Method B6

Mutagenicity:

Ames test: Negative (test strains: S.typhimurium & E.Coli)

Reproductive Toxicity:

Not available

Carcinogenicity:

Not available

Others:

Not available

Page 6 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1011-0202 Product Code: 4706A / F47-3231

SECTION 12	ECOLOGICAL INFORMATION							
Mobility:	Not available							
Persistence / Degradability:	Not available							
Degraduomi,								
210000000000000000000000000000000000000								
Ecotoxicity:	Not available							
Other Adverse Effe	Not available							
SECTION 13	DISPOSAL CONSIDERATION							
Method of Disposal Disposal should	l: d be subject to federal, state and local laws.							
SECTION 14	TRANSPORT INFORMATION							
UN #:	None							
UN Shipping Name	None None							
UN Classification:	None							
UN Packing Group	: None							
Marine Pollutant:	☐ Yes Chemical name (wt%): ☑ No							
Special Precaution	—							
SECTION 15 < EU Information > Information on the Symbol & Indio R-Phrase:	e Label:							
Not required	1							
S-Phrase: Not required	1							
Dangerous Con None	nponent(s):							
Special Precau Not required	tions under 1999/45/EC Annex V:							
Specific Provision	s in Relation to Protection of Man or the Environment:							
76/769/EEC:	Not regulated							
(EC)2037/2000	0: Not regulated							
(EC)304/2003:	Not regulated							
Others:	None							

Page 7 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1011-0202 4706A / F47-3231 Product Code:

(< 0.35)

< USA Information >

Signal Word:

Information on the Label under FHSA:

Not required **Hazard warning:**

Not required

Safety Advice:

Not required

Hazardous Component(s):

None

SARA Title III §313:

Chemical Name Weight % "Ethylene glycol" (107-21-1) 2 - 6 "Copper compounds" 2 - 6

California Proposition 65:

Chemical Name Weight %

None

(as Cu)

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<R phrase list>

R11: Highly flammable. R22: Harmful if swallowed. R36: Irritating to eyes.

R41: Risk of serious damage to eyes.

R67: Vapours may cause drowsiness and dizziness.

<Revised information from the previous version>

Section 2, 3, 4, 6, 7, 8, 9, 11, 13 and 15



MATERIAL SAFETY DATA SHEET

MSDS #: IC1011-0202 Product Code: 4706A / F47-3231

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC. DFG MAK: MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

IARC: International Agency for Research on Cancer. NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission Act 1985.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.