•					Page 1 of 8
Canon		MATERIAL SAFI	ETY DATA SHEET	MSDS #: Product Code:	IC3096-0101 5206B
			ETT DATA SHEET	Product Code:	3200 B
		ATION OF THE SUBST UNDERTAKING	ANCE/MIXTURE AND	OF THE	
Product Identifier:					
Product Name:	Canon	INE Cartridge PG-240XL			
Product Code:	5206B				
Relevant Identified U	Uses: Ink	or Ink Jet Printer			
Details of Supplier of Supplier:	f Safety D	ta Sheet:			
Address:					
Telephone Numbe	er:				
E-mail Address:					
Emergency Telephon	ne Numbe	:			
Manufacturer:	Canon	nc.			
Address:	<u>30-2, S</u>	imomaruko 3-Chome, Oht	a-ku, Tokyo 146-8501, Jaj	pan	
SECTION 2 H	IAZARDS	DENTIFICATION			
Emergency Overview Ink cartridge conta		t liquid ink with slight odo	r.		
US Regulatory Status	s under F	ISA:			
Not classified as h	nazardous.				
US Label Elements u	under FHS	A:			
Signal Word:	Not requ	red			
Hazard Warning					
Safety Advice:	Not requ	red			
Hazardous Comp	ponent: No	trequired			
EU Classification und Not classified as					
EU Label Elements u	under 199	/45/EC:			
Symbol & Indica	ation: <u>N</u>	ot required			
R-Phrase:	N	ot required			
S-Phrase:	N	ot required			
Dangerous Comp	ponent: <u>N</u>	ot required			
Applicable Label Not required		in accordance with Ann	ex V to 1999/45/EC:		
Other Hazards:					
None					



MATERIAL SAFETY DATA SHEET

Page 2 of 8 IC3096-0101

MSDS #:

Product Code:

5206B

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

ngredient(s): Chemical Name/ Generic Name	CAS #/ EC #	Concentration/ Concentration	67/548/EE0	2	EU Classification (EC) No 12	72/2008	Note to Other
		Range (%)	Symbol/ Indication of Danger	R-Phrase ^{*1}	Hazard Class/ Category Code	Hazard Statement ^{*1}	Hazards*
Glycerin	56-81-5 / 200-289-5	10 - 15	None	None	None	None	(1)
Triethylene glycol	112-27-6 / 203-953-2	5 - 10	None	None	None	None	(1)
Lactam	Confidential	5 - 10	None	None	None	None	
Water	7732-18-5 / 231-791-2	60 - 80	None	None	None	None	

*1 Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

*2 The following substance(s) is (are) marked with (1), (2) and/or (3)

(1) Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

(2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006

(3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

Carcinogen(s):

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.



SECTION 4

MSDS #:

Ingestion:

First Aid Measures: Inhalation:

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Most Important Symptoms and Effects, both Acute and Delayed:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Skin:

Neither irritation nor sensitization is expected. (See SECTION 11)

Eye:

May cause minimal irritation. (See SECTION 11)

Chronic Effects:

Not identified

Indication of Any Immediate Medical Attention and Special Treatment Needed:

None

SECTION 5 FIRE FIGHTING MEASURES

Extinguishing Media:

Suitable Extinguishing Media:

CO₂, water, foam or dry chemicals

Unsuitable Extinguishing Media:

None

Special Hazards:

None

Hazardous Combustion Products:

CO, CO₂, NOx, SOx and POx

Advice for Fire-fighters:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with skin, eyes and clothing.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Methods and Material for Containment and Cleaning Up:

Wipe off with wet cloth or paper.

Canon	MATERIAL SAFETY DATA SHEET	MSDS #: Product Code:	Page 4 of 8 IC3096-0101 5206B
SECTION 7	HANDLING AND STORAGE		
Precautions for S	Safe Handling:		
Use with adeq	uate ventilation.		
Avoid contact	with skin, eyes and clothing.		
In case of cont	act, wash out the contaminated area immediately.		
Conditions for Sa	afe Storage, Including Any Incompatibilities:		
Keep in a cool	and dry place.		
Protect from s	unlight.		
Keep out of the	e reach of children.		
Specific End Use	s:		

Specific End Uses:

Ink for Ink Jet Printer.

For more information, please refer to the instruction of this product.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

trol Parameters:	USA OSHA PEL	ACGIH TLV	EU OEL	DFG MAK
Product (Ink)	Not established	Not established	Not established	Not established
Glycerin	Glycerin mist: TWA 15 mg/m ³ (Total dust) TWA 5 mg/m ³ (Respirable fraction)	Glycerin mist: TWA 10 mg/m ³	Not established	Not established
Triethylene glycol	Not established	Not established	Not established	1000 mg/m ³

Exposure Controls:

Engineering Controls: No special ventilation equipment is needed under intended use of this product. Individual Protection Measures:

Eye/Face Protection: Required Not Required

Required Not Required **Skin Protection:**

Respiratory Protection: Required Not Required

MSDS #:

Product Code:

PHYSICAL AND CHEMICAL PROPERTIES **SECTION 9 Information on Basic Physical and Chemical Properties: Appearance:** Black liquid **Odor:** Slight odor 8 - 9 pH: Melting Point/Freezing Point (°C): Not available **Initial Boiling Point and** Not available Boiling Range (°C): Flash Point(°C): None (Estimate) **Evaporation Rate:** Not available Neither flammable nor combustible. Flammability: Upper/Lower Flammable or **Explosive Limits:** Not available Vapor Pressure : Not available Vapor Density : Not available **Relative Density:** 1.0 - 1.1 Water Solubility : Miscible **Fat Solubility :** Not available Partition Coefficient (n-Octanol/Water): Not available Auto-ignition Temperature (°C): Not available **Decomposition Temperature(°C):** Not available Viscosity (mPa s): 1 - 5 None (Estimate) **Explosive Properties: Oxidizing Properties:** None (Estimate) **Other Information:** Not available **SECTION 10** STABILITY AND REACTIVITY **Reactivity:** None ⊠ Stable □ Unstable **Chemical Stability:** Possibility of Hazardous Reactions: None **Conditions to Avoid:** None

Acids, bases, oxidizing materials and reducing agents

Hazardous Decomposition Products: CO, CO₂, NOx, SOx and POx

Incompatible Materials:



ECTION 11 TOXICOLOGICAL INFORMATION	
formation on Toxicological Effects:	
Acute Toxicity:	
Inhalation:	
Not available	
Ingestion:	
Not available	
Corrosivity/Irritation: Skin:	
Non-irritant (rabbit) (Estimate)	
OECD Guidelines No. 404 (2002), (EC) No 440/2008 Method B4	
Eye:	
Minimal irritant (rabbit) (Estimate)	
OECD Guidelines No. 405 (2002), (EC) No 440/2008 Method B5	
Sensitization: Skin:	
Non-sensitizer (mouse) (Estimate)	
OECD Guidelines No. 429 (2002), (EC) No 440/2008 Method B42	
Repeated Dose Toxicity:	
Not available	
Carcinogenicity:	
Not available	
Mutagenicity:	
Ames test: Negative (S. typhimurium & E. Coli)	
Toxicity for Reproduction:	
Not available	
Other Information:	
Not available	

Canon		MSDS #:	Page 7 of 8 IC3096-0101			
Canon	MATERIAL SAFETY DATA SHEET	Product Code:	5206B			
SECTION 12 ECO	LOGICAL INFORMATION					
Toxicity:	 Fish, Acute toxicity test: 96 Hour LL50 > 1000 mg/l LR WAF, NOEL = 1000mg/l LR WOED Guideline No. 203 (1992), (EC) No 440/1008 Methed Daphnia sp., Acute immobilisation test: 48-Hour EL50 > 1000 mg/l LR WAF, NOEL = 1000 mg/l LR OECD Guideline No. 202 (2004), (EC) No 440/1008 Methed Freshwater Alga and Cyanobacteria, Growth Inhibition test: ErL50 (0-72 h) > 1000 mg/l LR WAF, EyL50 (0-72 h) = 840 m NOEL = 320 mg/l LR WAF, LOEL = 1000 mg/l LR WAF (Dec OECD Guideline No. 201 (2006), (EC) No 440/1008 Methed LL: Lethal Loading rate, EL: Effective Loading rate, NOEL: No CLOEL: Lowest Observed Effect Loading Rate, LR WAF: Loading 	od C.1 WAF (Daphnia mag od C.2 mg/l LR WAF, ismodesmus subspic od C.3 Dbserved Effect Loa	na) (Estimate) atus) (Estimate) ding rate,			
Persistence and Degrada		, Kale water Account				
Bioaccumulative Potent	•					
Mobility in Soil:	Not available					
Results of PBT and vPv Assessment:	B No results that the component(s) of this ink meet(s) t Regulation (EC) No 1907/2006.	No results that the component(s) of this ink meet(s) the PBT or vPvB criteria under Regulation (EC) No 1907/2006.				
Other Adverse Effects:	Not available					
*	e subject to federal, state and local laws. NSPORT INFORMATION None					
UN Proper Shipping Na						
Transport Hazard Class						
Packing Group:	None					
Environmental Hazards	pollutant under IMDG Code.	N Model Regula	tions and marin			
Special Precautions for						
SECTION 15 REG < USA Information >	ULATORY INFORMATION					
SARA Title III §313:						
<u>Chemical Name</u>		Weight %)			
None California Proposition Chemical Name	65:	Weight %)			
•	rironmental Regulations/Legislation: Authorisation:Not regulated					
. ,	Restriction: Not regulated					
(EC) No 1005/2009:						
. ,	Not regulated					
(EC) No 689/2008:	Not regulated					
Others:	None					
Chemical Safety Assess < Canada Information > WHMIS Controlled						
< Australia Information						



MSDS #:

Product Code:

SECTION 16 OTHER INFORMATION

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of

Chemicals to Humans

- DFG, List of MAK and BAT Values
- EU Directive 1999/45/EC
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]

Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)

FHSA: Federal Hazardous Substances Act (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

SVHC: Substances of Very High Concern

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program (USA)

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft

TWA: Time Weighted Average

STEL: Short Term Exposure Limit

WHMIS: Workplace Hazardous Materials Information System

NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.