Product Name : Print Cartridge Cyan Type MP C2550/C9025/LD525C MSDS Number : 841281 Date Prepared : 25/12/2007 Date Modified : 02/10/2008 Date : 31/07/2009

RICOH

Material Safety Data Sheet (ANSI form)

Sec	Section1 : Chemical Product and Company Identification		
Department Address Telephone Number	 Print Cartridge Cyan Type MP C2550/C9025/LD525C The Image Formation of Printing Machine or Copier 841281 Ricoh Americas Corporation 5 Dedrick Place, West Caldwell, NJ 07006 USA 1-973-882-2000 or 1-973-882-5218 (For product information) or 1-800-336-6737 (For emergencies) 1-973-882-3959 environmentinfo@ricoh-usa.com 		

Section2 : Composition, Information on Ingredients

Ingredients	Chemical	Contents	ACGIH	(TLV)		OSHA	(PEL)
CAS No./Common Name	Formula	(%)	TWA	STEL	С	TWA	С
Confidential Polyester Resin	Confidential	50-90	N.A	N.A	N.A	N.A	N.A
Confidential Wax	Confidential	<10	2mg/m3	N.A	N.A	N.A	N.A
147-14-8	C32H16CuN 8	<10	N.A	N.A	N.A	N.A	N.A
Organic Pigment							
7631-86-9 Silica	O2Si	<10	10mg/m3	N.A	N.A	15mg/m3	N.A
13463-67-7 Titan Oxide	TiO2	0.1-1	10mg/m3	N.A	N.A	15mg/m3	N.A

This product does not contain any of the following substances as ingredients. And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyleters (PBDE).

Hazardous Ingredients Information Chemical Name : Titan Oxide

CAS Number	: 13463-67-7	EEC Number	: 236-675-5
OSHAIZ-Tables (USA)	: 15mg/m3	ACGIH-TLV	: 10mg/m3
NTP (USA)	: Not listed	IARCIMonographs	: Group 2B
Symbol (EU)	: Not listed	R-Phrase (EU)	: Not listed
DFG-MAK (GER)	: Not listed	OELs-TWA (Australia)	: 10mg/m3
California Proposition 65 (USA)	: Not listed		-



	Sections	lazards Identificatio	n	
			Overview	
HMIS	Health: 1	Flammabilit : 1	Reactivity: 0	PPE:See section 8
NFPA	Health : 1	y Flammabilit:1 y	Reactivity : 0	
Adverse H There a otential He Primary E Inhalatio Skin Ingestion Environme There a Physical a There a Specific H Dust ex Main Symp Acute Inha Expose Acute Ora Low ac Acute Ora Low ac Acute Skin May be Sensitizat From te allergy Chronic E Slight p at 4mg show th normal amoun Carcinoge Titaniu inhalat But ora In the a rat's lui Observ Medical C Not ap Classificat	ealth Effects ntry Routes : in ; Yes ; Yes ental Effects : are no significant ind Chemical Haz are no significant azards : xplosion (like mos- tooms : alation Toxicity ure to excessive a lation Toxicity ure to excessive a lation Toxicity intertation ause slight transie n Irritation e Irritation e Irritation e non-irritant. ion est no apparent s -related conjunctif ffect bulmonary fibrosi /m3 every day fo hat exposure to e use and handling ts of powder. enicity m dioxide contain ion test in use of al/skin test does r animal experimer ngs clearance me a normal use pra ed that there is no elation between ri ed with epidemio onditions Aggrav plicable tion of the Chemi	ects : hazards expected with hazards expected with zards : hazards expected with at finely grained organic amount of dust may cau mal experiment. ent irritation. ignificant hazards are evitis or dermatitis.) s has been reported in r 2 years. No pulmonar excessive amounts of po g of this product as inter ned in this product is cla rat. iot show carcinogenicity it with very high concer echanism (overload phe ctice, the concentration o such use. espiratory disease and logical survey. ated by Exposure	intended use. intended use. powders) use physical irritation to expected . (Only few ca rats upon chronic inhal y change was found at owder may cause dam nded, does not result i assified to Group 2B of y. itration of titanium diox enomenon)), the rat alc a should be far lower th	ases reported on incidental lation exposure to a toner 1mg/m3. These findings age to lungs. However, n inhalation of excessive IARC as the result of tide (excessive burden of one showed lung tumor. an the above; and it is



Section4 : First Aid Measures

Inhalation :

Remove from exposure into fresh air and rinse mouth with water. Seek medical advice. Skin Contact :

Wash thoroughly with soapy water.

Eye Contact :

Flush with a large amount of water until particles are removed. Seek medical advice. Ingestion :

Drink several glasses of water to dilute ingested toner. Seek medical advice.

Immediate Medical Attention :

Immediate medical attention is not required.

Section5 : Fire Fighting Measures

Flash Point (degrees centigrad Burning Rate (mm/sec) Autoignition Temperature (deg centigrade)	: 0.2	applicable 23 or below available
Flammable Limits [®]	: LEL Not available	UEL Not available
Extinguishing Media to Avoid :		
Not applicable.		
Specific Hazards :		
Can form explosive dust-air	mixtures when finely	dispersed in air.
Fire-Fighting Instructions / Spe	cific Method :	
No special fire protecting m	ethod is required. Spr	inkling or fire extinguishers can be used.
Protection of Firefighters :		
Wear gloves, glasses, a ma	isk if necessary.	

Section6 : Accidental Release Measures

Personal Precautions :

Do not breathe in dust.

Environment Precautions :

Do not flush into sewers or watercourses.

Methods for Cleaning Up :

Confirm there is no source of fire and if there is a source, remove it. Sweep up spilled powder slowly and clean remainder with wet cloth.

Section7 : Handling and Storage

Handling : Technical Measures/Precautions Not applicable Safe Handling Advice Do not handle in areas where there is wind or draught, this may cause dust to get into eyes. Avoid breathing in dust. Storage : Technical Measures Not applicable Storage Conditions Keep out of reach of children. Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35degrees centigrade for a long time. Avoid direct sunlight. Packaging material Not applicable Specific Use(s) : Image formation in printing machines or copiers.



Section8 : Exposure Controls/Personal Protection

Technical measures : Use adequate ventilatior Control Parameters Exposure Limit Value (1)	n. None required with intended us	e.		
ÚSA OSHA PEL (TŴA)	: 15mg/m3 (Total dust)	5.0mg/m3 (Respirable fraction)		
ACGIH TLV (TWA)		3.0mg/m3 (Respirable fraction)		
DFG MAK	: 4.0mg/m3 (Total dust)	1.5mg/m3 (Respirable fraction)		
Personal Protection				
Respiratory Protections (S	,			
None required in normal respirator.	use. If the limit of exposure conc	entration is exceeded, use authorised		
Eye Protection				
Put on goggles if necess	ary.			
Protective Gloves				
Use vinyl or rubber glove	es if necessary.			
Protective Clothing or Equ	•			
	apron or other impervious clothin	ng if necessary.		
Hygiene Measures				
Wash hands after handli	ng.			

Section9 : Physical and Chemical Properties

Appearance Physical state : Solid Form : Pow Colour : Cya	/der n	
Odor	: Slightly plastic odor	
рН	: Not applicable	
Boiling Point (degrees centigrade)	: Not applica	ble
Vapor Pressure (Pa)	Not applicable	
Vapor Density (AIR=1)	: Not applicable	
Density (g/cm3)	: Approx.1.2	Measuring Temp (degrees centigrade) : 25
Formula Weight	: Not applicable	
Melting Point (degrees centigrade)	: (Softening	point) Approx.110
Decomposition temper centigrade)	rature (degrees	: Not available
Viscosity (Pa*s) Volatile (%)	: Not applicable	
Volatile (%)	: 0.2 or below	
Evaporation Rate (But	yl Acetate = 1) : Not appl	licable
Water Solubility (g/L)	: Insoluble	
Chloroform Solubility (g/L) : Slightly soluble	9

Section10 : Stability and Reactivity

Stability :

Stable Hazardous Reaction : Dust explosion, like most finely grained organic powders. Condition to Avoid : Not applicable in normal use. Materials to Avoid : Not applicable in normal use. Hazardous Polymerization : None Hazardous Decomposition or Byproducts :

Decomposition products will not occur.

RICOH

Section11 : Toxicological Information

Acute Toxicity

Acute Oral Toxicity (LD50) : 5000 or over (Based on other product test results of similar ingredients.) Acute Dermal Toxicity : Not available Acute Inhalation Toxicity : Not available Local effects Acute Skin Irritation(PII) : 1.0 or below (Rabbit) (Based on other product test results of similar ingredients.) Acute Skin Irritation (PII) : 1.0 or below (Rabbit) (Based on other product test results of similar ingredients.) Acute Eye Irritation : Non-irritant (Based on other product test results of similar ingredients.) Sensitization Acute Allergenic Effects : Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.) Specific Effects Carcinogenicity : In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available Section12 : Ecological Information	Acute Toxicity
5000 or over (Based on other product test results of similar ingredients.) Acute Dermal Toxicity : Not available Acute Inhalation Toxicity : Not available Local effects Acutes Skin Irritation(PII) : 1.0 or below (Rabbit) (Based on other product test results of similar ingredients.) Acute Eye Irritation : Non-irritant (Based on other product test results of similar ingredients.) Sensitization Acute Allergenic Effects : Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.) Specific Effects Carcinogenicity : In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available	Acute Oral Toxicity (LD50) :
Not available Acute Inhalation Toxicity: Not available Local effects Acute Skin Irritation(PII): 1.0 or below (Rabbit) (Based on other product test results of similar ingredients.) Acute Eye Irritation : Non-irritant (Based on other product test results of similar ingredients.) Sensitization Acute Allergenic Effects : Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.) Specific Effects Carcinogenicity : In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity Nutagenicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available	
Acute Inhalation Toxicity : Not available Local effects Acute Skin Irritation(PII) : 1.0 or below (Rabbit) (Based on other product test results of similar ingredients.) Acute Eye Irritation : Non-irritant (Based on other product test results of similar ingredients.) Sensitization Acute Allergenic Effects : Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.) Specific Effects Carcinogenicity : In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available	Acute Dermal Toxicity :
Not available Local effects Acute Skin Irritation(PII) : 1.0 or below (Rabbit) (Based on other product test results of similar ingredients.) Acute Eye Irritation : Non-irritant (Based on other product test results of similar ingredients.) Sensitization Acute Allergenic Effects : Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.) Specific Effects Carcinogenicity : In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available	Not available
Not available Local effects Acute Skin Irritation(PII) : 1.0 or below (Rabbit) (Based on other product test results of similar ingredients.) Acute Eye Irritation : Non-irritant (Based on other product test results of similar ingredients.) Sensitization Acute Allergenic Effects : Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.) Specific Effects Carcinogenicity : In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available	Acute Inhalation Toxicity :
Acute Skin Irritation(PII) : 1.0 or below (Rabbit) (Based on other product test results of similar ingredients.) Acute Eye Irritation : Non-irritant (Based on other product test results of similar ingredients.) Sensitization Acute Allergenic Effects : Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.) Specific Effects Carcinogenicity : In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available	
 1.0 or below (Rabbit) (Based on other product test results of similar ingredients.) Acute Eye Irritation : Non-irritant (Based on other product test results of similar ingredients.) Sensitization Acute Allergenic Effects : Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.) Specific Effects Carcinogenicity : In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity Negative (Ames test) Reproduction Toxicity Does not contain substances listed as hazardous to reproductive health. Teratogenic Not available 	Local effects
 1.0 or below (Rabbit) (Based on other product test results of similar ingredients.) Acute Eye Irritation : Non-irritant (Based on other product test results of similar ingredients.) Sensitization Acute Allergenic Effects : Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.) Specific Effects Carcinogenicity : In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity Negative (Ames test) Reproduction Toxicity Does not contain substances listed as hazardous to reproductive health. Teratogenic Not available 	Acute Skin Irritation(PII):
Acute Eye Irritation : Non-irritant (Based on other product test results of similar ingredients.) Sensitization Acute Allergenic Effects : Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.) Specific Effects Carcinogenicity : In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available	
Non-irritant (Based on other product test results of similar ingredients.) Sensitization Acute Allergenic Effects : Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.) Specific Effects Carcinogenicity : In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available	
Sensitization Acute Allergenic Effects : Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.) Specific Effects Carcinogenicity : In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available	
Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.) Specific Effects Carcinogenicity : In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available	
Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.) Specific Effects Carcinogenicity : In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available	Acute Allergenic Effects :
Specific Effects Carcinogenicity : In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available	•
Carcinogenicity : In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available	
In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available	
 inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available 	
The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available	
 exposures to Titanium dioxide at levels that induce particle overload of the lung. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available 	
Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available	
Epidemiological study to date have not revealed any evidence of the relationbetween exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available	
titanium dioxide and diseases of the respiratory tract beyond general effects of dust. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available	
Mutagenicity: Negative (Ames test)Reproduction Toxicity: Does not contain substances listed as hazardous to reproductive health.Teratogenic: Not available	
Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health. Teratogenic : Not available	
Teratogenic : Not available	
Section12 : Ecological Information	
	Section12 · Ecological Information

Mobility	: No dat	a are available on any adverse effects on the environment.
Persistence/Degradabilit	: Not av	ailable
у		
Bioaccumulation	: Not av	ailable
Ecotoxicity		
Acute Toxicity for Fish ((LC50)	: Not classified as toxic (EU Directive 1999/45/EC)mg/l/96hr
Acute Toxicity for Daph		: Not classified as toxic (EU Directive 1999/45/EC)mg/l/48hr
(EC50)		, , .
Algae Inhibition Test (IC	250)	: Not classified as toxic (EU Directive 1999/45/EC)mg/I/72hr
5	,	(

-5-



Section13 : Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements.

Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions

Do not throw the toner cartridge or toner into an open flame. Hot toner may scatter and cause burns or other damage.

Section14 : Transport Information

International Regulations

Land Transport	
RID/ADR	: Not applicable
DOT 49 CFR	: Not applicable
ADNR	: Not applicable
Sea Transport	
IMDG Code	: Not applicable
Air Transport	
ICAO-TI/IATA-DGR	: Not applicable
UN Number	: Not applicable
Specific Precautionary 7	Fransport Measures and Conditions
Avoid direct sunlight	in quality.

Avoid direct sunlight in quality.

Section15 : Regulatory Information

Regulations

US Information Information on the label : Not required TSCA (Toxic Substances Control Act) : This toner complies with all applicable rules and regulations under TSCA. SARA (Superfund Amendments and Reauthorization Act) Title III 313 Reportable Ingredients : Not regulated California Proposition 65 : Not regulated Canada Information WHMIS Controlled product : Not a controlled product **EU** Information Information on the label (1999/45/EC and 67/548/EEC) Symbol & Indication : Not required R-Phrase : Not required S-Phrase : Not required Special Precautions under 1999/45/EC Annex V : Not required 76/769/EEC

This product complies with applicable rules and regulations under 76/769/EEC

Product Name : Print Cartridge Cyan Type MP C2550/C9025/LD525C MSDS Number : 841281 Date Prepared : 25/12/2007 Date Modified : 02/10/2008 Date : 31/07/2009



Section16 : Other Information

Evaluation of U	exercleure Meteriale Identification System [UMIS18 National Fire Protection Association			
Explanation of Hazardous Materials Identification System [HMIS]& National Fire Protection Association [NFPA] Hazard Rating Systems:				
Both the HMIS and NFPA systems use number from "0" to "4" to show the degree of hazard in an uncontrolled situation:				
0=Minimum Haz	ard 1=Slight Hazard 2=Moderate Hazard 3=Serious Hazard 4=Severe Hazard			
	be used in both systems:			
	zard Red =Fire Hazard Yellow =Reactivity Hazard White =Indicate a special hazard			
	y any Personal Protective Equipment reqired [PPE], y OX(oxidizer), Acid(acid), ALK(Alkali), COR(Corrosive), W(use no water),			
xx(Radioactive).				
Literature Refere				
ANSI Z400.1-1				
ISO 11014-1				
	irective 91/155/EEC			
	ARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans,			
	g Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon,			
pp149-261				
	Ilman, O.Creutzenberg, C.Dasenbrock, H.Emst, R.Kilpper, J.C.MacKenzie, P.Morrow,			
	enaka and R.Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation ats" Fundamental and Applied Toxicology 17,pp280-299			
•	ARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans,			
Vol.93"				
	ENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for			
	Exposure to Titanium Dioxide DRAFT"			
ACGIH-TLV	. Threshold Limit Values for Chemical Substances and Physical Agents and			
	Biological Exposure Indices			
OSHAIZ-Table				
NTP (USA)	: US Department of Health and Human Services National Toxicology			
	Program Annual Report on Carcinogens			
	DFG-MAKIGERI: DFG List of MAK and BAT Value			
Symbol (EC) 91/155/ EEC	: EU Directive 67/548/EEC			
1999/45/EC Ar	: EU Directive 91/155/ EEC nnex V : EU Directive 1999/45/EC			
76/769/EEC	: EU Directive 76/769/EEC			
EC 304/2003	: Regulation (EC) No 304/2003 of the European Parliament and of the			
	Council of 28 January 2003 concerning the export and import of dangerous			
	chemicals			
WHMIS Contro	olled : Canada Workplace Hazardous Information System			
product				
OELs-TWA (Au				
	Atmospheric Contaminants in the Occupational Environment [NOHSC:			
Abbreviations :	3008 (1995)]			
OSHA PEL	PEL (Permissible Exposure Limit) under Occupational Safety and Health Act			
ACGIH-TLV	TLV (Threshold Limit Values) under American Conference of Governmental Industrial			
	Hygienists			
DFG-MAK	MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft			
RoHS	Restriction of the use of certain Hazardous Substances in Electrical and Electronic			
	Equipment			
TWA	Time Weighted Average			
	International Agency for Research on Cancer			
	National Toxicology Program			
WHMIS NOHSC	Workplace Hazardous Information System National Occupational Health and Safety Commission Act 1985			
Disclaimer(S) :	National Occupational meatin and Salety Commission ACL 1900			
This information is furnished without warranty, expressed or implied, except that it is accurate to the best				
	Ricoh Americas Corporation.			
	o the specific material designated herein, and does not relate to use in combination with			

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Ricoh Americas Corporation assumes no legal responsibility for use or reliance upon this information.