



## MATERIAL SAFETY DATA SHEET

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

#### Product Identification

Product Name: Ricoh Color Toner Type T1 Black  
Product Number: 888479  
Chemical Name: mixture  
CAS Number: 0-00-0

#### Company Identification

Ricoh Corporation  
5 Dedrick Place  
West Caldwell, NJ 07006 USA  
1-973-882-2000 or 1-973-882-5218 (For product information)  
1-800-336-6737 (For emergencies)

#### **GENERAL USE:**

3224C, 3232C.

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

#### **COMPONENT LISTING:**

Chemical Name	Amount	CAS Number
POLYESTER RESIN	> 80.0 %	Confidential
ORGANIC SALT	< 10.0 %	Confidential
CARBON BLACK	< 10.0 %	1333-86-4
SILICON COMPOUND	< 10.0 %	7631-86-9

#### **EXPOSURE GUIDELINES:**

##### **Carbon Black**

OSHA PEL: 3.5 mg/m<sup>3</sup>  
ACGIH TWA: 3.5 mg/m<sup>3</sup>

##### **Silicon Compound**

OSHA PEL: 15 mg/m<sup>3</sup>  
ACGIH TWA: 10 mg/m<sup>3</sup>

### 3. HAZARDS IDENTIFICATION

#### **PRIMARY ENTRY ROUTES:**

Inhalation, ingestion.

#### **ACUTE SKIN EFFECTS:**

Non-irritant.

#### **CARCINOGENICITY:**

Carbon Black was reclassified as a Group 2B by IARC in 1996 based on the result of only the inhalation study in rats. However there was not observed the incidence of tumors on the test results on dermal or oral studies. Also 2-years inhalation study using a typical toner containing carbon black showed no association between toner exposure and animal tumors.

**MEDICAL CONDITION AGGRAVATED BY LONG-TERM EXPOSURE:**

Not applicable.

**CHRONIC EFFECTS:**

Prolonged inhalation of excessive dust may cause lung damage. It is attributed to 'lung overloading', a generic response to excessive amounts of any dust retained in the lung for a prolonged interval. Use of this product, as intended, does not result in inhalation of excessive dust.

## 4. FIRST AID MEASURES

**EYE CONTACT FIRST AID:**

Immediately wash eyes with plenty of water. If unsuccessful, get medical attention.

**SKIN CONTACT FIRST AID:**

Wash thoroughly with soap and water.

**INHALATION FIRST AID:**

Gargle with water, move to place in fresh air. If unsuccessful, get medical attention.

**INGESTION FIRST AID:**

Dilute stomach contents with several glasses of water. If unsuccessful, get medical attention.

## 5. FIRE FIGHTING MEASURES

**FLAMMABLE PROPERTIES**

COC Flash Point: N/A

Autoignition Temperature: N/A

**FLAMMABLE LIMITS IN AIR**

LEL: N/A

UEL: N/A

**BURNING RATE:**

0.223 (mm/sec).

**EXTINGUISHING MEDIA:**

CO2, dry chemicals, foam or water.

**FIRE FIGHTING INSTRUCTIONS:**

Generally by sprinkling or extinguisher.

## 6. ACCIDENTAL RELEASE MEASURES

**SPILL / LEAK PROCEDURES:**

If spilled, sweep up or pick up by vacuum cleaner (rated for toner extraction).

**MISCELLANEOUS:**

Minimize inhalation of dust. Keep product out of sewers and watercourses.

## 7. HANDLING AND STORAGE

### HANDLING PRECAUTIONS:

Do not handle in areas where wind blows. Flying powder may enter eyes. Minimize breathing dust.

### STORAGE REQUIREMENTS:

Avoid direct sunlight. Do not keep this over 35 degrees centigrade. Keep out of reach of children.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### VENTILATION:

None needed under normal use condition.

### RESPIRATORY PROTECTION:

None required under normal conditions of use.

### PROTECTIVE CLOTHING / EQUIPMENT:

None required under normal conditions of use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

FORM:	Powder
COLOR:	Black
ODOR:	slight plastic odor
BOILING POINT:	Not applicable C
VAPOR PRESSURE:	Not applicable psia
VAPOR DENSITY:	Not applicable (Air = 1)
SOLUBILITY IN WATER:	Insoluble
MELTING/FREEZING POINT:	Not available C
PH:	Not applicable
% VOLATILES:	- %
VISCOSITY:	Not applicable
EVAPORATION RATE:	Not applicable
DENSITY (G/CM <sup>3</sup> ):	approx. 1.2

## 10. STABILITY AND REACTIVITY

### POLYMERIZATION:

None.

### CONDITIONS TO AVOID:

Not applicable in normal use.

### HAZARDOUS DECOMPOSITION PRODUCTS:

Will not occur.

## 11. TOXICOLOGICAL INFORMATION

### ACUTE ORAL EFFECTS:

Rat: >5000mg/kg.

**CARCINOGENICITY:**

In 1996 IARC reevaluated Carbon Black as a Group 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, 2-years cancer bioassay using a typical toner preparation containing carbon black did not demonstrate an association between toner exposure and tumor development in rats.

**MUTAGENICITY:**

Negative (Ames test).

**TERATOGENICITY:**

Not available.

## 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL DEGRADATION:**

Not known.

**MISCELLANEOUS:**

Not known in bioaccumulation.

## 13. DISPOSAL CONSIDERATIONS

**DISPOSAL:**

Used toner should be disposed of in an environmentally appropriate manner and in accordance with governmental regulations. Do not incinerate.

## 14. TRANSPORT INFORMATION

PRODUCT LABEL: Ricoh Color Toner Type T1 Black

**MISCELLANEOUS:**

Avoid direct sunlight. Do not keep this over 35 degrees centigrade.

## 15. REGULATORY INFORMATION

**Canadian Disclosure List**

Silicon Compound (7631-86-9)

## 16. OTHER INFORMATION

**HMIS Rating:**

Health - 1  
Flammability - 1  
Reactivity - 0

APPROVED BY: David Huelbig  
TITLE: Safety Engineer

APPROVAL DATE: July 18, 2005  
SUPERCEDES DATE: New  
RTN NUMBER: 00003186 (Official Copy)

\*\*\*\*\*

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Ricoh Corporation. The data on this sheet are related only to the specific material designated herein. Ricoh Corporation assumes no legal responsibility for use or reliance upon these data.

\*\*\*\*\*

**END OF MSDS**

\*\*\*\*\*