(negative to Pasitive)

Prepared Date: 1-Apr-1996 Revised Date: 13-Sep-2002

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: MT TONER N-P used for: RP600Z, RP605Z, RP606Z, RP6072

Supplier Identification:

Minolta Corporation

101 Williams Drive, Ramsey, New Jersey 07446, U.S.A. Telephone: 201-825-4000

Emergency Telephone No.

Contact your regional poison control center.

2. COMPOSITION / INFORMATION ON INGREDIENTS

Substance [ì Preparation [X]

Major Ingredients:

[Generic Name]

Styrene acrylate copolymer Carbon black

Organic pigment Polyolefin wax

+++ Styrene acrylate copolymer +++

+++: Supplier's confidential information

Hazardous Ingredients: Chemical Name: Carbon black (5-10%)

CAS No.: 1333-86-4 OSHA Z-Tables(USA): 3.5mg/m3

NTP(USA): Not listed Symbol(EC): Not listed DFG-MAK(GER): III 3B

EEC-No.: 215-609-9 ACGIH-TLV(USA): 3.5mg/m3

[CAS No.]

1333-86-4

+++

+++

IARC Monographs: Group 2B R-Phrase(EC): Not listed Worksafe-TWA(Austl): 3mg/m3

[8]

>80

5-10

1- 5

1- 5

1- 5

Revised Date: 13-Sep-2002 3. HAZARDS IDENTIFICATION

Classification: Not classified as dangerous. (1999/45/EC) Most Important Hazards and Effects of the Products

For Human Health: This toner is not classified as a human carcinogen. No symptoms expected with intended use.

For the Environment: No data are available on the adverse effects of this product on the environment. None

Prepared Date: 1-Apr-1996

For Others: Specific Hazards: Dust explosion(like most finely divided organic powders)

4. FIRST-AID MEASURES Symptoms of Overexposure: No symptoms expected with intended use. Routes of Entry:

Information Inhalation:

Eye contact, inhalation, ingestion

water (preferably lukewarm) for 15 minutes or until particle is removed.

If symptoms are experienced, remove source of contamination or move victim to fresh air and obtain medical advice. Skin Contact: Flush with gently flowing water (preferably lukewarm) and soap for 15 minutes or until particle is removed. If irritation does occur, obtain medical advice. Eye Contact: Do not allow victim to rub eye(s). Flush with gently flowing

Have victim look right and left, and, then up and down. If irritation does occur, obtain medical attention. DO NOT attempt to manually remove anything stuck to the eye(s). Ingestion: If irritation or discomfort occurs, obtain medical attention

immediately. Note to Physician: None

Extinguishing Media to Avoid: Full water jet

5. FIRE-FIGHTING MEASURES Suitable Extinguishing Media: CO2, water spray, foam and dry chemical

Special Firefighting Procedures: None Fire and Explosion Hazards: If dispersed in air, like most finely divided organic powders, may form an explosive mixture.

Protection of Firefighters: Use self-contained breathing apparatus(SCBA).

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: None

Environmental Precautions: None Methods for Cleaning Up:

Wipe off with paper or cloth.

DO NOT use vacuum cleaner when a large amount is released. It, like most

finely divided organic powders, may create a dust explosion.

```
Prepared Date: 1-Apr-1996
                                            Revised Date: 13-Sep-2002
7. HANDLING AND STORAGE
  Handling
     Technical Measures/Precautions: None
```

Technical Measures:

Storage Conditions:

Packing Materials:

Engineering Measures

Storage

Appearance

Particle Size (µm):

Melting Point(°C):

Flash Point(°C):

Vapor Pressure:

Density(g/cm³):

PH/Boiling Point(°C):

Softening Point(°C):

Explosion Properties:

Solubility in water:

Oxidizing Properties:

Ignition Temperature(°C):

Odor:

Safe Handling Advice: Try not to disperse the particles.

Incompatible Products: None

Control Parameters (As total dust)

OSHA-PEL(USA): 15mg/m3

Personal Protective Equipment

9. PHYSICAL AND CHEMICAL PROPERTIES

DFG-MAK(GER): 4mg/m3

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: None required with intended use.

Hygiene Measures: Wash hands after handling.

None

Keep container closed.

Store in a cool and dry place. Keep out of reach of children.

For use other than normal customer-operating procedures (such as in bulk toner processing facilities), goggles and respirators may be required.

Not applicable

Not applicable

Not applicable

120 - 130*

Negligible

445

No data available

No data available

No data available

1.2 (bulk density: 0.4)

ACGIH-TLV(USA): 10mg/m3

Worksafe-TWA(Austl.): 10mg/m3

Bottles or Cartridge designated by Minolta.

Color: Black

10 - 20

Partition Coefficient, n-Octanol/Water: Not applicable

(*= Based on data for other Minolta Products with similar ingredients)

Physical State: Solid Form: Powder Faint odor

None required when used as intended in Minolta equipment.

```
Prepared Date: 1-Apr-1996
                                            Revised Date: 13-Sep-2002
10. STABILITY AND REACTIVITY
  Stability: Stable [ X ]
                               Unstable [ ]
  Hazardous Reactions: Dust explosion, like most finely divided organic
```

powders. Conditions to avoid: Electric discharge, throwing into fire. Materials to Avoid: Oxidizing materials. Hazardous Decomposition Products: CO, CO2

11. TOXICOLOGICAL INFORMATION

Health Effects from Exposure: No symptoms expected with intended use. Toxicological Data

Acute Toxicity:

Inhalation, LC50(mg/l):

>4.92 (Rat, 4hour)

(This was the highest attainable concentration.) Ingestion(oral), LD50(mg/kg): >5000 (Rat) >2000 (Rat)

Dermal, LD50 (mg/kg): Eye irritation: Non irritant (Rabbit) Skin irritation: Non irritant (Rabbit) No data available

Skin sensitizer: Mutagenicity: Negative (AMES test)

Local Effects: see Chronic Toxicity or Long term Toxicity Chronic Toxicity or Long Term Toxicity: Prolonged inhalation of excessive dust may cause lung damage. It is

attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged interval. Use of this product, as intended, does not result in inhalation of excessive dust. In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of rats in the high concentration ($16mg/m^3$) exposure group, and a minimal to mild

degree of fibrosis was noted in 22% of the animals in the middle $(4mg/m^3)$ exposure group. But no pulmonary change was reported in the lowest $(1mg/m^3)$ exposure group, the most relevant level to potential human exposures. Carcinogenicity

IARC Monographs/NTP(USA)/OSHA Regulated(USA): In 1996 the IARC reevaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This evaluation is given to Carbon Black for which there is inadequate human evidence, but sufficient animal evidence. The

latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung.

Prepared Date: 1-Apr-1996 Revised Date: 13-Sep-2002 Studies performed in animal models other than rats have not demonstrated

an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development ECOLOGICAL INFORMATION

12 No data are available on the adverse effects of this material on the 13. DISPOSAL CONSIDERATION Appropriate Methods of Disposal

Preparation (community provisions): Waste may be disposed or incinerated under conditions which meet all federal, state and local environmental regulations. Contaminated Packaging: Waste may be disposed or incinerated under conditions which meet all federal, state and local environmental regulations. Precautions:

Do not throw the toner cartridge or toner into an open flame. The hot toner may scatter and cause burns or other damage. TRANSPORT INFORMATION Special Precautions: None

Information on Code and Classifications According to International Regulations UN Classification: None REGULATORY INFORMATION

US Information Information on the label: Not required

TSCA(Toxic Substances Control Act): All chemical substances in this product comply with all applicable rules

SARA (Superfund Amendments and Reauthorization Act) Title III 302 Extreme Hazardous Substance: None

311/312 Hazard Categories/313 Reportable Ingredients: None California Proposition 65:

This product contains no chemical substances subject to California

Prepared Date: 1-Apr-1996 Revised Date: 13-Sep-2002 Information on the label (1999/45/EC and 67/548/EEC): Symbol & Indication: Not required R-Phrase: Not required S-Phrase: Not required All chemical substances in this product comply with all applicable rules Article14 (2.1) of Directive 1999/45/EC is not applicable to this product. 16. OTHER INFORMATION NFPA Hazard Rating: The National Fire Protection Agency (USA): Health: 1 Flammability: 1 Reactivity: 0 HMIS Rating: The National Paint and Coating Association (USA): Health: 1 Flammability: 1 Reactivity: 0

Toner for Electrophotographic Equipment Restrictions: Information on this data sheet represents our current data and the best opinion as to the proper use in handling of this product under normal conditions specified in our User's Manual. However, neither Minolta Co., Ltd. $\hbox{nor any} \ of \ its subsidiaries \ assumes \ any \ liability \ what so ever for the \ accuracy$ or completeness of the information contained herein. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we do not guarantee that these are the only Literature References: ANSI Z400.1-1993 ISO 11014-1

Fundamental and Applied Toxicology 17, pp.280-299.

IARC(1996): IARC monographs on the Evaluation of the Carcinogenic Risk of

H.Muhle, B.Bellmann, O.Creutzenberg, C.Dasenbrock, H.Ernst, R.Kilpper, J.C.MacKenzie, P.Morrow, U.Mohr, S.Takenaka, and R.Mermelstein(1991) Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats.

Chemicals to Humans, Vol. 65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds, Lyon, pp.149-261

Commission Directive 91/155/EEC

EU Information

76/769/EEC:

Recommended Uses: