		DEN	8936-302		
N AL	MATERIAL SAFETY DA	TA SHEET	Page:1/6		
IVI	NOLTA MATERIAL SAFETY DA	N	ISDS No.:PPC-0483		
Pr	oduct Name: MT TONER 104[]	1.	1505 NO11C 0405		
		-	Date:10-Jun-1998 ate: 12-Sep-2002		
1.	PRODUCT AND COMPANY IDENTIFICATION Product Name: MT TONER 104[] used for: EP1054, EP1085	[],denoted w	ith an alphabet.		
	Supplier Identification: Minolta Corporation 101 Williams Drive, Ramsey, New Jersey 07446, U.S.A. Telephone: 201-825-4000				
	Emergency Telephone No. Contact your regional poison cont	rol center.			
2.	COMPOSITION / INFORMATION ON INGREDIEN	ITS			
	Substance [] Preparation [X]]			
	Major Ingredients:				
	[Generic Name]	[CAS No.]	[%]		
	Styrene acrylate copolymer	+++	80-90		
	Carbon black	1333-86-4			
	Organic pigment	+++	1-5		
	Polyolefin wax	+++	1-5		
	Ferrite	+++	1- 5		
	+++: Supplier's confidential information				
	Hazardous Ingredients: Chemical Name: Carbon black (5-10%)				
	CAS No.: 1333-86-4	EEC-No.: 215-	609-9		
	OSHA Z-Tables (USA): 3.5mg/m3	ACGIH-TLV (USA			
	NTP(USA): Not listed	IARC Monograp			
	Symbol (EC): Not listed	R-Phrase (EC) :			
	DFG-MAK (GER): III 3B		Austl): 3mg/m3		
		normoure inn(10001, · ong/ no		



Page:2/6

MSDS No.: PPC-0483

Product Name: MT TONER 104[]

Prepared Date:10-Jun-1998 Revised Date: 12-Sep-2002

3. HAZARDS IDENTIFICATION

Classification : Not classified as dangerous. (1999/45/EC)

Most Important Hazards and Effects of the Products

For Human Health: This toner is not classified as a human carcinogen. No symptoms expected with intended use.

For the Environment: No data are available on the adverse effects of this product on the environment.

For Others: None

Specific Hazards: Dust explosion (like most finely divided organic powders)

4. FIRST-AID MEASURES

Symptoms of Overexposure: No symptoms expected with intended use. Routes of Entry: Eye contact, inhalation, ingestion Information

information

Inhalation: If symptoms are experienced, remove source of contamination or move victim to fresh air and obtain medical advice.

- Skin Contact: Flush with gently flowing water (preferably lukewarm) and soap for 15 minutes or until particle is removed. If irritation does occur, obtain medical advice.
- Eye Contact: Do not allow victim to rub eye(s). Flush with gently flowing water (preferably lukewarm) for 15 minutes or until particle is removed. Have victim look right and left, and, then up and down. If irritation does occur, obtain medical attention. DO NOT attempt to manually remove anything stuck to the eye(s).

Ingestion: If irritation or discomfort occurs, obtain medical attention immediately.

Note to Physician: None

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: CO2, water spray, foam and dry chemical Extinguishing Media to Avoid: Full water jet

Special Firefighting Procedures: None

Fire and Explosion Hazards: If dispersed in air, like most finely divided organic powders, may form an explosive mixture.

Protection of Firefighters: Use self-contained breathing apparatus (SCBA).

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: None

Environmental Precautions: None

Methods for Cleaning Up: Wipe off with paper or cloth.

DO NOT use vacuum cleaner when a large amount is released. It, like most finely divided organic powders, may create a dust explosion.



Page:3/6

MSDS No.: PPC-0483

Product Name: MT TONER 104[]	IT TONER 104[MT	Name:	Product
------------------------------	---------------	----	-------	---------

Prepared Date:10-Jun-1998 Revised Date: 12-Sep-2002

HANDLING AND STORAGE Handling					
Technical Measures/Precautions: None					
Safe Handling Advice: Try not to disperse the particles.					
Storage					
Technical Measures: None					
Storage Conditions: Keep container closed.					
Store in a cool and dry place.					
Keep out of reach of children.					
Incompatible Products:None					
Packing Materials: Bottles or Cartridge designated by Min	nolta.				
8. EXPOSURE CONTROLS/PERSONAL PROTECTION	1				
Engineering Measures					
Ventilation: None required with intended use.					
	Control Parameters (As total dust)				
OSHA-PEL(USA): 15mg/m3 ACGIH-TLV(USA): 10mg/m3					
	DFG-MAK(GER): 4mg/m3 Worksafe-TWA(Austl.): 10mg/m3				
Personal Protective Equipment					
	None required when used as intended in Minolta equipment.				
For use other than normal customer-operating procedures (such					
toner processing facilities), goggles and respirators may be	requirea.				
Hygiene Measures: Wash hands after handling.					
9. PHYSICAL AND CHEMICAL PROPERTIES					
Appearance					
Physical State: Solid Form: Powder Color: Black					
Odor: Faint odor					
Particle Size(µm): 10 - 20					
PH/Boiling Point(°C): Not applicable					
Melting Point(°C): No data available					
Softening Point(°C): 120 - 125 * Flash Point(°C): Not applicable					
Ignition Temperature(°C): approx.450 * Explosion Properties: No data available					
Vapor Pressure: Not applicable					
Density(g/cm ³): 1.15 * (bulk density: 0.42 *)					
Colubility in water. Mealigible					
Solubility in water: Negligible					
Solubility in water: Negligible Oxidizing Properties: No data available Partition Coefficient, n-Octanol/Water: Not applicable					



Page:4/6

MSDS No.: PPC-0483

Prepared Date: 10-Jun-1998 Revised Date: 12-Sep-2002

10. STABILITY AND REACTIVITY

11. TOXICOLOGICAL INFORMATION

Health Effects from Exposure: No symptoms expected with intended use. Toxicological Data Acute Toxicity: Inhalation, LC50 (mg/l): >1.79 (Rat, 4hour) * (This was the highest attainable concentration.) Ingestion(oral), LD50(mg/kg): >5000 (Rat) * Dermal, LD50 (mg/kg): No data available Eye irritation: Mild conjunctival irritation (Rabbit) * Skin irritation: Non irritant (Rabbit) * Non sensitizer (Guinea pig) * Skin sensitizer: Mutagenicity: Negative (AMES test)

(*= Based on data for other Minolta Products with similar ingredients) Local Effects: see Chronic Toxicity or Long term Toxicity

Chronic Toxicity or Long Term Toxicity:

Prolonged inhalation of excessive dust may cause lung damage. It is attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged interval. Use of this product, as intended, does not result in inhalation of excessive dust. In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of rats in the high concentration (16mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m³) exposure group. But no pulmonary change was reported in the lowest (1mg/m³) exposure group, the most relevant level to potential human exposures. Carcinogenicity

IARC Monographs/NTP(USA)/OSHA Regulated(USA): Not listed In 1996 the IARC reevaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This evaluation is given to Carbon Black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung.



Page:5/6

MSDS No.: PPC-0483

Product Name: MT TONER 104[]

Prepared Date:10-Jun-1998 Revised Date: 12-Sep-2002

Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

12. ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment.

13. DISPOSAL CONSIDERATION

Appropriate Methods of Disposal

Preparation (community provisions):

Waste may be disposed or incinerated under conditions which meet all federal, state and local environmental regulations.

Contaminated Packaging:

Waste may be disposed or incinerated under conditions which meet all federal, state and local environmental regulations.

Precautions:

Do not throw the toner cartridge or toner into an open flame. The hot toner may scatter and cause burns or other damage.

14. TRANSPORT INFORMATION

Special Precautions: None Information on Code and Classifications According to International Regulations UN Classification: None

15. REGULATORY INFORMATION

US Information

Information on the label: Not required

TSCA(Toxic Substances Control Act):

All chemical substances in this product comply with all applicable rules or order under TSCA.

SARA (Superfund Amendments and Reauthorization Act) Title III

302 Extreme Hazardous Substance: None

311/312 Hazard Categories/313 Reportable Ingredients: None California Proposition 65:

This product contains no chemical substances subject to California Proposition 65.



MATERIAL SAFETY DATA SHEET Page:6/6

MINOLTA MATERIAL SALETT DA	Fage. 0/ 0
-,	MSDS No.: PPC-0483
Product Name: MT TONER 104[]	
	Prepared Date:10-Jun-1998
	Revised Date: 12-Sep-2002
EU Information	
Information on the label (1999/45/E	EC and 67/548/EEC):
Symbol & Indication: Not require	
R-Phrase: Not required	
S-Phrase: Not required	
76/769/EEC:	
	oduct comply with all applicable rules
or order under 76/769/EEC.	
Article14 (2.1) of Directive 1999/45/	EC is not applicable to this product
16. OTHER INFORMATION	
NFPA Hazard Rating: The National Fire	Protection Agency(USA):
Health: 1 Flammabili	ty: 1 Reactivity: 0
HMIS Rating: The National Paint and Co	oating Association(USA):
Health: 1 Flammabili	ty: 1 Reactivity: 0
Recommended Uses:	
Toner for Electrophotographic Equip	pment
Restrictions:	
opinion as to the proper use in hat conditions specified in our User's Man norany of its subsidiaries assumes any or completeness of the information present unknown hazards and should b	resents our current data and the best ndling of this product under normal nual. However, neither Minolta Co., Ltd yliability whatsoever for the accuracy contained herein. All materials may be used with caution. Although certain not guarantee that these are the only
COUNTRACTOR DIFECTIVE DIVISION PER	
Chemicals to Humans, Vol	valuation of the Carcinogenic Risk of 65, Printing Process and Printing ome Nitro Compounds, Lyon, pp.149-261
H.Muhle, B.Bellmann, O.Creutzenberg J.C.MacKenzie, P.Morrow, U.Mohr, S. Pulmonary Response to Toner upon Ch Fundamental and Applied Toxicology	Takenaka, and R.Mermelstein(1991) pronic Inhalation Exposure in Rats.