

Page:1/6

MSDS No.: PRT-2551

Product Name: TONER (Yellow)

Prepared	d date:	13-Nov-2008
Revised	Date:	17-Feb-2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: TONER (Yellow)

used for: magicolor4750/4750DN/4750EN/3730/3730DN/3730N, bizhub C35/35P/C25

Supplier Identification:

Konica Minolta Business Solutions Australia Pty. Ltd.

4 Drake Avenue, Macquarie Park, NSW 2113, Australia

Telephone: (02) - 8026 - 2222 Facsimile: (02) - 8026 - 3266

Contact Point

National Technical Manager Telephone: (02) - 8026 - 2266 Facsimile: (02) - 8026 - 3266 For emergency enquiries, please contact Konica Minolta Australia during Monday to Friday from 9.00am - 5.00pm.

## 2. HAZARDS IDENTIFICATION

Classification: Not classified as dangerous. (1999/45/EC)

Emergency Overview: Yellow powder (mean dia. is 5-10um by volume ). Almost odorless

Most Important Hazards and Effects of the Products

Ingestion Effect:	None currently known.
Inhalation Effect:	None currently known. Minimal respiratory tract irritation may occur as with exposure
	to large amount of any non-toxic dust.
Eye Effect:	None currently known.
Skin Effect:	None currently known.
Chronic Effects:	Prolonged inhalation of excessive dusts may cause lung damage. Use of this product, as intended, does not result in inhalation of excessive dust.
Environment Hazard	Is: No data are available on the adverse effects of this product on the environment.
Specific Hazards	Dust explosion(like most finely divided organic powders)



Page:2/6

MSDS No.: PRT-2551

Product Name: TONER (Yellow)

Prepared date:13-Nov-2008 Revised Date: 17-Feb-2011

Worksafe-TWA(Austl): 10mg/m3

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance [ ]

+

Preparation [X]

Major Ingredients:		
[Generic Name]	[CAS No.]	[%]
Styrene acrylic resin	+++	75-85
Wax	+++	10-20
Organic pigment	+++	1-10
Amorphous silica	7631-86-9	1-10
Titanium dioxide	13463-67-7	< 1
+++: Supplier's confidential information		
Hazardous Ingredients:		
Chemical Name: Titanium dioxide (<1%)		
CAS No.: 13463-67-7	EEC-No.: 236-675-5	
OSHA Z-Tables(USA):15mg/m3	ACGIH-TLV(USA): 1	0mg/m3
NTP(USA): Not listed	IARC Monographs: G	Group 2B
Symbol(EC): Not listed	R-Phrase(EC): Not lis	sted

### 4. FIRST-AID MEASURES

Ingestion:	Wash out mouth with water. Drink one or two glasses of water. If symptoms occur, get medical attention.
Inhalation:	Move victim to fresh air immediately. If symptoms occur, get medical attention.
Eye Contact:	Immediately flush eyes with plenty of water for 15 minutes. If symptoms occur, get medical attention.
Skin Contact:	Wash with water and mild soap.

### 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: CO2, water spray, foam and dry chemical Extinguishing Media to Avoid: Full water jet Fire and Explosion Hazards: If dispersed in air, like most finely divided organic powders, may form an explosive mixture. Protection of Firefighters: Use self-contained breathing apparatus(SCBA).



Page:3/6

MSDS No.: PRT-2551

Product Name: TONER (Yellow)

Partition Coefficient, n-Octanol/Water:

Prepareo	d date:	13-Nov-2	800
Revised	Date:	17-Feb-2	011

	Revised Date: 17-Feb-2011		
6. ACCIDENTAL RELE	ASE MEASURES		
Personal Precautions:	None		
Environmental Precautions:	None		
Methods for Cleaning Up: Wear personal protective equipment(See Section 8). Vacuum or sweep material			
	and place in a bag and hold for waste disposal. Use vacuum equipped with High		
	Efficiency Particulate Air(HEPA) filter. Vacuum should be electrically bonded and		
	grounded to dispel static electricity. To avoid dust generation, do not sweep dry.		
7. HANDLING AND S	TORAGE		
Handling			
Technical Measures:	None		
Precautions:	Do not breathe dust. Avoid contact with eyes.		
Safe Handling Advice:	-		
Storage			
Technical Measures:	None		
Storage Conditions:	Keep container closed. Store in a cool and dry place. Keep out of reach of children.		
Incompatible Products	: None		
Packaging Materials:	Bottles or Cartridge designated by Konica Minolta.		
8. EXPOSURE CONTR	OLS/PERSONAL PROTECTION		
Engineering Measures			
Ventilation: None requi	ired with intended use		
Control Parameters(As total			
ACGIH-TLV(USA) :	10mg/m3 (Inhalable particles), 3.0 mg/m3 (Respirable particles)		
· · · ·			
OSHA-PEL(USA): 15mg/m3 (Total dusts), 5.0 mg/m3 (Respirable fraction)			
DFG-MAK(GER): Worksafe-TWA(Austl.)	4mg/m3 (Inhalable fraction), 1.5mg/m3 (Respirable fraction) : 10mg/m3		
Personal Protective Equipm			
	ormal conditions. For use other than in normal operating procedures (such as in the		
•	ggles and respirators may be required.		
Hygiene Measures: Wash h			
	HEMICAL PROPERTIES		
Appearance	HEMICAL PROPERTIES		
	HEMICAL PROPERTIES Color: Yellow		
Appearance Physical State: Solid			
Appearance Physical State: Solid	Color: Yellow		
Appearance Physical State: Solid Form: Powder (mean o	Color: Yellow dia. is 5-10um by volume)		
Appearance Physical State: Solid Form: Powder (mean o Odor:	Color: Yellow dia. is 5-10um by volume) Almost odorless		
Appearance Physical State: Solid Form: Powder (mean o Odor: PH	Color: Yellow dia. is 5-10um by volume) Almost odorless Not applicable		
Appearance Physical State: Solid Form: Powder (mean of Odor: PH Boiling Point(°C):	Color: Yellow dia. is 5-10um by volume) Almost odorless Not applicable Not applicable		
Appearance Physical State: Solid Form: Powder (mean of Odor: PH Boiling Point(°C): Melting Point(°C):	dia. is 5-10um by volume) Almost odorless Not applicable Not applicable Around 125C(275F) (Softening Point)		
Appearance Physical State: Solid Form: Powder (mean of Odor: PH Boiling Point(°C): Melting Point(°C): Flash Point(°C):	color: Yellow dia. is 5-10um by volume) Almost odorless Not applicable Not applicable Around 125C(275F) (Softening Point) Not applicable		
Appearance Physical State: Solid Form: Powder (mean of Odor: PH Boiling Point(°C): Melting Point(°C): Flash Point(°C): Ignition Temperature(°C):	dia. is 5-10um by volume) Almost odorless Not applicable Not applicable Around 125C(275F) (Softening Point) Not applicable No data available		
Appearance Physical State: Solid Form: Powder (mean of Odor: PH Boiling Point(°C): Melting Point(°C): Flash Point(°C): Ignition Temperature(°C): Explosion Properties:	dia. is 5-10um by volume) Almost odorless Not applicable Not applicable Around 125C(275F) (Softening Point) Not applicable No data available No data available		

Not applicable



Page:4/6

MSDS No.: PRT-2551

Product Name: TONER (Yellow)

Prepared date:13-Nov-2008 Revised Date: 17-Feb-2011

### 10. STABILITY AND REACTIVITY

Stable except above 200C(392F).		
Dust explosion, like most finely divided organic powders.		
Electric discharge, throwing into fire.		
Oxidizing materials.		
Hazardous Decomposition Products: CO, CO2, NOx and smoke.		
Will not occur.		

### 11. TOXICOLOGICAL INFORMATION

Acute Toxicity:

-	
Ingestion(oral), LD50(mg/kg):	>2500 (Rat)
Dermal, LD50(mg/kg):	No data available
Inhalation, LC50(mg/l):	>5.57 (Rat,4hour)(This was the highest attainable concentration.)
Eye irritation:	Minimal irritant (Rabbit)
Skin irritation:	Non irritant (Rabbit)
Skin sensitizer:	Non sensitizer (Guinea pig)

Local Effects: see Chronic Toxicity or Long term Toxicity

Chronic Toxicity or Long Term Toxicity:

Prolonged inhalation of excessive dust may cause lung damage. It is attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged interval. Use of this product, as intended, does not result in inhalation of excessive dust.

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of rats in the high concentration(16mg/m<sup>3</sup>) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle(4mg/m<sup>3</sup>) exposure group. But no pulmonary change was reported in the lowest(1mg/m<sup>3</sup>) exposure group, the most relevant level to potential human exposures.

Carcinogenicity

The IARC reevaluated titanium dioxide as a Group 2B carcinogen (possible human carcinogen). In animal chronic inhalation studies, the tumor formulation observed in only rats with animal chronic inhalation study are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged interval. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relation between exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust.

Mutagenicity:	Negative (AMES test)
Teratogenicity:	No data available

(\*= Based on data for other Konica Minolta Products with similar ingredients)



Page:5/6

MSDS No.: PRT-2551

Product Name: TONER (Yellow)

Prepared date:13-Nov-2008 Revised Date: 17-Feb-2011

### 12. ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment. Ecotoxicity: No data available Mobility: No data available Persistence and degradability: No data available Bioaccumulative potential: No data available

#### 13. DISPOSAL CONSIDERATION

When disposing of the waste or recovered material, consult federal, state and/or local regulations for the proper disposal method.

### 14. TRANSPORT INFORMATION

Information on Code and Classifications According to International Regulations UN Classification: None

## 15. REGULATORY INFORMATION

**US** Information

Information on the label: Not required

TSCA(Toxic Substances Control Act):

All chemical substances in this product comply with all applicable rules or order under TSCA.

California Proposition 65:

This product contains no chemical substances subject to California Proposition 65.

EU Information

Information on the label (1999/45/EC and 67/548/EEC): Not required

Article14 (2.1) of Directive 1999/45/EC is not applicable to this product.

## 16. OTHER INFORMATION

HMIS Rating: The National Paint and Coating Association(USA): Health: 1 Flammability: 1 Reactivity: 0 Recommended Uses: Toner for Electrophotographic Equipment

Explanation of term: IARC 2B means "possible human carcinogen".

Revision Information: Regular revision on revised date.

Literature References:

ANSI Z400.1-1993

ISO 11014-1

Commission Directive 91/155/EEC

IARC(2010): IARC monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 93, Carbon Black, Titanium Dioxide, and Talc, Lyon, pp. 193-276

H.Muhle, B.Bellmann, O.Creutzenberg, C.Dasenbrock, H.Ernst, R.Kilpper, J.C.MacKenzie, P.Morrow, U.Mohr, S.Takenaka, and R.Mermelstein(1991)

Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats. Fundamental and Applied Toxicology 17, pp.280-299.

NIOSH CURRENT INTELLIGENCE BULLETIN : Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide :DRAFT



Page:6/6

MSDS No.: PRT-2551

Product Name: TONER (Yellow)

Prepared date:13-Nov-2008 Revised Date: 17-Feb-2011

Restrictions:

The above information is believed to be accurate and represents the best information currently available to Our Corporation. However, Our Corporation makes no warranty with respect to such information, and Our Corporation assumes no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.