### MATERIAL SAFETY DATA SHEET

### 1. Product and Company Identification

**Material name** B3P20Series

Version # 04

**Issue date** 29-Jan-2013 **Revision date** 08-Jun-2013 Supersedes date 04-Jun-2013 CAS# Mixture

**Company identification Hewlett-Packard Company** 

3000 Hanover Street Palo Alto, CA 94304-1185

**United States** 

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 760-710-0048 **HP Customer Care Line** 

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

### 2. Hazards Identification

**Emergency overview** 

Contact with skin and eyes may result in irritation.

Other hazards

Potential routes of overexposure to this product are skin and eye contact Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation

## 3. Composition / Information on Ingredients

Hazardous components	CAS #	Percent
2-pyrrolidone	616-45-5	< 7.5
Non-hazardous components	CAS#	Percent
Water	7732-18-5	> 70
1-(2-hydroxyethyl)-2-pyrrolidone	3445-11-2	< 10
Aliphatic diol	Proprietary	< 10
Substituted xanthylium salt #1	Proprietary	< 5

**Composition comments** This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

### 4. First Aid Measures

**General advice** No information

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Inhalation Move to fresh air. If symptoms persist, get medical attention. Ingestion If ingestion of a large amount does occur, seek medical attention.

Material name: B3P20Series MSDS US

12836 Version #: 04 Revision date: 08-Jun-2013 Issue date: 29-Jan-2013

5. Fire Fighting Measures

Flammable properties None known.

**Extinguishing media** 

Suitable extinguishing

media

CO2, water, dry chemical, or foam

**Unsuitable extinguishing** 

media

None known.

Fire fighting

equipment/instructions

Not available.

**Specific methods**None established. **Hazardous combustion**Refer to section 10.

products

6. Accidental Release Measures

**Personal precautions** Wear appropriate personal protective equipment.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods for cleaning up

Soak up with inert absorbent material.

Other information

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. Handling and Storage

**Handling** Avoid contact with skin, eyes and clothing.

**Storage** Keep out of the reach of children. Keep away from excessive heat or cold.

### 8. Exposure Controls / Personal Protection

### **Occupational exposure limits**

US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

ComponentsTypeValueAliphatic diol (CASTWA10 mg/m3

Proprietary)

**Exposure guidelines** Exposure limits have not been established for this product.

**Engineering controls** Use in a well ventilated area.

**Personal protective equipment** 

**General**Use personal protective equipment to minimize exposure to skin and eye. **General hygiene considerations**Use personal protective equipment to minimize exposure to skin and eye.

Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical & Chemical Properties

AppearanceNot available.Physical stateNot available.FormNot available.ColorMagentaOdorNot available.pH7 - 7.6

Vapor pressureNot determinedBoiling pointNot determinedMelting point/Freezing pointNot available.Solubility (water)Soluble in water

Specific gravity 1 - 1.2

Flash point > 200.00 °F (> 93.33 °C) Setaflash Closed Tester

**Viscosity** >= 2 cp **VOC** < 243 g/L

Material name: B3P20Series MSDS US

12836 Version #: 04 Revision date: 08-Jun-2013 Issue date: 29-Jan-2013

10. Chemical Stability & Reactivity Information

Chemical stability Stable under recommended storage conditions.

**Conditions to avoid** No information available

**Incompatible materials** Incompatible with strong bases and oxidizing agents.

**Hazardous decomposition** 

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon

dioxide and/or low molecular weight hydrocarbons.

**Possibility of hazardous** 

reactions

Will not occur.

### 11. Toxicological Information

### **Toxicological data**

Components	Species	Test Results
2-pyrrolidone (CAS 616-45-5)		
Acute		
Oral		
LD50	Guinea pig	6500 mg/kg
	Rat	6500 mg/kg
Aliphatic diol (CAS Proprietary)		
Acute		
Dermal		
LD50	Rabbit	> 10000 mg/kg
Oral		
LD50	Rat	3730 mg/kg
Other		
LD50	Mouse	1738 mg/kg
Oral		
LD50	Rat	<= 10000 mg/kg
Serious eye damage/eye	Not available.	

irritation

**Further information** This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

13.21 mg/l, 48 hours

### 12. Ecological Information

**Aquatic toxicity** LC50/96h/Fathead minnows => 750 mg/L

EC50

**Ecotoxicological data** 

Crustacea

Components **Species Test Results** 2-pyrrolidone (CAS 616-45-5) **Aquatic** 

Water flea (Daphnia pulex)

Persistence and degradability Not available.

### **Bioaccumulation / Accumulation**

### **Bioaccumulative potential**

Octanol/water partition coefficient log Kow

2-pyrrolidone -0.85 Aliphatic diol -0.106

**Partition coefficient** 

2-pyrrolidone -0.85Aliphatic diol -0.106

Material name: B3P20Series

12836 Version #: 04 Revision date: 08-Jun-2013 Issue date: 29-Jan-2013

### 13. Disposal Considerations

#### **Disposal instructions**

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

### 14. Transport Information

#### DOT

Not regulated as dangerous goods.

#### **IATA**

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

#### **RID**

Not regulated as dangerous goods.

#### **Further information**

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

### 15. Regulatory Information

#### **US federal regulations**

US TSCA 12(b): Does not contain listed chemicals. A substance in this product is the subject of a Significant New Use Rule (SNUR) at 40CFR721.10460. The Significant New Use(s) for this substance (P03-307) is that it may not be manufactured or processed as a powder and must be used in the manner prescribed in the premanufacture notification..

TSCA 12(b) Components: Once per country reporting is required. The SNUR substance is present

at 1 percent or greater in the final product.

# Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Not listed.

#### Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

### **DEA Exempt Chemical Mixtures Code Number**

Not regulated.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### **CERCLA (Superfund) reportable quantity**

None

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

No

SARA 311/312 Hazardous chemical No

#### Other information

Exposure Limits (See Section 8): Executive regulation of Minister of Labour and Social Policy dated Nov. 29, 2002 concerning the highest exposure limits and volume of factors harmful for health and environment at work (Official Journal of Laws no 217/2002 item 1833 with further amendments). VOC content (less water, less exempt compounds) = < 1011 g/L (U.S. requirement, not for

emissions)

VOC data based on formulation (Organic compounds minus solids)

Material name: B3P20Series MSDS US

**Other regulations**All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

### State regulations

**US. Massachusetts RTK - Substance List** 

2-pyrrolidone (CAS 616-45-5)

**US. Pennsylvania RTK - Hazardous Substances** 

2-pyrrolidone (CAS 616-45-5)

Listed.

**US. Rhode Island RTK** 

Not regulated.

16. Other Information

**HMIS**® ratings Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

**Other information** This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29)

CFR 1910.1200).

**Issue date** 29-Jan-2013

**Manufacturer information** Hewlett-Packard Company

3000 Hanover Street

Palo Alto, California 94304-1112 US

(Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

#### **Explanation of abbreviations**

**ACGIH** American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

**COC** Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: B3P20Series MSDS US