

# 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identification of the

preparation

C1806A

Selectability number 06

Use of the preparation Inkjet printing

**Manufacturer information** Hewlett-Packard Company

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199

General information telephone number

**HP Customer Care Line** 1-800-474-6836 (Toll-free) 1-800-474-6836 (Direct) 1-208-323-2551 Feb 09, 2007 Date prepared

**MSDS** number 13560

#### 2. COMPOSITION / INFORMATION ON INGREDIENTS

Component/substance		CAS number	% by weight
Water		7732-18-5	> 80
Alkyldiol		Proprietary	< 15
Substituted napthalenesulfonate salt #9		Proprietary	< 5
Composition comments	This ink supply contains an aqueous ink formulation.		

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

## 3. HAZARDS IDENTIFICATION

**Emergency overview** Contact with skin and eyes may result in irritation.

Acute health effects Any potential hazards are presumed to be due to exposure to the components.

Skin contact

Alkyldiol

Contact with skin may result in irritation.

Eye contact

Alkyldiol

Contact with eyes may result in irritation. Substituted napthalenesulfonate salt #9

Contact with eyes may result in serious damage and irreversible eye coloration.

Risk of serious damage to eyes.

Inhalation

Alkyldiol

Inhalation may result in respiratory irritation.

Material name C1806A MSDS US Creation date Apr 30, 2003 Version number 3 1/5

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects None known.

**Carcinogenicity**None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

## 4. FIRST AID MEASURES

First aid procedures

**Skin** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

**Eye** Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for

at least 15 minutes or until particles are removed. If irritation persists get medical attention.

InhalationRemove to fresh air. If symptoms persist, get medical attention.IngestionIf ingestion of a large amount does occur, seek medical attention.

## 5. FIRE FIGHTING MEASURES

Flash point and method > 200 °F; Pensky-Martens Closed Cup

**Hazardous combustion** 

products

Refer to section 10.

**Extinguishing media** Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

Unusual fire and explosion

hazard

None known.

Special firefighting procedures None established.

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions**Wear appropriate personal protective equipment.

**Environmental precautions** Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Procedures if material is

released or spilled

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

## 7. HANDLING AND STORAGE

**Handling** Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure limit values** Exposure limits have not been established for this product.

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Exposure guidelines Use in a well ventilated area.

Material nameC1806AMSDS USCreation dateApr 30, 2003Version number 32 / 5



## 9. PHYSICAL & CHEMICAL PROPERTIES

7 - 8 pН

Vapor pressure Not determined **Boiling point** Not determined Solubility Soluble in water

Specific gravity 1 - 1.2**VOC** content < 3 % Flash point > 200 °F **Viscosity** > 2 cp

Vapor density > 1 (air = 1.0)**Evaporation rate** Not determined **Flammability** Not determined Oxidizing properties Not determined

Color Black

## 10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Stability Stable under recommended storage conditions.

Will not occur. Hazardous polymerization

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide,

carbon dioxide and/or low molecular weight hydrocarbons.

Incompatibility Incompatible with strong bases and oxidizing agents.

## 11. TOXICOLOGICAL INFORMATION

Complete toxicity data are not available for this specific formulation.

Refer to Section 3 for potential health effects and Section 4 for first aid measures.

**Dermal irritation** Contains substituted azonaphthalenesulfonate salt:

Non irritant in rabbit (OECD 404)

Eye irritation Contains substituted azonaphthalenesulfonate salt:

Severe eye irritant in rabbit (OECD 405)

Black ink:

Non irritant in rabbit (OECD 405)

Sensitization Contains substituted azonaphthalenesulfonate salt

Non-sensitizer in guinea pig (OECD 406)

Contains substituted azonaphthalenesulfonate salt: **Oral toxicity** 

LD50/oral/rat >2000 mg/kg (OECD 401)

Contains substituted azonaphthalenesulfonate salt: **Dermal toxicity** 

LD50/dermal/rabbit > 2000 mg/kg

# 12. ECOLOGICAL INFORMATION

Contains substituted azonaphthalenesulfonate salt **Aquatic toxicity** 

Acute fish toxicity =96h LC50 > 112 mg/L, Carp

LC50/48h/daphnia =86 mg/L EC50/48h/green algae =8.2 mg/L

LC50/96h/Fathead minnows =677 mg/L.

This black ink is classified for environmental effects according to EU Directive 1999/45/EC with

R52/53.

Material name C1806A MSDS US Creation date Apr 30, 2003



#### 13. DISPOSAL CONSIDERATIONS

**Disposal instructions** Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if

this service is available in your location, please visit http://www.hp.com/recycle.

#### 14. TRANSPORTATION INFORMATION

General Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.

**IATA** 

Proper shipping name Not applicable Hazard class Not applicable

Packaging exceptions None Identification number (UN) None Packing group N/A

#### 15. REGULATORY INFORMATION

**International regulations**All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South

Korea, New Zealand, and China.

**US federal regulations**US EPA TSCA 12(b): Does not contain listed chemicals.

HMIS ratings Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1
Flammability: 1

Flammability: 1 Instability: 0

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 extremely No

hazardous substance

Section 311 hazardous

chemical

No

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### 16. OTHER INFORMATION

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation

(29 CFR 1910.1200).

Issue date Feb 9 2007 7:41AM

Revision 3

Replaces sheet dated Jan 9 2006 6:02PM

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

Material nameC1806AMSDS USCreation dateApr 30, 2003Version number 34 / 5



MSDS sections updated

3. Hazards Identification: Routes of exposure
11. Toxicological Information: Sensitization

**Explanation of abbreviations** 

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material nameC1806AMSDS USCreation dateApr 30, 2003Version number 35 / 5