

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identification of the

C5063A

preparation

Use of the preparation Inkjet printing

Selectability number 90

Manufacturer information Hewlett-Packard Company

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199

General information telephone number

HP Customer Care Line 1-800-474-6836 (Toll-free) 1-800-474-6836 (Direct) 1-208-323-2551 Revision date 12-07-2004 MSDS number 14195

2. COMPOSITION / INFORMATION ON INGREDIENTS

Component/substance	CAS number	% by weight	
Water	7732-18-5	< 70	
1,5-pentanediol	111-29-5	< 15	
2-pyrrolidone	616-45-5	< 7.5	
Alkyldicarboxylic acid	Proprietary	< 7.5	
Tetraethylene glycol	112-60-7	< 5	
Substituted xanthylium salt #1	Proprietary	< 2.5	

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200

(Hazard Communication Standard).

3. HAZARDS IDENTIFICATION

Emergency Overview Contact with skin and eyes may result in irritation.

Acute Health EffectsAny potential hazards are presumed to be due to exposure to the components.

Material name C5063A MSDS US

Creation date 04-30-2003 Version number 3 1 / 6

(I)

MATERIAL SAFETY DATA SHEET

Skin contact

1,5-pentanediol

Contact with skin may result in irritation.

2-pyrrolidone

Contact with skin may result in irritation.

Alkyldicarboxylic acid

Contact with skin may result in irritation.

Tetraethylene glycol

Contact with skin may result in irritation.

Eye contact

1,5-pentanediol

Contact with eyes may result in irritation.

2-pyrrolidone

Contact with eyes may result in irritation.

Alkyldicarboxylic acid

Contact can cause moderate to severe irritation and possible injury to the eyes.

Substituted xanthylium salt #1

Contact with eyes may result in mild irritation.

Tetraethylene glycol

Contact with eyes may cause irritation.

Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation.

Alkyldicarboxylic acid

Inhalation may result in respiratory irritation.

Tetraethylene glycol

Inhalation may result in respiratory irritation.

Ingestion

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Alkyldicarboxylic acid

Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of

exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation.

Material name C5063A MSDS US

Creation date 04-30-2003 Version number 3 2 / 6



Potential health effects

Chronic health effects None known.

CarcinogenicityNone of the components present in this formulation at concentrations equal to or

greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

4. FIRST AID MEASURES

First aid procedures

Eye Do not rub eyes. Immediately flush with large amounts of clean, warm water (low

pressure) for at least 15 minutes or until particles are removed. If irritation persists

get medical attention.

Skin Wash affected areas thoroughly with mild soap and water. Get medical attention if

irritation develops or persists.

Inhalation Remove to fresh air. If symptoms persist, get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

5. FIRE FIGHTING MEASURES

Flash point and method > 93.3 °C (> 200 °F); Pensky-Martens Closed Cup

Hazardous combustion

products

Refer to section 10.

Extinguishing media Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

None known.

Unusual fire and explosion

hazard

None known.

Special firefighting

procedures

None established.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer

system.

Procedures if material is

released or spilled

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local

regulations. See also section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limit values Exposure limits have not been established for this product.

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye.

Material name C5063A MSDS US

Creation date 04-30-2003 Version number 3 3 / 6



Personal protective equipment

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Exposure guidelines Use in a well ventilated area.

9. PHYSICAL & CHEMICAL PROPERTIES

pH 3.8 - 4.2

Vapor pressureNot determinedBoiling pointNot determinedSolubilitySoluble in water

Specific gravity 1 - 1.2 VOC content < 3 %

Flash point > 93.3 °C (> 200 °F)

Viscosity > 2 cp

Vapor density> 1 (air = 1.0)Evaporation rateNot determinedFlammabilityNot determinedOxidizing propertiesNot determined

Color Magenta

10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Stability Stable under recommended storage conditions.

Hazardous polymerization Will not occur.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon

monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Incompatibility Incompatible with strong bases and oxidizing agents.

11. TOXICOLOGICAL INFORMATION

This ink formulation has not been tested for toxicological effects.

Refer to Section 3 for potential health effects and Section 4 for first aid measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity LC50/96h/Fathead minnows =/< 400 mg/L

Static acute toxicity (trout), survival (100 mg/L) = 100% Static acute toxicity (trout), survival (10 mg/L) = 100%

13. DISPOSAL CONSIDERATIONS

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit

http://www.hp.com/recycle.

14. TRANSPORTATION INFORMATION

General Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.

Material name C5063A MSDS US

Creation date 04-30-2003 Version number 3 4 / 6

IATA

Not applicable Proper shipping name

Hazard class Not applicable

Packaging exceptions Identification number

None None

(UN)

N/A Packing group

15. REGULATORY INFORMATION

International regulations All chemical substances in this HP product have been notified or are exempt from

notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia,

Japan, Philippines, South Korea, New Zealand, and China.

US federal regulations US TSCA 12(b): Does not contain listed chemicals.

Health **HMIS** ratings

> Flammability Classification 1 0 Reactivity

NFPA ratings Health 1

> Flammability Classification 1 Reactivity 0

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 Extremely **Hazardous Substance**

Section 311 Hazardous

Chemical

No

Immediate Hazard - No **Hazard categories**

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

16. OTHER INFORMATION

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications

regulation (29 CFR 1910.1200).

Issue date 12-07-2004

Revision

12-01-2004 Replaces sheet dated

Disclaimer This Safety Data Sheet document is provided without charge to customers of

Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet

regulatory requirements in other countries.

Material name C5063A MSDS US Creation date 04-30-2003 Version number 3 5/6



MSDS Sections Updated

Physical & Chemical Properties: Material Properties

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name C5063A MSDS US

Creation date 04-30-2003 Version number 3 6 / 6