

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identification of the

preparation

HP Color LaserJet C8560A Imaging Drum Cartridge

Use of the preparation This product is an imaging drum that is used in HP Color LaserJet 9500/9500mfp series

printers.

Manufacturer information Hewlett-Packard Company

11311 Chinden Boulevard Boise, ID 83714 USA

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199

General information telephone number

 HP Customer Care Line
 1-800-474-6836

 (Toll-free)
 1-800-474-6836

 (Direct)
 1-208-323-2551

 Date prepared
 Mar 02, 2007

 MSDS number
 220392

2. COMPOSITION / INFORMATION ON INGREDIENTS

Component/substance	CAS number	% by weight	
Aluminum alloy	Trade Secret	95 - 98	
Polyester resin	Trade Secret	0.2 - 1	
Titanium dioxide	13463-67-7	0.2 - 1	
Aryl amine derivative		0.2 - 1	

3. HAZARDS IDENTIFICATION

Acute health effects

Skin contact Unlikely to cause skin irritation.

Eye contactUnlikely to cause irritation under normal use conditions.InhalationUnlikely to cause irritation under normal use conditions.IngestionUnlikely to cause irritation under normal use conditions.

Potential health effects

Routes of exposure Skin contact

Chronic health effects None known.

Carcinogenicity None of the ingredients have been classified as carcinogens according to EU, IARC, MAK,

NTP, OSHA or ACGIH.

Other information This product is not classified as hazardous according to OSHA CFR 1910.1200 or EU Directive

1999/45/EC, and as amended.

4. FIRST AID MEASURES

First aid procedures

Skin Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for

at least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Material nameC8560AMSDS USCreation dateOct 22, 2004Version number 51 / 5



Ingestion Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

5. FIRE FIGHTING MEASURES

Flash point and method Not applicable

Auto ignition temperature Not applicable

Hazardous combustion

products

Combustion will produce carbon dioxide, carbon monoxide, and nitrogen oxides.

Extinguishing media Dry chemical, carbon dioxide.

Unsuitable extinguishing

media

water or foam

Unusual fire and explosion

hazard

None known.

Fire fighting

equipment/instructions

If fire occurs in the printer, treat as an electrical fire.

Special firefighting procedures None established.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Not applicable

Environmental precautions See also section 13 Disposal considerations.

Procedures if material is

released or spilled

Not applicable

7. HANDLING AND STORAGE

Handling Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use

with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Storage Keep out of the reach of children. Store at room temperature in the original container. Keep the

container tightly closed and dry. Store away from strong oxidizers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values None established. OSHA - Final PELs - Time Weighted Averages (TWAs)

Titanium dioxide 13463-67-7 15 mg/m3 TWA (total dust)

ACGIH - Threshold Limits Values - Time Weighted Averages (TLV-TWA)
Titanium dioxide 13463-67-7 10 mg/m3 TWA

Personal protective equipment

General No personal respiratory protective equipment required under normal conditions of use.

Exposure guidelines Use in a well ventilated area.

9. PHYSICAL & CHEMICAL PROPERTIES

pH Not applicableVapor pressure Not applicableBoiling point Not applicable

Melting point > 100 °C (> 212.0 °F)

Specific gravity No information available

Flash point Not applicable
Viscosity Not applicable

Material nameC8560AMSDS USCreation dateOct 22, 2004Version number 52 / 5



Vapor density

Not applicable

Evaporation rate

Not applicable

Flammability

Not flammable

Appearance Viridian aluminum cylinder

Form solid

Odor Odorless

Oxidizing properties No information available.

Color Greenish blue

10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Stability Stable under normal storage conditions.

Conditions to avoid Imaging Drum: Exposure to light

Hazardous polymerization Will not occur.

Hazardous decomposition

products

No decomposition if stored normally.

Incompatibility Strong oxidizers

11. TOXICOLOGICAL INFORMATION

Complete toxicity data are not available for this specific formulation

Refer to Section 3 for potential health effects and Section 4 for first aid measures.

Dermal irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

Eye irritation Not classified as irritant, according to OSHA Hazard Communication Standard (HCS) and EU

Directive 67/548/EEC and as amended.

Sensitization Not classified as a sensitizer according to EU Directive 67/548/EEC and as amended, and

OSHA HCS (US).

Chronic toxicity No information available.

Oral toxicity LD50/oral/rat >2000 mg/kg , (OECD 401), Not harmful.

Carcinogenicity Not a known or suspected carcinogen according to any IARC Monograph, NTP, OSHA

Regulations (USA), EU Directive, or Proposition 65 (California).

Mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Reproductive toxicity Not classified as toxic according to EU Directive 67/548/EEC and as amended, California Prop.

65, and DFG (Germany).

Symptoms and target organs

NIOSH - Pocket Guide - Target Organs

Titanium dioxide 13463-67-7 respiratory system (in animals: lung tumors)

12. ECOLOGICAL INFORMATION

Other information This product has not been tested for ecological effects.

Material name C8560A MSDS US



13. DISPOSAL CONSIDERATIONS

Disposal instructions

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

14. TRANSPORTATION INFORMATION

General Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.

15. REGULATORY INFORMATION

All chemical substances in this HP product have been notified or are exempt from notification International regulations

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South

Korea, New Zealand, and China.

US federal regulations US EPA TSCA Inventory: All chemical substances in this product comply with all rules or

orders under TSCA.

US TSCA 12(b): Does not contain listed chemicals.

Health: 1 **HMIS** ratings Flammability:

1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 0 Instability:

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 extremely hazardous substance

No

Section 311 hazardous

chemical

No

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

16. OTHER INFORMATION

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation

(29 CFR 1910.1200).

Issue date Mar 2 2007 11:00AM

Revision

Mar 2 2007 7:21AM Replaces sheet dated

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as quaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

Material name C8560A MSDS US Creation date Oct 22, 2004 Version number 5 4/5



Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material nameC8560AMSDS USCreation dateOct 22, 2004Version number 55 / 5