

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identification of the

preparation

C9418A

Use of the preparation Inkjet printing

Manufacturer information Hewlett-Packard Company

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-503-494-7199

General information telephone number

 HP Customer Care Line
 1-800-474-6836

 (Toll-free)
 1-800-474-6836

 (Direct)
 1-208-323-2551

 Date prepared
 Aug 22, 2006

 MSDS number
 168290

#### 2. COMPOSITION / INFORMATION ON INGREDIENTS

Component/substance	CAS number	% by weight	
Water	7732-18-5	> 70	
2-pyrrolidone	616-45-5	< 7.5	
Alkyldiol	Proprietary	< 7.5	
Diethylene glycol	111-46-6	< 5	
Polymer 683-K salt		< 2.5	

**Composition comments** This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

## 3. HAZARDS IDENTIFICATION

**Emergency overview**Contact with skin and eyes may result in irritation. Ingestion may result in nausea, vomiting and

diarrhea.

**Acute health effects**Any potential hazards are presumed to be due to exposure to the components.

Skin contact

2-pyrrolidone

Contact with skin may result in irritation.

Alkyldiol

Contact with skin may result in irritation.

Polymer 683-K salt

Contact with skin may result in irritation.

Eye contact

2-pyrrolidone

Contact with eyes may result in irritation.

Alkyldiol

Contact with eyes may result in irritation.

Polymer 683-K salt

Contact with eyes may result in irritation.

Material nameC9418AMSDS USCreation dateApr 30, 2003Version number 11 / 5

Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation.

Alkvldiol

Inhalation may result in respiratory irritation.

Ingestion

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Diethylene glycol

Harmful if swallowed. May cause kidney and liver damage. May depress the central nervous

system.

Polymer 683-K salt

Swallowing large amounts may cause digestive discomfort. Ingestion may result in nausea,

vomiting and diarrhea.

Potential health effects

Potential routes of overexposure to this product are skin and eye contact Routes of exposure

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects None known.

Carcinogenicity None of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

## 4. FIRST AID MEASURES

First aid procedures

Wash affected areas thoroughly with mild soap and water. If irritation persists get medical Skin

attention.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for Eve

at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

## 5. FIRE FIGHTING MEASURES

Flash point and method > 200 °F; Pensky-Martens Closed Cup

Auto ignition temperature Not determined **Hazardous combustion** 

products

Refer to section 10.

Extinguishing media CO2, water, dry chemical, or foam

Unsuitable extinguishing

media

None known.

Unusual fire and explosion

hazard

Combustion generates toxic fumes of fluoride/fluoine compounds; aldehydes; ketones;

potential for acetylene.

Special firefighting procedures None established.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Do not let product enter drains. Do not flush into surface water or sanitary sewer system. **Environmental precautions** 

Material name C9418A MSDS US Creation date Apr 30, 2003 Version number 1 2/5



Procedures if material is released or spilled

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before

e-use

**Storage** Keep in a dry place. Keep away from excessive heat or cold. Store away from strong oxidizers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure limit values** Exposure limits have not been established for this product.

Personal protective equipment

**General** Use personal protective equipment to minimize exposure to skin and eye.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

**Exposure guidelines**Use in a well ventilated area.

9. PHYSICAL & CHEMICAL PROPERTIES

**pH** 9.2

Vapor pressure Not determined

Boiling point Not determined

Solubility Soluble in water

Specific gravity 1 - 1.1

Flash point > 200 °F

Vapor density > 1 (air=1.0)

Evaporation rate Not determined

Flammability Not determined

Oxidizing properties Not determined

Color Light Cyan

10. CHEMICAL STABILITY & REACTIVITY INFORMATION

**Stability** Stable under recommended storage conditions.

Hazardous polymerization Will not occur.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide,

carbon dioxide and/or low molecular weight hydrocarbons.

hydrogen fluoride

fluorinated hydrocarbons

ketones aldehydes

**Incompatibility** Incompatible with strong bases and oxidizing agents.

11. TOXICOLOGICAL INFORMATION

This ink formulation has not been tested for toxicological effects.

Refer to Section 3 for potential health effects and Section 4 for first aid measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity LC50/96h/Fathead minnows =greater than 750 mg/l

Material nameC9418AMSDS USCreation dateApr 30, 2003Version number 13 / 5



## 13. DISPOSAL CONSIDERATIONS

Dispose of in compliance with federal, state, and local regulations. **Disposal instructions** 

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkiet and LaserJet supplies. For more information and to determine if

this service is available in your location, please visit http://www.hp.com/recycle.

## 14. TRANSPORTATION INFORMATION

General Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.

**IATA** 

Proper shipping name Not Applicable **Hazard class** Not applicable

Packaging exceptions None Identification number (UN) None Packing group N/A

## 15. REGULATORY INFORMATION

All chemical substances in this HP product have been notified or are exempt from notification International regulations

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South

Korea, New Zealand, and China.

US federal regulations US TSCA 12(b): Does not contain listed chemicals.

**HMIS** ratings

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 extremely

hazardous substance

Nο

Section 311 hazardous

chemical

No

**Hazard categories** Immediate Hazard - No

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

## **16. OTHER INFORMATION**

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation

(29 CFR 1910.1200).

Aug 22 2006 1:51PM Issue date

Revision

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as quaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

Material name C9418A MSDS US Creation date Apr 30, 2003 4/5



## **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material nameC9418AMSDS USCreation dateApr 30, 2003Version number 15 / 5