$C9463 Series [LG]-MSDS_US-English-02.pdf$

 $C9463 Series [PB]-MSDS_US-English-02.pdf$



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Identification of the

preparation

C9463Series[LG]

Product use Inkjet printing

Version # 02

Revision date 28-Feb-2011

Company identification Hewlett-Packard Company

3000 Hanover Street Palo Alto, CA 94304-1185

United States

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 **HP Customer Care Line**

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazards Identification

Emergency overview Contact with skin and eyes may result in irritation. Indestion may result in nausea, yomiting and

diarrhea. May cause sensitization of susceptible persons.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact 2-pyrrolidone

Contact with skin may result in irritation.

Alkvldiol

Contact with skin may result in irritation.

Eye contact 2-pyrrolidone

Contact with eyes may result in irritation.

Contact with eyes may result in irritation.

Inhalation 2-pyrrolidone

Inhalation may result in respiratory irritation.

Inhalation may result in respiratory irritation.

Ingestion 2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Diethylene glycol

Harmful if swallowed. May cause kidney and liver damage. May depress the central nervous

system.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects Carbon Black: Chronic inhalation studies performed with fine dust particles resulted in lung

> tumors in animals. The IARC classification was based upon these results. IARC also concluded "there is inadequate evidence in humans for the carcinogenicity of carbon black." Inhalation of

fine dust particles is not expected to occur during normal conditions of use of this ink.

Material name: C9463Series[LG] 1/6

Carcinogenicity

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not

present this carcinogenic risk.

None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

3. Composition / Information on Ingredients

Components	CAS #	Davaant
Components	CAS #	Percent
Water	7732-18-5	80 - 90
Alkyldiol	Proprietary	5 - 7.5
2-pyrrolidone	616-45-5	2.5 - 5
Diethylene glycol	111-46-6	2.5 - 5
Carbon black	1333-86-4	0 - 1
Triethanolamine	102-71-6	0 - 1

Composition comments

This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

Carbon black is present only in a bound form in this preparation.

4. First Aid Measures

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Ingestion If material is ingested, immediately contact a physician or poison control center.

5. Fire Fighting Measures

Flammable properties

Combustion generates toxic fumes of fluorides; fluorine compounds;.

Extinguishing media

Suitable extinguishing

media

CO2, water, dry chemical, or foam

Unsuitable extinguishing

media

None known.

Specific methods

None established.

Hazardous combustion

Refer to section 10.

products

6. Accidental Release Measures

Personal precautions

Wear appropriate personal protective equipment.

Environmental precautions

Other information

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. Handling and Storage

Handling

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use.

Storage Keep in a dry place. Keep away from excessive heat or cold. Store away from strong oxidizers.

Material name: C9463Series[LG]

8. Exposure Controls / Personal Protection

Occupational exposure limits

ACGIH

Components	Туре	Value
Carbon black (1333-86-4)	TWA	3.5000 mg/m3
Triethanolamine (102-71-6)	TWA	5.0000 mg/m3

U.S. - Tennessee

Components **Value Type** TWA 3.5000 mg/m3 Carbon black (1333-86-4)

U.S. - WEEL

Components	Туре	Value
Diethylene glycol (111-46-6)	TWA	10.0000 mg/m3

Exposure limits have not been established for this product. **Exposure guidelines**

Engineering controls Use in a well ventilated area.

Personal protective equipment

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

Use personal protective equipment to minimize exposure to skin and eye. General

9. Physical & Chemical Properties

Appearance Not available. Color Light Grey Not available. Odor **Odor threshold** Not available. **Physical state** Liauid

Form Not available.

pН 9.4

Melting point Not available. Freezing point Not available. **Boiling point** Not determined

Flash point 200 °F (93.3 °C) Pensky-Martens Closed Cup

Evaporation rate Flammability limits in air, upper, % by volume

Not available.

Not determined

Flammability limits in air,

lower, % by volume

Not determined

Not determined Vapor pressure Vapor density Not available.

Specific gravity

Not available. **Relative density** Solubility (water) Soluble in water **Auto-ignition temperature** Not determined **Decomposition temperature** Not available. VOC < 138 g/l

Other information VOC content (less water, less exempt compounds) = < 138 g/L (U.S. requirement, not for

emissions)

VOC data based on formulation (Organic compounds minus solids)

Material name: C9463Series[LG] MSDS US

10. Chemical Stability & Reactivity Information

Chemical stability Stable under recommended storage conditions.

Incompatible materials Incompatible with strong bases and oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. hydrogen fluoride, fluorinated hydrocarbons

Possibility of hazardous

reactions

Will not occur.

11. Toxicological Information

Carcinogenicity Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group

2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it

remains bound within a product matrix, specifically, rubber, ink, or paint.

Serious eye damage/eye

irritation

Not available.

Skin sensitization Not available.

Further information This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological Information

Aquatic toxicity LC50/96h/Fathead minnows => 750 mg/L

Persistence and degradability Not available.

13. Disposal Considerations

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

14. Transport Information

Further information Not a dangerous good under United States DOT, IATA, ADR, IMDG, or RID.

DOT

Not regulated as dangerous goods.

IATA

Basic shipping requirements:

Proper shipping name Not Applicable Hazard class Not applicable

UN number None **Packing group** N/A

Additional information:

Packaging exceptions None

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. Regulatory Information

US TSCA 12(b): Does not contain listed chemicals.

CERCLA (Superfund) reportable quantity

None

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 Yes hazardous chemical

Material name: C9463Series[LG]

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No **Hazard categories**

> Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous

chemical

Yes

State regulations

US - Pennsylvania RTK - Hazardous Substances: Listed substance

2-pyrrolidone (CAS 616-45-5) Listed. Diethylene glycol (CAS 111-46-6) Listed.

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

16. Other Information

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

HMIS® ratings Health: 1

Flammability: 2 Physical hazard: 0

NFPA ratings Health: 1

> Flammability: 2 Instability: 0

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

> Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

28-Feb-2011 Issue date

This data sheet contains changes from the previous version in section(s):

Product and Company Identification: Product and Company Identification

Hazards Identification: Carcinogenicity

Composition / Information on Ingredients: Composition comments

9. Physical & Chemical Properties: Color

9. Physical & Chemical Properties: Other information 11. Toxicological Information: Carcinogenicity 11. Toxicological Information: Further information 14. Transport Information: Further information

Manufacturer information

Hewlett-Packard Company 1000 NE Circle Boulevard Corvallis, OR 97330-4239 US (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name: C9463Series[LG] MSDS US

5/6

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C9463Series[LG] MSDS US



MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Identification of the

preparation

C9463Series[PB]

Product use Inkjet printing

Version # 02

Revision date 28-Feb-2011

Company identification Hewlett-Packard Company

3000 Hanover Street Palo Alto, CA 94304-1185

United States

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 HP Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazards Identification

Emergency overviewContact with skin and eyes may result in irritation. Ingestion may result in nausea, vomiting and

diarrhea. May cause sensitization of susceptible persons.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact *2-pyrrolidone*

Contact with skin may result in irritation.

Alkvldiol

Contact with skin may result in irritation.

Eye contact *2-pyrrolidone*

Contact with eyes may result in irritation.

Alkvldiol

Contact with eyes may result in irritation.

Inhalation *2-pyrrolidone*

Inhalation may result in respiratory irritation.

Alkyldiol

Inhalation may result in respiratory irritation.

Ingestion *2-pyrrolidone*

Ingestion may result in nausea, vomiting and diarrhea.

Diethylene glycol

Harmful if swallowed. May cause kidney and liver damage. May depress the central nervous

system.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Carcinogenicity Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly

carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not

present this carcinogenic risk.

None of the other ingredients in this preparation are classified as carcinogens according to

ACGIH, EU, IARC, MAK, NTP or OSHA.

Material name: C9463Series[PB]

MSDS US

3. Composition / Information on Ingredients		
Components	CAS #	Percent
Water	7732-18-5	70 - 80
2-pyrrolidone	616-45-5	5 - 7.5
Alkyldiol	Proprietary	2.5 - 5
Diethylene glycol	111-46-6	2.5 - 5
Carbon black	1333-86-4	1 - 2.5
Triethanolamine	102-71-6	0 - 1

Composition comments

This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

Carbon black is present only in a bound form in this preparation.

4. First Aid Measures

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Ingestion If material is ingested, immediately contact a physician or poison control center.

5. Fire Fighting Measures

Flammable properties Combustion generates toxic fumes of fluoride/fluorine compounds; aldejydes; ketones; potential

for acetylene.

Extinguishing media

Suitable extinguishing

media

CO2, water, dry chemical, or foam

Unsuitable extinguishing

media

None known.

Specific methods
Hazardous combustion

products

None established. Refer to section 10.

6. Accidental Release Measures

Personal precautions

Wear appropriate personal protective equipment.

Environmental precautions
Other information

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use.

Storage Keep out of the reach of children. Keep away from excessive heat or cold. Store away from strong

oxidizers.

8. Exposure Controls / Personal Protection

Occupational exposure limits

ACGIH

Components	Туре	Value	
Carbon black (1333-86-4)	TWA	3.5000 mg/m3	
Triethanolamine (102-71-6)	TWA	5.0000 mg/m3	

Material name: C9463Series[PB]

U.S. - Tennessee

Value Components Type 3.5000 mg/m3

TWA Carbon black (1333-86-4)

U.S. - WEEL

Components Type Value 10.0000 mg/m3 Diethylene glycol (111-46-6) TWA

Exposure guidelines Exposure limits have not been established for this product.

Engineering controls Use in a well ventilated area.

Personal protective equipment

Eye / face protection Not required under intended use.

Skin protection Protected gloves not required under intended use.

Respiratory protection For use other than intended use (such as in the event of a large spill), goggles and respirators may

be required.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

General Use personal protective equipment to minimize exposure to skin and eye.

9. Physical & Chemical Properties

Not available. **Appearance**

Color Black.

Odor Not available. **Odor threshold** Not available.

Physical state Liquid

Form Not available.

pН 9.3

Melting point Not available. Freezing point Not available. **Boiling point** Not determined

Flash point 200 °F (93.3 °C) Pensky-Martens Closed Cup

Not determined **Evaporation rate** Flammability limits in air, upper, % by volume

Not available.

Flammability limits in air, lower, % by volume

Not determined

Vapor pressure Not determined Vapor density Not available.

Specific gravity

Relative density Not available. Solubility (water) Soluble in water Not determined **Auto-ignition temperature Decomposition temperature** Not available. VOC < 192 g/L

Other information VOC content (less water, less exempt compounds) = < 863 g/L (U.S. requirement, not for

emissions)

10. Chemical Stability & Reactivity Information

Chemical stability Stable under recommended storage conditions. **Incompatible materials** Incompatible with strong bases and oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. aldehydes, ketones, hydrogen fluoride,

fluorinated hydrocarbons

Material name: C9463Series[PB] MSDS US Will not occur.

11. Toxicological Information

Carcinogenicity Ca

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint.

ACGIH Carcinogens

Carbon black (CAS 1333-86-4) A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

IARC Monographs: Evidence of carcinogenicity in humans

Carbon black (CAS 1333-86-4) Inadequate data.

Serious eye damage/eye

Not available.

irritation

Skin sensitization Not available.

Symptoms and target organs Target Organs (NIOSH)

Carbon black (CAS 1333-86-4) Eyes

Respiratory system

Further information This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological Information

Aquatic toxicity LC50/96h/Fathead minnows => 750 mg/L

Persistence and degradability Not available.

13. Disposal Considerations

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is a wild blade in your leasting, places visit better (formula by complete line).

is available in your location, please visit http://www.hp.com/recycle.

14. Transport Information

Further information Not a dangerous good under United States DOT, IATA, ADR, IMDG, or RID.

DOT

Not regulated as dangerous goods.

IATA

Basic shipping requirements:

Proper shipping name Not applicable Hazard class Not applicable

UN number None **Packing group** N/A

Additional information:

Packaging exceptions None

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations US TSCA 12(b): Does not contain listed chemicals.

CERCLA (Superfund) reportable quantity

None

Material name: C9463Series[PB] MSDS US

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200

hazardous chemical

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Yes

Hazard categories Immediate Hazard - No

> Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous

chemical

Yes

State regulations

US - Pennsylvania RTK - Hazardous Substances: Listed substance

2-pyrrolidone (CAS 616-45-5) Listed. Carbon black (CAS 1333-86-4) Listed. Diethylene glycol (CAS 111-46-6) Listed.

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other Information

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

HMIS® ratings Health: 1

> Flammability: 2 Physical hazard: 0

NFPA ratings Health: 1

> Flammability: 2 Instability: 0

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Issue date 28-Feb-2011

This data sheet contains changes from the previous version in section(s):

Product and Company Identification: Product and Company Identification

Hazards Identification: Chronic health effects

Hazards Identification: Carcinogenicity Composition / Information on Ingredients: Composition comments

9. Physical & Chemical Properties: Color

9. Physical & Chemical Properties: Other information 11. Toxicological Information: Carcinogenicity

Hewlett-Packard Company Manufacturer information

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Material name: C9463Series[PB] MSDS US

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C9463Series[PB] MSDS US