

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Identification of the

preparation

CN630Series

Product use Inkjet printing

Version # 03

Revision date 19-Mar-2011

Company identification Hewlett-Packard Company

> 3000 Hanover Street Palo Alto, CA 94304-1185

United States

Telephone 650-857-1501

Hewlett-Packard health effects line (Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199 **HP Customer Care Line**

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

2. Hazards Identification

Emergency overview Contact with skin and eyes may result in irritation. Ingestion may result in nausea, vomiting and

diarrhea.

Acute health effects

Any potential hazards are presumed to be due to exposure to the components.

Skin contact 2-pyrrolidone

Contact with skin may result in irritation.

Alkvldiol

Contact with skin may result in irritation.

Eye contact 2-pyrrolidone

Contact with eyes may result in irritation.

Contact with eyes may result in irritation.

Inhalation 2-pyrrolidone

Inhalation may result in respiratory irritation.

Inhalation may result in respiratory irritation.

Ingestion 2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Diethylene glycol

Harmful if swallowed. May cause kidney and liver damage. May depress the central nervous

system.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

Material name: CN630Series MSDS US 9395 Version #: 03 Revision date: 19-Mar-2011 Print date: 19-Mar-2011 1/5

3. Composition / Information on Ingredients Components CAS# Percent Water 7732-18-5 70 - 802-pyrrolidone 616-45-5 7.5 - 10Diethylene glycol 111-46-6 5 - 7.5 Alkyldiol **Proprietary** 2.5 - 5

Composition comments This ink supply contains an aqueous ink formulation.

This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard

Communication Standard).

4. First Aid Measures

First aid procedures

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical

attention.

Inhalation Move to fresh air. If symptoms persist, get medical attention.

CO2, water, dry chemical, or foam

Ingestion If material is ingested, immediately contact a physician or poison control center.

5. Fire Fighting Measures

Flammable propertiesCombustion generates toxic fumes of flluorides/fluorine compounds; aldehydes; ketones...

Extinguishing media

Suitable extinguishing

media

Unsuitable extinguishing

media

Specific methods

None established.

None known.

Hazardous combustion

products

Refer to section 10.

6. Accidental Release Measures

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions

Other information

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also

section 13 Disposal considerations.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold. Store away from strong

oxidizers.

8. Exposure Controls / Personal Protection

Occupational exposure limits

U.S. - WEEL

Components	Туре	Value	
Diethylene glycol (111-46-6)	TWA	10.0000 mg/m3	

Exposure guidelines Exposure limits have not been established for this product.

Engineering controls Use in a well ventilated area.

Personal protective equipment

Eye / face protection Not required under intended use.

Skin protection Protected gloves not required under intended use.

Material name: CN630Series

MSDS US

Respiratory protection For use other than intended use (such as in the event of a large spill), goggles and respirators may

be required.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

General Use personal protective equipment to minimize exposure to skin and eye.

9. Physical & Chemical Properties

Appearance Not available.

Color Yellow

Odor Not available.
Odor threshold Not available.

Physical state Liquid

Form Not available.

pH 9.2

Melting pointNot available.Freezing pointNot available.Boiling pointNot determined

Flash point > 200 °F (> 93.3 °C) Pensky-Martens Closed Cup

Evaporation rate
Flammability limits in air,
upper, % by volume

Not determined Not available.

Flammability limits in air, lower, % by volume

Not determined

Vapor pressureNot determinedVapor densityNot available.Specific gravity1 - 1.1

Relative density
Solubility (water)
Auto-ignition temperature
Decomposition temperature
Not available.
Not available.

VOC < 204 g/l

Other information VOC content (less water, less exempt compounds) = < 834 g/L (U.S. requirement, not for

emissions)

VOC data based on formulation (Organic compounds minus solids)

10. Chemical Stability & Reactivity Information

Chemical stability Stable under recommended storage conditions. **Incompatible materials** Incompatible with strong bases and oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. aldehydes, ketones, hydrogen fluoride,

fluorinated hydrocarbons

Possibility of hazardous

reactions

Will not occur.

11. Toxicological Information

Serious eye damage/eye

irritation

Not available.

Skin sensitization Not available.

Further information This ink formulation has not been tested for toxicological effects.

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

12. Ecological Information

Aquatic toxicity LC50/96h/Fathead minnows => 750 mg/L

Persistence and degradability Not available.

Material name: CN630Series

9395 Version #: 03 Revision date: 19-Mar-2011 Print date: 19-Mar-2011 3 / 5

13. Disposal Considerations

Disposal instructions

Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

14. Transport Information

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

DOT

Not regulated as dangerous goods.

IATA

Basic shipping requirements:

Proper shipping nameHazard class
Not applicable
Not applicable

UN number None **Packing group** N/A

Additional information:

Packaging exceptions None

IMDG

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

15. Regulatory Information

US TSCA 12(b): Does not contain listed chemicals.

CERCLA (Superfund) reportable quantity

None

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 Yes

hazardous chemical

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous Yes

chemical

State regulations

US - Pennsylvania RTK - Hazardous Substances: Listed substance

2-pyrrolidone (CAS 616-45-5) Listed. Diethylene glycol (CAS 111-46-6) Listed.

Regulatory information All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

16. Other Information

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29

CFR 1910.1200).

HMIS® ratings Health: 1

Flammability: 2 Physical hazard: 0

Material name: CN630Series MSDS US

9395 Version #: 03 Revision date: 19-Mar-2011 Print date: 19-Mar-2011

NFPA ratings Health: 1

Flammability: 2 Instability: 0

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

> Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and

may not meet regulatory requirements in other countries.

Issue date 19-Mar-2011

This data sheet contains changes from the previous version in section(s):

Product and Company Identification: Alternate Trade Names Composition / Information on Ingredients: Ingredients

14. Transport Information: Further information

Regulatory Information: Canada

Manufacturer information **Hewlett-Packard Company**

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

Code of Federal Regulations **CFR**

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: CN630Series MSDS US

9395 Version #: 03 Revision date: 19-Mar-2011 Print date: 19-Mar-2011