

Page: lof 5

First issue: Dec. 26, 2007 Revised: Apr. 10, 2008 MSDS No.: BHC018

Product name: LC61C, LC65HY-C, LC980C, LC1100C, LC1100HY-C.

LC38C, LC67C, LC990C

#### MATERIAL SAFETY DATA SHEET

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

	1. CHEMICAL TROPOGRAMME COMMENT RESERVED TO									
	Product Name Product Code	LC61C LK33366001	LC65HY-@ LK3291001	LC980C LK3374001	LC1100C LK3572001					
	Product Name Product Code	LC1100HY-C LK3523001	LC38C LK3661001	LC67C LK3669001	LC990C LK3649001					
General Use Product Description MSDS No.		Inkjet printing Water based ink BHC018	Water based ink cartridge for inkjet printing machine							
	Manufacturer	BROTHER INDUSTR 5-1, Hamada-cho, Mins Telephone Number for	0822, JAPAN +81-52-824-3445							
Importer in USA  BROTHER INTERNATIONAL CORPOR 100 Somerset Corporate Boulevard, P.O.Bo NJ 08807-0911, USA Telephone Number for Information				1	ter,					
	_		****							

Importer

BROTHER INTERNATIONAL CORP. (Canada) LTD.

in Canada

1 rue Hôtel de Ville, Dollard-des-Ormeaux, Québec, H9B 3H6, CANADA

Telephone Number for Information

+1-514-685-0600

Importer in Australia

BROTHER INTERNATIONAL (AUST.) PTY. LTD. ACN 001 393 835 7 Khartoum Road, North Ryde, N.S.W. 2113 08875-6714, AUSTRALIA

Telephone Number for Information

+61-2-9887-4344

Importer

BROTHER INTERNATIONAL EUROPE LTD.

in Europe

Brother house, 1 Tame Street, Guide Bridge, Audenshaw, Manchester

M34 5JE, UK

Telephone Number for Information

+44-161-330-6531

Please telephone to the above office during our business hours.

#### 2. HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW

Ink in cartridge is dark blue liquid with slight odor.

Keep out of reach of children.

Ink poses little or no immediate hazard if spilled.

#### POTENTIAL HEALTH EFFECTS

Inhalation: Not

Not expected to be a route of exposure under normal use.

Eye:

Ink may cause slight irritation.

Şkin:

Prolonged exposure to ink may cause irritation.

Ingestion:

Ink may cause gastrointestinal or other adverse effects.



Page: 2of 5

First issue: Dec. 26, 2007 Revised: Apr. 10, 2008 MSD\$ No.: BHC018

Product name: LC61C, LC65HY-C, LC980C, LC1100C, LC1100HY-C, LC38C, LC67C, LC990C

#### MATERIAL SAFETY DATA SHEET

#### CHRONIC EFFECTS / CARCINOGENICITY

Ingredients of ink have not been classified as carcinogens according to IARC monographs, NTP, and OSHA regulated.

#### EU HAZARD LABEL

Ink is not classified according to EU-Directive 1999/45/EC.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS# / EC#	% by weight	USA OSHA PEL	ACGIH TLV	EU Symbol / Risk Phrases
Glycerol	56-81-5 / 200-289-5	10 - 30	(as mist) Total dust TWA 15mg/m <sup>3</sup> Respirable fraction TWA 5mg/m <sup>3</sup>	(as mist) Total dust TWA 10mg/m <sup>3</sup>	Not classified
Diethylene glycol	111-46-6 / 203-872-2	1-5	Not established	Not established	Xn / R22
Triethylene glycol monobutyl ether	143-22-6 / 205-592-6	1-4	Not established	Not established	Xi / R41
Cyan dye	Registered	1 - 4	Not established	Not established	Xi / R41 R52/53
Water	7732-18-5 / 231-791-2	50 - 70	Not established	Not established	Not established

### 4. FIRST AID MEASURES

INHALATION:

Remove to fresh air area and get medical attention.

EYE:

Flush immediately with running water for at least 15 minutes and get

medical attention.

SKIN:

Wash with water and soap.

INGESTION:

Dilute with water and get medical attention.

## 5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

Auto-ignition temperature:

426°C

Flammability:

LEL: Not available UEL: Not available

Flash point:

Does not flash (>93.3°C)

(Tag closed cup & Cleveland opened cup)

EXTINGUISHING MEDIA

Suitable:

Water, CO<sub>2</sub>, Foam, Dry chemical.

Not to be used:

None



Product name: LC61C, LC65HY-C, LC980C, LC1100C, LC1100HY-C. LC38C, LC67C, LC990C

Page: 3of 5

First issue: Dec. 26, 2007 Revised: Apr. 10, 2008 MSDS No.: BHC018

### MATERIAL SAFETY DATA SHEET

#### FIRE FIGHTING INSTRUCTIONS

Special exposure hazards:

Refer to section 10.

Special protect equipment for fire-fighters:

Use self-contained breathing apparatus.

## 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTION:

In case of ink vapor formation use respirator.

**ENVIRONMENTAL PRECAUTION:** METHODES FOR CLEANING UP:

Take care to minimize ink that reaches to a sewer. Wipe up ink with absorbent towel. Wash with

water to remove remaining traces of ink.

## 7. HANDLING AND STORAGE

HANDLING:

Avoid skin contact with ink. Prevent eye contact with ink.

STORAGE:

Keep out of reach of children. Store in a cool, dark, and dry place.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**EXPOSURE LIMIT VALUES:** 

Refer to section 2.

EXPOSURE CONTROLS

Engineering controls:

Ventilation is not required under normal use.

Personal protection

Respiratory protection:

Not required under normal use.

Hand protection:

Not required under normal use.

Eye protection:

Not required under normal use.

Skin protection:

Not required under normal use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Dark blue liquid

Auto-ignition temperature:

426°C

Boiling point:

103°C

Density:

 $1.07 \, \mathrm{g/ml}$ 

Flammability:

LEL: Not available UEL: Not available

Flash point:

Does not flash (>93.3°C)

(Tag closed cup & Cleveland opened cup)

Freezing point:

-9°C

Odor:

Slight odor

Partition coefficient (n-octanol/water):

Not available

7 - 9

Solubility in water:

Soluble

Vapor density (Air=1):

Not available

Vapor pressure:

Not available

Viscosity:

2 - 5 mPa·s



at vour side

Product name: LC61C, LC65HY-C, LC980C, LC1100C, LC1100HY-C,

LC38C, LC67C, LC990C

Page: 4of 5

First issue: Dec. 26, 2007 Revised: Apr. 10, 2008 MSDS No.: BHC018

#### MATERIAL SAFETY DATA SHEET

## 10. STABILITY AND REACTIVITY

STABILITY:

**CONDITIONS TO AVOID:** 

MATERIALS TO AVOID:

**HAZARDOUS DECOMPOSITION PRODUCTS:** 

**HAZARDOUS POLYMERIZATION:** 

Stable

None

Strong oxidizing agents

Carbon monoxide, Carbon dioxide

Does not occur

## 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity:

LD<sub>50</sub> of ink is greater than 2000mg/kg.

Eve irritation:

Ink is classified as a MINIMAL IRRITANT.

Skin irritation:

Ink is classified as a NON IRRITANT.

# 12. ECOLOGICAL INFORMATION

PERSISTENCE AND DEGRADABILITY:

Not available

**BIOACCUMULATIVE POTENTIAL:** 

Not available

# 13. DISPOSAL CONSIDERATIONS

Dispose in accordance with federal, state and local regulations.

## 14. TRANSPORT INFORMATION

US DEPARTMENT OF TRANSPORTATION (DOT):

MARITIME TRANSPORT IMDG:

AIR TRANSPORT ICAO/IATA:

Not applicable

Not applicable

Not applicable

# 15. REGULATORY INFORMATION

US REGULATIONS

TSCA STATUS:

All components in ink are listed on TSCA inventory.

**EUROPEAN REGULATIONS** 

**EU NOTIFICATION:** 

All components in ink are listed in EINECS, ELINCS or NLP

Inventory.

EU HAZARD LABEL:

Ink is not classified according to EU-Directive 1999/45/EC.

## 16. OTHER INFORMATION

The information relates only to this specific ink cartridge. It may not be valid for this ink cartridge, if used in combination with any other materials or in any other process. And it is based on our best knowledge as of the date of preparation (revision).



Product name: LC61C, LC65HY-C, LC980C, LC1100C, LC1100HY-C,

LC38C, LC67C, LC990C

First issue: Dec. 26, 2007

Page: 5of 5

Revised: Apr. 10, 2008 MSDS No.: BHC018

### MATERIAL SAFETY DATA SHEET

EU Hazard Symbols:

Xn: Harmful

Xi: Irritant

EU Risk (R) Phrase definitions:

R22: Harmful if swallowed.

R41: Risk of serious damage to eyes.

R52/53: Harmful to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Key

ACGIH TLV TLV (Threshold Limit Value) under American Conference of Governmental

Industrial Hygienists

DOT

Department Of Transportation (USA)

ENECS

European Inventory of Existing Commercial Chemical Substances (EU)

**IARC** 

International Agency for Research on Cancer

IATA

International Air Transport Association

**IMDG** NLP

International Maritime Dangerous Goods No-Longer Polymers List (EU)

NTP

National Toxicology Program (USA)

OSHA

Occupational Safety and Health Administration (USA)

OSHA HCS

Hazard Communication Standard issued by Occupational Safety and Health

Administration (USA)

OSHA PEL

PEL (Permissible Exposure Limit) under Occupational Safety and Health

Administration (USA)

TSCA

Toxic Substances Control Act (USA)