



MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identification of the preparation C8721 Series

Use of the preparation Inkjet printing

Manufacturer information Hewlett-Packard Company
1000 NE Circle Boulevard
Corvallis, OR 97330-4239 US

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209
(Direct) 1-503-494-7199

General information telephone number

HP Customer Care Line 1-800-474-6836
(Toll-free) 1-800-474-6836
(Direct) 1-208-323-2551

Date prepared Aug 17, 2005

MSDS number 65882

2. COMPOSITION / INFORMATION ON INGREDIENTS

Component/substance	CAS number	% by weight
Water	7732-18-5	> 70
1-(2-hydroxyethyl)-2-pyrrolidone	3445-11-2	< 10
2-pyrrolidone	616-45-5	< 10
Azonaphthalenesulfonate salt #1	Proprietary	< 5

Composition comments This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).

3. HAZARDS IDENTIFICATION

Emergency overview Contact with skin and eyes may result in irritation.

Acute health effects Any potential hazards are presumed to be due to exposure to the components.

Skin contact

1-(2-hydroxyethyl)-2-pyrrolidone
Contact with skin may result in irritation.

2-pyrrolidone
Contact with skin may result in irritation.

Eye contact

1-(2-hydroxyethyl)-2-pyrrolidone
Contact with eyes may result in irritation.

2-pyrrolidone
Contact with eyes may result in irritation.

Inhalation

1-(2-hydroxyethyl)-2-pyrrolidone
Inhalation may result in respiratory irritation.

2-pyrrolidone
Inhalation may result in respiratory irritation.



MATERIAL SAFETY DATA SHEET

Ingestion

1-(2-hydroxyethyl)-2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

4. FIRST AID MEASURES

First aid procedures

Skin

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.

Eye

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Inhalation

Remove to fresh air. If symptoms persist, get medical attention.

Ingestion

If ingestion of a large amount does occur, seek medical attention.

5. FIRE FIGHTING MEASURES

Flash point and method

> 93.3 °C (> 200 °F); Pensky-Martens Closed Cup

Hazardous combustion products

Refer to section 10.

Extinguishing media

Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media

None known.

Unusual fire and explosion hazard

None known.

Special firefighting procedures

None established.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear appropriate personal protective equipment.

Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Procedures if material is released or spilled

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling

Avoid contact with skin, eyes and clothing.

Storage

Keep out of the reach of children. Keep away from excessive heat or cold.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values

None established.



MATERIAL SAFETY DATA SHEET

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Exposure guidelines Use in a well ventilated area.

9. PHYSICAL & CHEMICAL PROPERTIES

pH	6.5 - 7.5
Vapor pressure	Not determined
Boiling point	Not determined
Solubility	Soluble in water
Specific gravity	1 - 1.2
VOC content	< 3 %
Flash point	> 93.3 °C (> 200 °F)
Viscosity	> 2 cp
Vapor density	> 1 (air = 1.0)
Evaporation rate	Not determined
Flammability	Not determined
Oxidizing properties	Not determined
Color	Black

10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Stability	Stable under recommended storage conditions.
Hazardous polymerization	Will not occur.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Incompatibility	Incompatible with strong bases and oxidizing agents.

11. TOXICOLOGICAL INFORMATION

This ink formulation has not been tested for toxicological effects.
Refer to Section 3 for potential health effects and Section 4 for first aid measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity	LC50/96h/Fathead minnows => 750 mg/L Static acute toxicity (trout), survival (100 mg/L) = 100% Static acute toxicity (trout), survival (10 mg/L) = 100%
-------------------------	---

13. DISPOSAL CONSIDERATIONS

Disposal instructions Dispose of in compliance with federal, state, and local regulations.
HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. TRANSPORTATION INFORMATION

General Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.



MATERIAL SAFETY DATA SHEET

IATA

Proper shipping name	Not applicable
Hazard class	Not applicable
Special precautions	None
Packaging exceptions	None
Identification number (UN)	None
Packing group	N/A

15. REGULATORY INFORMATION

International regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
US federal regulations	US TSCA 12(b): Does not contain listed chemicals.
HMIS ratings	Health: 1 Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
Superfund Amendments and Reauthorization Act of 1986 (SARA)	
Section 302 extremely hazardous substance	No
Section 311 hazardous chemical	No
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

16. OTHER INFORMATION

Other information	This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
Issue date	Aug 17 2005 12:02PM
Revision	1
Replaces sheet dated	Aug 10 2005 3:55PM
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.



MATERIAL SAFETY DATA SHEET

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds



MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identification of the preparation C8771 Series

Use of the preparation Inkjet printing

Manufacturer information Hewlett-Packard Company
1000 NE Circle Boulevard
Corvallis, OR 97330-4239 US

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209
(Direct) 1-503-494-7199

General information telephone number

HP Customer Care Line 1-800-474-6836
(Toll-free) 1-800-474-6836
(Direct) 1-208-323-2551

Date prepared Aug 17, 2005

MSDS number 65876

2. COMPOSITION / INFORMATION ON INGREDIENTS

Component/substance	CAS number	% by weight
Water	7732-18-5	> 70
1-(2-hydroxyethyl)-2-pyrrolidone	3445-11-2	< 15
Substituted diol	Proprietary	< 10
Substituted phthalocyanine salt #1	Proprietary	< 5
Alkyldiol ethoxylate	Proprietary	< 2.5

Composition comments This ink supply contains an aqueous ink formulation.
This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).

3. HAZARDS IDENTIFICATION

Emergency overview Contact with skin and eyes may result in irritation.

Acute health effects Any potential hazards are presumed to be due to exposure to the components.

Skin contact

1-(2-hydroxyethyl)-2-pyrrolidone
Contact with skin may result in irritation.

Alkyldiol ethoxylate
Contact with skin may result in severe irritation.

Substituted diol
Contact with skin may result in irritation.

Eye contact

1-(2-hydroxyethyl)-2-pyrrolidone
Contact with eyes may result in irritation.

Alkyldiol ethoxylate
Contact can cause moderate to severe irritation and possible injury to the eyes.

Substituted diol
Contact with eyes may result in irritation.

Inhalation

1-(2-hydroxyethyl)-2-pyrrolidone
Inhalation may result in respiratory irritation.



MATERIAL SAFETY DATA SHEET

Ingestion

1-(2-hydroxyethyl)-2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Alkyldiol ethoxylate

Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

4. FIRST AID MEASURES

First aid procedures

Skin

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.

Eye

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Inhalation

Remove to fresh air. If symptoms persist, get medical attention.

Ingestion

If ingestion of a large amount does occur, seek medical attention.

5. FIRE FIGHTING MEASURES

Flash point and method

> 93.3 °C (> 200 °F); Pensky-Martens Closed Cup

Hazardous combustion products

Refer to section 10.

Extinguishing media

Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media

None known.

Unusual fire and explosion hazard

None known.

Special firefighting procedures

None established.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear appropriate personal protective equipment.

Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Procedures if material is released or spilled

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling

Avoid contact with skin, eyes and clothing.

Storage

Keep out of the reach of children. Keep away from excessive heat or cold.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values

None established.



MATERIAL SAFETY DATA SHEET

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Exposure guidelines Use in a well ventilated area.

9. PHYSICAL & CHEMICAL PROPERTIES

pH	7.8 - 8.7
Vapor pressure	Not determined
Boiling point	Not determined
Solubility	Soluble in water
Specific gravity	1 - 1.2
VOC content	< 3 %
Flash point	> 93.3 °C (> 200 °F)
Viscosity	> 2 cp
Vapor density	> 1 (air = 1.0)
Evaporation rate	Not determined
Flammability	Not determined
Oxidizing properties	Not determined
Color	Cyan

10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Stability	Stable under recommended storage conditions.
Hazardous polymerization	Will not occur.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Incompatibility	Incompatible with strong bases and oxidizing agents.

11. TOXICOLOGICAL INFORMATION

This ink formulation has not been tested for toxicological effects.
Refer to Section 3 for potential health effects and Section 4 for first aid measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity	LC50/96h/Fathead minnows =< 400 mg/L Static acute toxicity (trout), survival (100 mg/L) = 100% Static acute toxicity (trout), survival (10 mg/L) = 100%
-------------------------	---

13. DISPOSAL CONSIDERATIONS

Disposal instructions	Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle .
------------------------------	---

14. TRANSPORTATION INFORMATION

General	Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.
----------------	---



MATERIAL SAFETY DATA SHEET

IATA

Proper shipping name	Not applicable
Hazard class	Not applicable
Special precautions	None
Packaging exceptions	None
Identification number (UN)	None
Packing group	N/A

15. REGULATORY INFORMATION

International regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
US federal regulations	US TSCA 12(b): Does not contain listed chemicals.
HMIS ratings	Health: 1 Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
Superfund Amendments and Reauthorization Act of 1986 (SARA)	
Section 302 extremely hazardous substance	No
Section 311 hazardous chemical	No
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

16. OTHER INFORMATION

Other information	This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
Issue date	Aug 17 2005 12:05PM
Revision	1
Replaces sheet dated	Aug 10 2005 3:51PM
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.



MATERIAL SAFETY DATA SHEET

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds



MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identification of the preparation C8772 Series

Use of the preparation Inkjet printing

Manufacturer information Hewlett-Packard Company
1000 NE Circle Boulevard
Corvallis, OR 97330-4239 US

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209
(Direct) 1-503-494-7199

General information telephone number

HP Customer Care Line 1-800-474-6836
(Toll-free) 1-800-474-6836
(Direct) 1-208-323-2551

Date prepared Aug 17, 2005

MSDS number 63926

2. COMPOSITION / INFORMATION ON INGREDIENTS

Component/substance	CAS number	% by weight
Water	7732-18-5	> 70
1-(2-hydroxyethyl)-2-pyrrolidone	3445-11-2	< 15
Substituted diol	Proprietary	< 10
Substituted naphthalenesulfonate salt #11	Proprietary	< 5
Alkyldiol ethoxylate	Proprietary	< 2.5

Composition comments This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).

3. HAZARDS IDENTIFICATION

Emergency overview Contact with skin and eyes may result in irritation.

Acute health effects Any potential hazards are presumed to be due to exposure to the components.

Skin contact

1-(2-hydroxyethyl)-2-pyrrolidone
Contact with skin may result in irritation.

Alkyldiol ethoxylate
Contact with skin may result in severe irritation.

Substituted diol
Contact with skin may result in irritation.

Eye contact

1-(2-hydroxyethyl)-2-pyrrolidone
Contact with eyes may result in irritation.

Alkyldiol ethoxylate
Contact can cause moderate to severe irritation and possible injury to the eyes.

Substituted diol
Contact with eyes may result in irritation.

Substituted naphthalenesulfonate salt #11
Contact with eyes may result in irritation.



MATERIAL SAFETY DATA SHEET

Inhalation

1-(2-hydroxyethyl)-2-pyrrolidone
Inhalation may result in respiratory irritation.

Ingestion

1-(2-hydroxyethyl)-2-pyrrolidone
Ingestion may result in nausea, vomiting and diarrhea.
Alkyldiol ethoxylate
Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

4. FIRST AID MEASURES

First aid procedures

Skin

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.

Eye

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Inhalation

Remove to fresh air. If symptoms persist, get medical attention.

Ingestion

If ingestion of a large amount does occur, seek medical attention.

5. FIRE FIGHTING MEASURES

Flash point and method

> 93.3 °C (> 200 °F); Pinsky-Martens Closed Cup

Hazardous combustion products

Refer to section 10.

Extinguishing media

Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media

None known.

Unusual fire and explosion hazard

None known.

Special firefighting procedures

None established.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear appropriate personal protective equipment.

Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Procedures if material is released or spilled

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling

Avoid contact with skin, eyes and clothing.

Storage

Keep out of the reach of children. Keep away from excessive heat or cold.



MATERIAL SAFETY DATA SHEET

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values	None established.
Personal protective equipment	
General	Use personal protective equipment to minimize exposure to skin and eye.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Exposure guidelines	Use in a well ventilated area.

9. PHYSICAL & CHEMICAL PROPERTIES

pH	7.8 - 8.7
Vapor pressure	Not determined
Boiling point	Not determined
Solubility	Soluble in water
Specific gravity	1 - 1.2
VOC content	< 3 %
Flash point	> 93.3 °C (> 200 °F)
Viscosity	> 2 cp
Vapor density	> 1 (air = 1.0)
Evaporation rate	Not determined
Flammability	Not determined
Oxidizing properties	Not determined
Color	Magenta

10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Stability	Stable under recommended storage conditions.
Hazardous polymerization	Will not occur.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Incompatibility	Incompatible with strong bases and oxidizing agents.

11. TOXICOLOGICAL INFORMATION

This ink formulation has not been tested for toxicological effects.
Refer to Section 3 for potential health effects and Section 4 for first aid measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity	LC50/96h/Fathead minnows =< 400 mg/L Static acute toxicity (trout), survival (100 mg/L) = 100% Static acute toxicity (trout), survival (10 mg/L) = 100%
-------------------------	---

13. DISPOSAL CONSIDERATIONS

Disposal instructions	Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle .
------------------------------	---

14. TRANSPORTATION INFORMATION

General	Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.
----------------	---



MATERIAL SAFETY DATA SHEET

IATA

Proper shipping name	Not applicable
Hazard class	Not applicable
Special precautions	None
Packaging exceptions	None
Identification number (UN)	None
Packing group	N/A

15. REGULATORY INFORMATION

International regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
US federal regulations	US TSCA 12(b): Does not contain listed chemicals.
HMIS ratings	Health: 1 Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
Superfund Amendments and Reauthorization Act of 1986 (SARA)	
Section 302 extremely hazardous substance	No
Section 311 hazardous chemical	No
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

16. OTHER INFORMATION

Other information	This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
Issue date	Aug 17 2005 12:08PM
Revision	1
Replaces sheet dated	Aug 10 2005 3:47PM
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.



MATERIAL SAFETY DATA SHEET

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds



MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identification of the preparation C8773 Series

Use of the preparation Inkjet printing

Manufacturer information Hewlett-Packard Company
1000 NE Circle Boulevard
Corvallis, OR 97330-4239 US

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199

General information telephone number

HP Customer Care Line 1-800-474-6836

(Toll-free) 1-800-474-6836

(Direct) 1-208-323-2551

Date prepared Aug 14, 2006

MSDS number 161922

2. COMPOSITION / INFORMATION ON INGREDIENTS

Component/substance	CAS number	% by weight
Water	7732-18-5	> 70
2-pyrrolidone	616-45-5	< 7.5
Ethyl alkyldiol	Proprietary	< 7.5
Tetraethylene glycol	112-60-7	< 7.5
Substituted naphthalenesulfonate salt # 13	Proprietary	< 5
Alkyldiol ethoxylate	Proprietary	< 2.5

Composition comments This ink supply contains an aqueous ink formulation.
This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).

3. HAZARDS IDENTIFICATION

Emergency overview Contact with skin and eyes may result in irritation.

Acute health effects Any potential hazards are presumed to be due to exposure to the components.

Skin contact

2-pyrrolidone
Contact with skin may result in irritation.

Alkyldiol ethoxylate
Contact with skin may result in severe irritation.

Ethyl alkyldiol
Contact with skin may result in mild irritation.

Substituted naphthalenesulfonate salt # 13
Contact with skin may result in irritation.

Tetraethylene glycol
Contact with skin may result in irritation.



MATERIAL SAFETY DATA SHEET

Eye contact

2-pyrrolidone

Contact with eyes may result in irritation.

Alkyldiol ethoxylate

Contact can cause moderate to severe irritation and possible injury to the eyes.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Substituted naphthalenesulfonate salt # 13

Contact with eyes may result in irritation.

Tetraethylene glycol

Contact with eyes may cause irritation.

Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation.

Substituted naphthalenesulfonate salt # 13

Inhalation may result in respiratory irritation.

Tetraethylene glycol

Inhalation may result in respiratory irritation.

Ingestion

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Alkyldiol ethoxylate

Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

4. FIRST AID MEASURES

First aid procedures

Skin

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.

Eye

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Inhalation

Remove to fresh air. If symptoms persist, get medical attention.

Ingestion

If ingestion of a large amount does occur, seek medical attention.

5. FIRE FIGHTING MEASURES

Flash point and method

> 200 °F; Pensky-Martens Closed Cup

Hazardous combustion products

Refer to section 10.

Extinguishing media

Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media

None known.



MATERIAL SAFETY DATA SHEET

Unusual fire and explosion hazard None known.

Special firefighting procedures None established.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Procedures if material is released or spilled Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values None established.

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Exposure guidelines Use in a well ventilated area.

9. PHYSICAL & CHEMICAL PROPERTIES

pH 6.88 - 7.61

Vapor pressure Not determined

Boiling point Not determined

Solubility Soluble in water

Specific gravity 1 - 1.2

VOC content < 3 %

Flash point > 200 °F

Viscosity > 2 cp

Vapor density > 1 (air = 1.0)

Evaporation rate Not determined

Flammability Not determined

Oxidizing properties Not determined

Color Yellow

10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Stability Stable under recommended storage conditions.

Hazardous polymerization Will not occur.

Hazardous decomposition products Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Incompatibility Incompatible with strong bases and oxidizing agents.



MATERIAL SAFETY DATA SHEET

11. TOXICOLOGICAL INFORMATION

This ink formulation has not been tested for toxicological effects.
Refer to Section 3 for potential health effects and Section 4 for first aid measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity LC50/96h/Fathead minnows => 750 mg/L
Static acute toxicity (trout), survival (100 mg/L) = 100%
Static acute toxicity (trout), survival (10 mg/L) = 100%

13. DISPOSAL CONSIDERATIONS

Disposal instructions Dispose of in compliance with federal, state, and local regulations.
HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit <http://www.hp.com/recycle>.

14. TRANSPORTATION INFORMATION

General Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.

IATA

Proper shipping name	Not applicable
Hazard class	Not applicable
Special precautions	None
Packaging exceptions	None
Identification number (UN)	None
Packing group	N/A

15. REGULATORY INFORMATION

International regulations All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

US federal regulations US TSCA 12(b): Does not contain listed chemicals.

HMIS ratings

Health:	1
Flammability:	1
Physical hazard:	0

NFPA ratings

Health:	1
Flammability:	1
Instability:	0

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 extremely hazardous substance No

Section 311 hazardous chemical No

Hazard categories Immediate Hazard - No
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

16. OTHER INFORMATION

Other information This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).



MATERIAL SAFETY DATA SHEET

Issue date Aug 14 2006 3:16PM

Revision 2

Replaces sheet dated Jan 9 2006 2:15PM

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds



MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identification of the preparation C8774 Series

Use of the preparation Inkjet printing

Manufacturer information Hewlett-Packard Company
1000 NE Circle Boulevard
Corvallis, OR 97330-4239 US

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-503-494-7199

General information telephone number

HP Customer Care Line 1-800-474-6836

(Toll-free) 1-800-474-6836

(Direct) 1-208-323-2551

Date prepared Aug 14, 2006

MSDS number 162721

2. COMPOSITION / INFORMATION ON INGREDIENTS

Component/substance	CAS number	% by weight
Water	7732-18-5	> 70
1-(2-hydroxyethyl)-2-pyrrolidone	3445-11-2	< 15
Substituted diol	Proprietary	< 10
Alkyldiol ethoxylate	Proprietary	< 2.5
Trade Secret Colorant Material	Proprietary	< 2.5

Composition comments This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).

3. HAZARDS IDENTIFICATION

Emergency overview Contact with skin and eyes may result in irritation.

Acute health effects Any potential hazards are presumed to be due to exposure to the components.

Skin contact

1-(2-hydroxyethyl)-2-pyrrolidone
Contact with skin may result in irritation.

Alkyldiol ethoxylate
Contact with skin may result in severe irritation.

Substituted diol
Contact with skin may result in irritation.

Eye contact

1-(2-hydroxyethyl)-2-pyrrolidone
Contact with eyes may result in irritation.

Alkyldiol ethoxylate
Contact can cause moderate to severe irritation and possible injury to the eyes.

Substituted diol
Contact with eyes may result in irritation.

Inhalation

1-(2-hydroxyethyl)-2-pyrrolidone
Inhalation may result in respiratory irritation.



MATERIAL SAFETY DATA SHEET

Ingestion

1-(2-hydroxyethyl)-2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Alkyldiol ethoxylate

Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

4. FIRST AID MEASURES

First aid procedures

Skin

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.

Eye

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Inhalation

Remove to fresh air. If symptoms persist, get medical attention.

Ingestion

If ingestion of a large amount does occur, seek medical attention.

5. FIRE FIGHTING MEASURES

Flash point and method

> 200 °F; Pensky-Martens Closed Cup

Hazardous combustion products

Refer to section 10.

Extinguishing media

Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media

None known.

Unusual fire and explosion hazard

None known.

Special firefighting procedures

None established.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear appropriate personal protective equipment.

Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Procedures if material is released or spilled

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling

Avoid contact with skin, eyes and clothing.

Storage

Keep out of the reach of children. Keep away from excessive heat or cold.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values

None established.



MATERIAL SAFETY DATA SHEET

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Exposure guidelines Use in a well ventilated area.

9. PHYSICAL & CHEMICAL PROPERTIES

pH	7.8 - 8.7
Vapor pressure	Not determined
Boiling point	Not determined
Solubility	Soluble in water
Specific gravity	1 - 1.2
VOC content	< 3 %
Flash point	> 200 °F
Viscosity	> 2 cp
Vapor density	> 1 (air = 1.0)
Evaporation rate	Not determined
Flammability	Not determined
Oxidizing properties	Not determined
Color	Cyan

10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Stability	Stable under recommended storage conditions.
Hazardous polymerization	Will not occur.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Incompatibility	Incompatible with strong bases and oxidizing agents.

11. TOXICOLOGICAL INFORMATION

This ink formulation has not been tested for toxicological effects.
Refer to Section 3 for potential health effects and Section 4 for first aid measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity	LC50/96h/Fathead minnows =< 400 mg/L Static acute toxicity (trout), survival (100 mg/L) = 100% Static acute toxicity (trout), survival (10 mg/L) = 100%
-------------------------	---

13. DISPOSAL CONSIDERATIONS

Disposal instructions	Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle .
------------------------------	---

14. TRANSPORTATION INFORMATION

General	Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.
----------------	---



MATERIAL SAFETY DATA SHEET

IATA

Proper shipping name	Not applicable
Hazard class	Not applicable
Special precautions	None
Packaging exceptions	None
Identification number (UN)	None
Packing group	N/A

15. REGULATORY INFORMATION

International regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
US federal regulations	US TSCA 12(b): Does not contain listed chemicals.
HMIS ratings	Health: 1 Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
Superfund Amendments and Reauthorization Act of 1986 (SARA)	
Section 302 extremely hazardous substance	No
Section 311 hazardous chemical	No
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

16. OTHER INFORMATION

Other information	This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
Issue date	Aug 14 2006 6:47PM
Revision	2
Replaces sheet dated	Jan 9 2006 3:29PM
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.



MATERIAL SAFETY DATA SHEET

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds



MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Identification of the preparation C8775 Series

Use of the preparation Inkjet printing

Manufacturer information Hewlett-Packard Company
1000 NE Circle Boulevard
Corvallis, OR 97330-4239 US

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209
(Direct) 1-503-494-7199

General information telephone number

HP Customer Care Line 1-800-474-6836
(Toll-free) 1-800-474-6836
(Direct) 1-208-323-2551

Date prepared Aug 14, 2006

MSDS number 163186

2. COMPOSITION / INFORMATION ON INGREDIENTS

Component/substance	CAS number	% by weight
Water	7732-18-5	> 70
1-(2-hydroxyethyl)-2-pyrrolidone	3445-11-2	< 15
Substituted diol	Proprietary	< 10
Alkyldiol ethoxylate	Proprietary	< 2.5
Substituted naphthalenesulfonate salt # 11	Proprietary	< 2.5

Composition comments This ink supply contains an aqueous ink formulation.
This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).

3. HAZARDS IDENTIFICATION

Emergency overview Contact with skin and eyes may result in irritation.

Acute health effects Any potential hazards are presumed to be due to exposure to the components.

Skin contact

1-(2-hydroxyethyl)-2-pyrrolidone
Contact with skin may result in irritation.

Alkyldiol ethoxylate
Contact with skin may result in severe irritation.

Substituted diol
Contact with skin may result in irritation.

Eye contact

1-(2-hydroxyethyl)-2-pyrrolidone
Contact with eyes may result in irritation.

Alkyldiol ethoxylate
Contact can cause moderate to severe irritation and possible injury to the eyes.

Substituted diol
Contact with eyes may result in irritation.

Substituted naphthalenesulfonate salt # 11
Contact with eyes may result in irritation.



MATERIAL SAFETY DATA SHEET

Inhalation

1-(2-hydroxyethyl)-2-pyrrolidone
Inhalation may result in respiratory irritation.

Ingestion

1-(2-hydroxyethyl)-2-pyrrolidone
Ingestion may result in nausea, vomiting and diarrhea.
Alkyldiol ethoxylate
Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Potential health effects

Routes of exposure

Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects

None known.

Carcinogenicity

None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

4. FIRST AID MEASURES

First aid procedures

Skin

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.

Eye

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.

Inhalation

Remove to fresh air. If symptoms persist, get medical attention.

Ingestion

If ingestion of a large amount does occur, seek medical attention.

5. FIRE FIGHTING MEASURES

Flash point and method

> 200 °F; Pensky-Martens Closed Cup

Hazardous combustion products

Refer to section 10.

Extinguishing media

Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media

None known.

Unusual fire and explosion hazard

None known.

Special firefighting procedures

None established.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear appropriate personal protective equipment.

Environmental precautions

Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Procedures if material is released or spilled

Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations.

7. HANDLING AND STORAGE

Handling

Avoid contact with skin, eyes and clothing.

Storage

Keep out of the reach of children. Keep away from excessive heat or cold.



MATERIAL SAFETY DATA SHEET

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values	None established.
Personal protective equipment	
General	Use personal protective equipment to minimize exposure to skin and eye.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Exposure guidelines	Use in a well ventilated area.

9. PHYSICAL & CHEMICAL PROPERTIES

pH	7.8 - 8.7
Vapor pressure	Not determined
Boiling point	Not determined
Solubility	Soluble in water
Specific gravity	1 - 1.2
VOC content	< 3 %
Flash point	> 200 °F
Viscosity	> 2 cp
Vapor density	> 1 (air = 1.0)
Evaporation rate	Not determined
Flammability	Not determined
Oxidizing properties	Not determined
Color	Magenta

10. CHEMICAL STABILITY & REACTIVITY INFORMATION

Stability	Stable under recommended storage conditions.
Hazardous polymerization	Will not occur.
Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
Incompatibility	Incompatible with strong bases and oxidizing agents.

11. TOXICOLOGICAL INFORMATION

This ink formulation has not been tested for toxicological effects.
Refer to Section 3 for potential health effects and Section 4 for first aid measures.

12. ECOLOGICAL INFORMATION

Aquatic toxicity	LC50/96h/Fathead minnows =< 400 mg/L Static acute toxicity (trout), survival (100 mg/L) = 100% Static acute toxicity (trout), survival (10 mg/L) = 100%
------------------	---

13. DISPOSAL CONSIDERATIONS

Disposal instructions	Dispose of in compliance with federal, state, and local regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle .
-----------------------	---

14. TRANSPORTATION INFORMATION

General	Not a regulated article under United States DOT, IATA, ADR, IMDG, or RID.
---------	---



MATERIAL SAFETY DATA SHEET

IATA

Proper shipping name	Not applicable
Hazard class	Not applicable
Special precautions	None
Packaging exceptions	None
Identification number (UN)	None
Packing group	N/A

15. REGULATORY INFORMATION

International regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
US federal regulations	US TSCA 12(b): Does not contain listed chemicals.
HMIS ratings	Health: 1 Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
Superfund Amendments and Reauthorization Act of 1986 (SARA)	
Section 302 extremely hazardous substance	No
Section 311 hazardous chemical	No
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

16. OTHER INFORMATION

Other information	This MSDS was prepared in accordance with USA OSHA Hazard Communications regulation (29 CFR 1910.1200).
Issue date	Aug 14 2006 8:20PM
Revision	2
Replaces sheet dated	Jan 9 2006 3:46PM
Disclaimer	This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.



MATERIAL SAFETY DATA SHEET

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds