# TOSHIBA MATERIAL SAFETY DATA SHEET

Preparation Date		
Revision Date		

: November 28, 1997 : April 01, 1999

SECTION 1 CHEMIC	<u> CA</u>	L PRODUCT AND COMPANY IDENTIFICATION
Product Name	:	T-3580 Black Toner
Used for	:	Model : ED-3580 Toshiba Copier
Company Name	:	Toshiba Tec Corporation
Address	:	1-1, Kanda Nishikicho, Chiyoda-ku, Tokyo 101-8442, Japan
Telephone Numbe	:	+81-3-3438-6854
Manufacturer Name	:	(1) Toshiba Tec Corporation, Yanagicho Works

	70, Yanagi-cho, Saiwai-ku, Kawasaki-shi, 210-8501 Japan
	(2) Toshiba America Information Systems Inc.
	Toner Products Division (Mitchell Plant)
	901 North Foster Street, Mitchell, SD. 57301-0070 U.S.A.
	(3) Toshiba Tec Europe Imaging Systems S.A.
	Euro Channel Martine Eglise
	Neuville Les Dieppe, France 76370
Contact	: (1) Toshiba America Information Systems, Inc.
	Emergency Tel. No. : +1-800-424-9300
	For calls within the U.S. only.
	(2) Toshiba of Canada Limited
	Tel. No.: 905-405-3500 For calls within Canada only.
	(3) Toshiba Europe GmbH
	Tel. No. : : +49-2131-158-01
	(4) Toshiba (Australia) Pty, Ltd.
	Tel. No. : : +61-2-98873322

#### SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT(S)		CAS No.	<u>wt.%</u>	OSHA PEL	ACGIH TLV
Styrene acrylate copolymer	:	25767-47-9		Not listed	Not listed
		29497-14-1	88 - 91	Not listed	Not listed
		لر26634-89-9		Not listed	Not listed
Carbon black	:	1333-86-4	7 - 8	3.5 mg/m3	3.5 mg/m3
Polypropylene	:	9003-07-0	2 - 4	Not listed	Not listed

#### SECTION 3 HAZARDS IDENTIFICATION

Emergency Overviev	V : Product is stable.
	If used as intended, the product does not present an acute
	or chronic health hazard.
Physical Hazards	: This product is not classified as flammable or combustible.
	It will burn in case of fire.
	Avoid contact with strong oxidizers such as chromate,
	bromate and nitrates.
Routes of Exposure	: Inhalation, dermal contact, incidental ingestion
Inhalation	: Excessive inhalation may cause irritation of the nose,
	throat and respiratory tract.
Eye Contact	: Not an irritant.
Dermal Contact	: Not an irritant; not a sensitizer.
Ingestion	: None currently known.
Chronic Effects/Carc	inogenicity : See Section 11 Supplemental Health Information.

Reproductive/Developme	ental:	None identified.
Target Organs :	Prolonged breathin	ng of high concentrations may cause
	adverse effects on	the respiratory system.
Signs and Symptoms of I	Exposure :	Prolonged exposure to dusts of this product may
	irritate the respirat	ory system.
Medical Conditions Aggra	ure to This Product :	
	Respiratory disord	ers, such as asthma, may be aggravated
	by prolonged expo	osure to high concentrations of this product.

#### SECTION 4 FIRST AID MEASURES

Product Identity :

Eye Contact	: Flush eyes with plenty of water for at least
	15 minutes. If irritation persists, call a physician.
Skin Contact	: Wash with soap and water. Wash clothing before reuse.
	If irritation occurs or is persistent, seek medical attention.
Ingestion	: Dilute stomach contents with several glasses of water.
Inhalation	: Remove from exposure area to fresh air.
	Contact a physician if there is any difficulty in breathing or other signs of distress.

### SECTION 5 FIRE FIGHTING MEASURES

General Hazard : F	Product will burn in case of fire.		
Flash Point : N	Not applicable		
	Not applicable		
Autoignition Temperature	: Not applicable		
Flammability classification			
Extinguishing Media : F	Foam, halon, carbon dioxide, dry chemical & water fog.		
Unusual Fire & Explosion	Hazard :		
	Combustible powder. Dust of this product at sufficient		
C	concentrations can form explosive mixtures with air.		
Fire Fighting Procedures N	None		
Hazardous Combustion P	roducts : Carbon monoxide, carbon dioxide and smoke.		
SECTION 6 ACCIDENTA	AL RELEASE MEASURES		
Spills or Leaks : V	/acuum-clean spilled toner and carefully transfer into sealable		
,	waste container.		
11	f no vacuum-cleaner is available, sweep slowly to minimize		
g	generation of dust during clean-up. Residue can be removed		
	with soap and cold water.		
SECTION 7 HANDLING	AND STORAGE		
Handling : A	Avoid generating dust, keep away from ignition sources.		
Prevention of Fire and Explosion :			
T	This material is capable of creating a dust explosion.		
ĸ	Keep away from heat, sparks & flame.		
	Keep container in cool and dry area.		
	Avoid inhalation and ingestion. Avoid getting in eyes, on		
	skin or clothing. Wash hands thoroughly after handling,		
	and before eating, drinking, or smoking.		
	······································		
SECTION 8 EXPOSURE	CONTROLS/PERSONAL PROTECTION		
	DSHA (TWA/PEL as the prod 15mg/m3 (Total dust)		

MATERIAL SAFETY DATA SHEET

Product Identity :

T-3580 Black Toner

#### 5mg/m3 (Respirable dust)

ACGIH(TWA/TLV as the prod 10mg/m3 (Total dust)

6mg/m3 (Total dust)

Engineering Controls	: Maintain adequate ventilation.
Eye Protection :	Not required under intended use.
Skin Protection :	Not required under intended use.
Respiratory Protection	: Not required under intended use.

DFG-MAK

#### SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Fine solid powder
Color	:	Black
Scent	:	Odorless
Melting Point	:	110C - 150C (Softening point)
Specific Gravity(H2O=	=1)	: 1.1 - 1.5
Vapor Pressure	:	Not applicable
Vapor Density (Air=	:	Not applicable
Evaporation Rate	:	Not applicable
Solubility in Water	:	Negligible
pH Value	:	Not a water-based product, therefore not applicable.

#### SECTION 10 STABILITY AND REACTIVITY

Stability:StableIncompatibility:None identified.Hazardous Decomposition Products :Carbon monoxide and carbon dioxide.Hazardous Polymerization:Will not occur.

#### SECTION 11 SUPPLEMENTAL HEALTH INFORMATION

Acute oral toxicity	: LD50 is greater than 5,000mg/kg.
Acute inhalation	: LC50(4H) is in excess of 4.88mg/l.(This was the highest
	attainable concentration.)
Eye irritation	: Non irritant.
Skin irritation	: Non irritant.
Skin sensitization	: Non sensitization.
Mutagenicity	: Negative in the Ames test.
Carcinogenicity	:

In 1996, the IARC classified carbon black as a Group 2B carcinogen (possible human carcinogen). Chronic Effects

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92 % of the rats in the high concentration (16 mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4 mg/m3) exposure group. These findings are attributed to "lung overloading, a general response to excessive amounts of any dust retained in the lings for a prolonged period.

#### SECTION 12 ECOLOGICAL INFORMATION

This material has not been tested concerning environmental effects (fish toxicity, bird toxicity, invertebrate toxicity, phyto-toxicity and environmental fate).

#### SECTION 13 DISPOSAL CONSIDERATION

Dispose of in accordance with local, state and federal regulation. Empty plastic container may be recycled.

MSDS No.T3580KAW4W Page 4 of 5

## Product Identity :

#### CTIC S

SECTION 14 TRANSPORTATION INF	FORMATION		
Special Precautions :	None		
International Transport Information			
UN Classification Numb :	Not applicable		
DOT Identification NumI:	Not applicable		
Domestic Transportatior :	Not applicable		
Other Information :	Not applicable		
SECTION 15 REGULATORY INFORM	ATION		
US/Canada Information			
OSHA Hazard Communication Standar	d, 29CFR 1910. 1200 : Not regulated.		
Toxic Substance Control Act (TSCA) :			
-	omply with all applicable rules or orders under TSCA.		
CERCLA/SARA Information Not regulate	d.		
NTP Annual Report on Carcinogens :	Not listed as a NTP carcinogen.		
IARC : See section	11.		
California Proposition 6 :			
	are listed as chemicals known to the State of California		
to cause cancer or reproductive system e			
Controlled Products Regulations(Canad	•		
•	dance with the hazard criteria of the CPR.		
Other State Regulation: :			
-	Right to Know List, Pennsylvania Hazardous Substance		
List, and Massachusetts Substance List. U.S./Canada Label Statements:			
	JANDLING Minimize dust generation and accumulation		
Use with adequate ventilation.	HANDLING. Minimize dust generation and accumulation.		
EU Information			
Label Information According to Directiv	/es 67/548 FEC & 88/379 FEC		
Symbol & Indication			
Risk Phrase	: Not required		
Safety Advise Phras	•		
EEC Directive(76/548 EEC, 79/831 EE	EC, 92/32 EEC) :		
All chemical substances in this product c Directive.	omply with all applicable rules or order under EEC		
The Subject of Specific Provisions in F Directive 76/769/EE	Relation to Protection of Man or the Environment.		
National requirement : No specific	regulations or restrictions.		
SECTION 16 OTHER INFORMATION			
National Fire Protection Association (NF	PA) Classification:		
Flammability : 1	, Reactivity : 0		
Health : 0	(0 = insignificant, 1 = slight)		
Hazardous Materials Information Systems (HMIS) :			
Red (Flammability) : 7	Yellow (Reactivity) : 0		
Blue (Acute Effects) :	0		

Product Identity :	T-3580 Black Toner	MSDS No.T3580KAW4 Page 5 of 5
Notice :	Although reasonable care has been taken in the preparation of such	
	information, Toshiba Corporation extends no warranties, makes no	
	representations, and assumes no responsibility as to the accuracy or	
	suitability of such information for application to p purposes or for consequences of its use.	ourchaser's intended
References :	IARC (1996) IARC Monographs on the Evaluation of the Carcinogenic Risks of Chemicals to Humans, Vol. 65, Printing Processes and	
	Printing Inks, Carbon Black and Some Nitro Compounds, Lyon, pp. 149-261.	
	H. Muhle, B. Bellmann, O. Creutzenberg, C. Das	senbrock, H. Ernst,
	R. Kilpper, J. C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka,	
	and R. Mermelstein (1991).	
	Pulmonary Response to Toner upon Chronic Inhalation Exposure in	
	Rats, Fundamental and Applied Toxicology 17, p	pp. 280-299.
Abbreviation :	EL stands for Permissible Exposure Limit under O	opunational Safaty
.,	Ith Administration (USA).	ccupational Salety
	FLV stands for Threshold Limit Value under Americ	can Conference of
	nental Industrial Hygienists (USA).	
	K stands for Maximale Arbeitsplatzkonzentrationer	n under Deutsche
.,	ngsgemeinschaft.	
(4) TWA sta	ands for Time Weighted Average.	
(5) IARC sta	ands for International Agency for Research on Can	cer.
. ,	nds for National Toxicology Program (USA).	
(7) NIOSH s Health (I	stands for National Institute for Occupational Safety JSA).	/ and
(8) DOT sta	nds for Department of Transportation (USA).	
Prepared by :	Toshiba Tec Corporation	
	Quality Assurance Department -II	
	70, Yanagi-cho, Saiwai-ku, Kawasaki-shi, 210-8	501 Japan
	Telephone No. : +81-44-548-5602	