

Page: 1 of 7

Product Name

Issue Date:

Nov. 25, 2003

TN-670 Toner

MSDS No. : AMLTU001

Section 1 - Chemical product and company identification

Product name:

TN-670 Toner

Material name: ZEOGLOBULE PT461

These products are black toner in a cartridge for Brother Industries, Ltd. laser printers and fax

The cartridge prevents the toner from spilling in normal use.

Manufacturer:

Brother Industries, Ltd.

Information & Document Company

1-1-1, Kawagishi, Mizuho-ku, Nagoya

467-8562, Japan

Telephone (for information): +81-52-824-2545

Importer in USA:

Brother International Corporation

100 Somerset Corporate Boulevard, P.O. Box 6911

Bridgewater, NJ 08807-0911, USA

Telephone (for information): 800-284-4329

Importer in Canada:

Brother International Corporation (Canada) Ltd.

1 Hotel De Ville, Dollard des Ormeaux, Quebec,

H9B 3H6, Canada

Telephone (for information): 514-685-0600

We do not provide 24 hour cover for information contact. appropriate to you during our business hours.

Please telephone to the above office

Section 2 · Composition / information on ingredients

Chemical name: Styrene acrylate Toner (Mixture)

Ingredients:

0		- 1			
CAS#	Components	os	HA PEL	ACGIH TLV	%Wt.
25767-47-9	Styrene-acrylate Copolymer		•		
1333-86-4	Carbon Black		3,5	3.5	5-10
61682-73-3	Fatty acid ester			anny spanners	_
9011-14:7	PMMA				-
7631-86-9	Silicon Dioxides (Amorphous)				_

Section 3 · Hazards identification

Emergency overview

Characteristics: Fine odorless granule (black colored), water insoluble

Flash point:

No data available



Page: 2 of 7

Product Name Issue Date: Nov. 25, 2003

TN-670 Toner MSDS No.: AMLTU001

HMIS ratings: Health: 1 Fire: 1 Reactivity: 0

Personal protection: (See Section 8) . No personal protective device is required under the normal use.

In case that some accident causes considerable spill, the following measures are suggested.

Use protective goggles. Use suitable protective gloves. Use a NIOSH/MSHA approved dust/mist respirator.

Potential health effects

Eye contact: This material presents no serious risk of chemical damage to the eyes.

Skin contact: This material presents no serious risk of chemical damage to the skin.

Ingestion: This material may be harmful if swallowed.

Inhalation: Respiratory tract may be affected by exposure to large amounts of dust from this

material.

Section 4 - First aid measures

Eye contact

Flush eyes with plenty of water for a minimum of 15 minutes, and seek medical attention.

Skin contact

Wash material off of skin with plenty of soap and water.

Ingestion

If the material is swallowed, get immediate medical attention or advice.

Inhalation

Remove person to fresh air and seek medical attention. If not breathing, give artificial respiration.

If breathing is difficult, give oxygen.

Notes to physician

Not provided.

Section 5 - Fire fighting measures and explosion hazard data

Flash point (method used): Not available

Explosion limits (upper): Unknown

Explosion limits (lower): 40g/m³

Auto ignition: Not available

Dust explosion classification: 3

ust explosion diassification-

Rate of burning: Not available



Page : 3 of 7

Product Name

Issue Date:

Nov. 25, 2003

TN-670 Toner

MSDS No.:

AMLTU001

General fire hazards

Thermal decomposition of organic components may results in occurrence of oxides of carbon.

Dust explosion may occur under the limited conditions.

Hazardous combustion products

Oxides of carbon

Extinguishing media

Water, ABC dry chemical or protein type air foams are recommended.

Fire fighting equipment/instruction

Do not use methods which may create a dust cloud such as high pressure, water, steam, etc.

NFPA ratings:	Health: 1	Fire: 1	Reactivity: 0	Other: 0	
HMIS ratings:	Health: 1	Fire: 1	Reactivity: 0		
	Personal protection: (See Section 8,)				

Section 6 - Accidental release measures

Containment procedures

Toner spill does not occur in normal use of the printer/fax receiver and in normal handling of the cartridge. In case of accidental spill, avoid dust inhalation, ingestion and contact.

Review "Fire fighting measures and explosion hazard data (Section 5)" and "Exposure controls / personal protection (Section 8)" before proceeding with cleanup.

Ventilate the room and collect toner spill as much as possible for disposal.

Clean-up procedure

Sprinkle water over the spilled and/or leaked materials and then clean up into a container.

In case of a small quantity of spill, a vacuum cleaner with safety features to prevent dust explosion and with a bag that will contain very small size of particles $(9 - 10 \mu \text{ m})$ can be used.

Special instructions

None

Section 7 · Handling and storage

Recommended storage methods

Store in dry cool place. Keep away from sparks and open flame. Use with adequate ventilation,



Page: 4 of 7

Product Name

Issue Date:

Nov. 25, 2003

TN 670 Toner

MSDS No.:

AMLTU001

Section 8 - Exposure controls / personal protection

The toner material is generally non-hazardous when it is NOT a toner dust floating in the air. The cartridge is designed to prevent toner spillage. In case that some accident causes considerable spillage, this section should be applied.

Exposure guidelines

Control airborne concentrations below the recommended limit. Use only with adequate ventilation. Mechanical ventilation is recommended.

Component exposure limits

	OSHA PEL (mg/m³)	ACGIH TLV (mg/m³)
Styrene-acrylate Copolymer	10 *	15 *
Carbon Black	3.5	8.5
Fatty acid ester		-
PMMA	-	•
Silicon Dioxides (Amorphous)	10 ★	15 *

* : for total dust

Engineering ctrl.

Ventilation:

Local exhaust recommended.

Personal protective equipment

Eye/face-

Safety goggles

Skin:

Protective gloves recommended.

Respiratory:

Nuisance dust respirator

General:

Not necessary

Section 9 - Physical and chemical properties

Appearance: Black, fine granule Odor: Odorless Physical state: Solid pH: Not applicable Vapor pressure: Not applicable Vapor density: Not applicable Boiling point: Not applicable Freezing point: Not applicable 120℃ Melting point: Solubility(H2O): Negligible Specific gravity: 1.15g/cm³ Particle size: $9 \cdot 10 \mu$ Softening point: 63°C Evaporation rate: Not applicable Viscosity: Not applicable Bulk density: 0.39g/cm3



Page: 5 of 7

Product Name

Issue Date:

Nov. 25, 2003

TN-670 Toner

MSDS No.: AMLTU001

Percent volatile: <0.5 wt.%

Molecular weight

: 15000-20000

Additional properties

Solubility in chloroform: Swell

Section 10 - Chemical stability and reactivity information

Chemical stability:

Stable

Conditions to avoid:

Do not expose to temperature above 200°C.

Incompatibility:

Avoid exposure to strong oxidizers.

Hazardous polymerization:

Will not occur

Section 11 · Toxicological information

Acute toxicity/target organ information

A. General product information

Acute inhalation toxicity: No data

Acute oral toxicity:

LD50 > 2000 mg/kg (rat)

Acute eve irritation:

No data

Acute dermal irritation: Non-irritant (rabbit)

B. Component

No data

Carcinogenicity

Carbon black has been classified as a group 2B by IARC, however inhalation test using a typical toner containing carbon black has not demonstrated an association between toner exposure and animal tumors.

Teratogenicity/reproductive effects

Not available

Neurotoxicity

Not available

Mutagenicity

Negative in Ames test.

Chronic effects

Use of this product, as intended, does not result in inhalation of toner dust, But under potential human exposure level (1 mg/m³), no pulmonary change was observed.



Page : 6 of 7

Product Name

Issue Date: No

Nov. 25, 2003 AMLTU001

TN-670 Toner

MSDS No. :

Section 12 · Ecological information

Ecotoxicity:

Not available

Environmental Fate:

Not available

Section 13 · Disposal considerations

US EPA waste number & descriptions

A. General product information

Not applicable

B. Component Waste Numbers

Not applicable

Disposal Instructions

Landfill or incinerate in accordance with local, state and federal regulations.

Section 14 · Transportation information

DOT information

Shipping name:

Not applicable

Hazards class:

Not applicable

UN number:

Not applicable

Packing Group:

Not applicable

Label(s) required

Not applicable

International transportation regulations

Not applicable

Section 15 · Regulatory information

US federal regulations

Five ingredients are all on the TSCA Inventory.

State regulations

Not applicable

Other regulations

Not available



Page: 7 of 7

Product Name

Issue Date:

Nov. 25, 2003

TN 670 Toner

MSDS No.:

AMLTU001

Section 16 · Other information

Others

This document is based on our knowledge at the time of preparation. While Brother Industries, Ltd. believes that the data contained herein are accurate, many of the data have been derived from outside sources and we cannot assume any liability as to the accuracy of the data. They are offered solely for your information.

This document covers only normal conditions of use and handling. When using product under unintended conditions, user is responsible to examine proper precautions for any particular use.

End of MSDS No.: AML/TU001